

The background of the entire page is a dense, overlapping pattern of yellow sticky notes. The notes are of various sizes and are arranged in a way that creates a textured, three-dimensional effect. Some notes are slightly offset from others, and the lighting is warm, giving the scene a golden glow. The text is overlaid on this background.

anthologie
QUARTETT

MORE LIGHT

ARCHITECTURAL & DECORATIVE LIGHT

anthologie
QUARTETT

MORE LIGHT

ARCHITECTURAL & DECORATIVE LIGHT

DECKENLEUCHTEN
CEILING LAMPS
PLAFONNIERS
LAMPADRE DA SOFFITTO



10



12



14



HÄNGELEUCHTEN
 SUSPENSIONS
 SUSPENSIONI
 SOSPENSIONI

 <p>16</p>	 <p>18</p>		 <p>20</p>
	 <p>22</p>		
		 <p>24</p>	
 <p>26</p>		 <p>28</p>	 <p>30</p>

HÄNGELEUCHTEN
SUSPENSIONS
SUSPENSIONS
SOSPENSIONI



32



34

36



38



40



42



44

HÄNGELEUCHTEN
 SUSPENSIONS
 SUSPENSIONI
 SOSPENSIONI

 <p>48</p>	 <p>48</p>		
 <p>52</p>	 <p>54</p>	 <p>56/64</p>	 <p>58</p>
 <p>60</p>	 <p>62</p>		
 <p>66</p>	 <p>66</p>	 <p>67</p>	 <p>67</p>

TISCHLEUCHTEN
TABLE LAMPS
LAMPES DE TABLE
LAMPADE DA TAVOLO



84



86



86



86



88/90

WANDLEUCHTEN
WALL LAMPS
APPLIQUES
LAMPADA DA PARETE



92



94



96



98



100



102



104



106











108



110



KERZENLEUCHTER
CANDLEHOLDERS
CHANDELIERS
CANDELABRI

 <p>112</p>			
 <p>114</p>			
 <p>116</p>	 <p>118</p>		
 <p>120</p>	 <p>122</p>	 <p>124</p>	 <p>126</p>



NUNZIA CARBONE & TIZIANO VUDAFIERI 2004
cellula

deckenleuchte

400x60x520 mm (1 halterung)

aluminium.edelstahl.kristallglas.handgeschliffen

3 x 15 W (max. 40 W) klar E14

ceiling lamp

400x60x520 mm (1 bracket)

aluminium.stainless steel.crystal glass.ground by hand

3 x 15 W (max. 40 W) clear E14

plafonnier

400x60x520 mm (1 élément de fixation)

aluminium.acier inox.cristal taillé à la main

3 x 15 W (max. 40 W) clair E14

lampada da soffitto


400x60x520 mm (1 elemento di supporto)

alluminio.acciaio inox.vetro di cristallo molato a mano

3 x 15 W (max. 40 W) trasparente E14

CV01.06.04.10.0





MICHAEL VON JAKUBOWSKI & RAINER KRAUSE 2004
crystal rain

deckenleuchte rund
 ca. Ø 450x185 mm
 edelstahl.gestrahlt.edelstahl.poliert.
 swarovski kristallglas
 3 x 40 W max. klar E14

ceiling lamp round
 approx. Ø 450x185 mm
 stainless steel.blasted.stainless steel.polished.
 swarovski crystal glass
 3 x 40 W max. clear E14

plafonnier circulaire
 approx. Ø 450x185 mm
 acier inox sablé.acier inox poli.
 cristal swarovski
 3 x 40 W max. clair E14

lampada da soffitto rotonda
 appross. Ø 450x185 mm
 acciaio inox molato.acciaio inox sabbato.
 cristallo swarovski
 3 x 40 W max. trasparente E14

JK01.06.04.10.0





NINA JEROCH 2007
alumeqa

deckenleuchte.rechteckig unter putz
295x600x90 mm
aluminium natur.eloxiert
24 leds. 12 V 29,4 W (1000 lumen)
unterputzdose (100x350x65 mm) im
lieferumfang enthalten

ceiling lamp.rectangular concealed installation
295x600x90 mm
natural aluminium.anodised
24 leds. 12 V 29.4 W (1000 lumen)
installation box (100x350x65 mm) included
in delivery

plafonnier rectangulaire installation encastrée
295x600x90 mm
aluminium naturel anodizé
24 leds. 12 V 29,4 W (1000 lumen)
boîtier d'encastrement (100x350x65 mm) compris
dans le volume de livraison

lampada da soffitto rettangolare da incastro
295x600x90 mm
alluminio naturale anodizzato
24 leds. 12 V 29,4 W (1000 lumen)
scatola da incasso (100x350x65 mm) inclusa
nella confezione della lampada

JN01.06.02.00.0





HEIKO BLEUEL 2004
light colours

hängeleuchte
Ø 600x330 mm
aluminium.edelstahl.laminiertes papier.
weisschattierungen
abhängungslänge 2500 mm
1 x 250 W max. halogen E27

suspension
Ø 600x330 mm
aluminium.stainless steel.laminated paper.
shades of white
suspension length 2500 mm
1 x 250 W max. halogen E27

suspension
Ø 600x330 mm
aluminium.acier inox.papier laminé.
différentes nuances de blanc
longueur du câble de suspension 2500 mm
1 x 250 W max. halogène E27

sospensione
Ø 600x330 mm
alluminio.acciaio inox.carta laminata.
sfumature in bianco
cavetti per sospensioni (2500 mm)
1 x 250 W max. alogena E27

BH01.05.02.03.0





HEIKO BLEUEL 2003
light colours

hängeleuchte
Ø 600x330 mm
aluminium.edelstahl.laminiertes papier.
intensive farben
abhängungslänge 2500 mm
1 x 250 W max. halogen E27

suspension
Ø 600x330 mm
aluminium.stainless steel.laminated paper.
intensive colours
suspension length 2500 mm
1 x 250 W max. halogen E27

suspension
Ø 600x330 mm
aluminium.acier inox.papier laminé.
couleurs intensives
longueur du câble de suspension 2500 mm
1 x 250 W max. halogène E27

sospensione
Ø 600x330 mm
alluminio.acciaio inox.carta laminata.
colori intensi
cavetti per sospensioni (2500 mm)
1 x 250 W max. alogena E27

BH01.05.02.02.0





HEIKO BLEUEL 2010
light colours

hängeleuchte

Ø 600x500 mm

aluminium.edelstahl.laminiertes blattgold.

24 karat

abhängungslänge 2500 mm

1 x 250 W max. halogen E27

suspension

Ø 600x500 mm

aluminium.stainless steel.laminated gold leaf.

24 carat

suspension length 2500 mm

1 x 250 W max. halogen E27

suspension

Ø 600x500 mm

aluminium.acier inox.métal précieux laminé.

feuille d'or 24 carat

longueur du câble de suspension 2500 mm

1 x 250 W max. halogène E27

sospensione

Ø 600x500 mm

alluminio.acciaio inox.metallo nobile laminato.

foglio oro 24 carato

cavetti per sospensioni (2500 mm)

1 x 250 W max. alogena E27

BH01.05.02.05.0



NUNZIA CARBONE & TIZIANO VUDAFIERI 1996
cellula

hängeleuchte
1200x30x400 mm
aluminium.edelstahl.kristallglas.handgeschliffen
abhängungslänge 2500 mm
9 x 15 W (max. 40 W) klar E14

suspension
1200x30x400 mm
aluminium.stainless steel.crystal glass.ground by hand
suspension length 2500 mm
9 x 15 W (max. 40 W) clear E14

suspension
1200x30x400 mm
aluminium.acier inox.cristal taillé à la main
longueur du câble de suspension 2500 mm
9 x 15 W (max. 40 W) clair E14

sospensione
1200x30x400 mm
alluminio.acciaio inox.cristallo molato a mano
cavetti per sospensioni 2500 mm
9 x 15 W (max. 40 W) trasparente E14

CV01.05.12.10.T





NUNZIA CARBONE & TIZIANO VUDAFIERI 1996
cellula

hängeleuchte
1200x30x400 mm
aluminium.edelstahl.kristallglas.handgeschliffen
mit 10 grünen prisma-paaren
abhängungslänge 2500 mm
9 x 15 W (max. 40 W) klar E14

suspension
1200x30x400 mm
aluminium.stainless steel.crystal glass.ground by hand
with 10 pairs of green crystals
suspension length 2500 mm
9 x 15 W (max. 40 W) clear E14

suspension
1200x30x400 mm
aluminium.acier inox.cristal taillé à la main
avec 10 paires de prismes verts
longueur du câble de suspension 2500 mm
9 x 15 W (max. 40 W) clair E14

sospensione
1200x30x400 mm
alluminio.acciaio inox.cristallo molato a mano
con 10 paia di gocce in verde
cavetti per sospensioni 2500 mm
9 x 15 W (max. 40 W) trasparente E14

CV01.05.12.40.T



NUNZIA CARBONE & TIZIANO VUDAFIERI 2007
cellula.anniversary

hängeleuchte
1200x30x400 mm
aluminium.edelstahl.kristallglas.handgeschliffen
nummeriert/limitiert 1/500
abhängungslänge 2500 mm
9 x 15 W (max. 40 W) klar E14

suspension
1200x30x400 mm
aluminium.stainless steel.crystal glass.ground by hand
numbered/limited 1/500
suspension length 2500 mm
9 x 15 W (max. 40 W) clear E14

suspension
1200x30x400 mm
aluminium.acier inox.cristal taillé à la main
numérotée/limitée 1/500
longueur du câble de suspension 2500 mm
9 x 15 W (max. 40 W) clair E14

sospensione
1200x30x400 mm
alluminio.acciaio inox.cristallo molato a mano
numerata/limitata 1/500
cavetti per sospensioni 2500 mm
9 x 15 W (max. 40 W) trasparente E14

CV01.05.12.J.T



HANS HEISZ 2000

illustri

hängeleuchte

ca. Ø 350 mm

stahl.nomex

abhängungslänge 2500 mm

1 x 60 W max. klar E27 globulux

suspension

approx. Ø 350 mm

steel.nomex

suspension length 2500 mm

1 x 60 W max. clear E27 globulux

suspension

approx. Ø 350 mm

acier.nomex

longueur du câble de suspension 2500 mm

1 x 60 W max. clair E27 globulux

sospensione

appross. Ø 350 mm

acciaio.nomex

cavetti per sospensioni 2500 mm

1 x 60 W max. trasparente E27 globulux

HH01.05.00.00.0



BOHUSLAV HORAK 1998
metal garden: nora

hängeleuchte
ca. Ø 400x1200 mm
eisen.patiniert.böhmisches glas.
mundgeblasen.sandgestrahlt
1 x 25 W (max. 60 W) klar E27

suspension
approx. Ø 400x1200 mm
iron.patinised.bohemian glass.mouth-blown.
sandblasted
1 x 25 W (max. 60 W) clear E27

suspension
approx. Ø 400x1200 mm
fer patiné.verre de bohème soufflé à la
bouche et sablé
1 x 25 W (max. 60 W) clair E27

sospensione
appross. Ø 400x1200 mm
ferro patinato.cristallo di bohemia soffiato a
bocca e sabbato
1 x 25 W (max. 60 W) trasparente E27

HB34.05.00.00.0





BOHUSLAV HORAK 2005
reflections: roma

hängeleuchte.mittel (M)

1 grosses, 14 mittlere, 14 kleine glaselemente
ca. Ø 400x1150 mm
stahl.verchromt.böhmisches
glas.mundgeblasen.sandgestrahlt
1 x 60 W (max. 100 W) klar E27

suspension.medium (M)

1 large, 14 medium, 14 small glass components
approx. Ø 400x1150 mm
steel.chrome-plated.bohemian glass.mouth-blown.
sandblasted
1 x 60 W (max. 100 W) clear E27

suspension.moyenne (M)


1 grand, 14 moyens et 14 petits éléments de verre
approx. Ø 400x1150 mm
acier chromé.verre de bohème soufflé à la
bouche
1 x 60 W (max. 100 W) clair E27

sospensione.medio (M)

1 elemento di vetro grande, 14 medi e 14 piccoli
appross. Ø 400x1150 mm
acciaio cromato.cristallo di bohemia soffiato a
bocca
1 x 60 W (max. 100 W) trasparente E27

HB32.05.02.00.0





MICHAEL VON JAKUBOWSKI & RAINER KRAUSE 2004
crystal rain

hängeleuchte rund
 ca. Ø 450x185 mm
 edelstahl.gestrahlt.edelstahl.poliert.
 swarovski kristallglas
 abhängungslänge 2500 mm
 3 x 40 W max. klar E14

suspension round
 approx. Ø 450x185 mm
 stainless steel.blasted.stainless steel.polished.
 swarovski crystal glass
 suspension length 2500 mm
 3 x 40 W max. clear E14

suspension circulaire
 approx. Ø 450x185 mm
 acier inox sablé.acier inox poli.
 cristal swarovski
 longueur du câble de suspension 2500 mm
 3 x 40 W max. clair E14

sospensione rotonda
 appross. Ø 450x185 mm
 acciaio inox molato.acciaio inox sabbato.
 cristallo swarovski
 cavetti per sospensioni 2500 mm
 3 x 40 W max. trasparente E14

JK01.05.04.10.0





MICHAEL VON JAKUBOWSKI & RAINER KRAUSE 2004
crystal rain

hängeleuchte oval

ca. 600x300x175/900x450x210/1200x600x225 mm

edelstahl, gestrahlt, edelstahl, poliert.

swarovski kristallglas

abhängungslänge 2500 mm

6/9/12 x 40 W max. klar E14

suspension oval

approx. 600x300x175/900x450x210/1200x600x225 mm

stainless steel, blasted, stainless steel, polished.

swarovski crystal glass

suspension length 2500 mm

6/9/12 x 40 W max. clear E14

suspension ovale

approx. 600x300x175/900x450x210/1200x600x225 mm

acier inox sablé, acier inox poli.

cristal swarovski

longueur du câble de suspension 2500 mm

6/9/12 x 40 W max. clair E14

sospensione ovale

appross. 600x300x175/900x450x210/1200x600x225 mm

acciaio inox molato, acciaio inox sabbiato.

cristallo swarovski

cavetti per sospensioni 2500 mm

6/9/12 x 40 W max. trasparente E14

JK01.15.06.10.0 / JK01.15.09.10.0 / JK01.15.12.10.0





NINA JEROCH 2007
alumeqa

hängeleuchte
600x295x3 mm
aluminium natur.eloxiert
abhängungslänge 2000 mm
24 leds. 12 V 29,4 W (1000 lumen)

suspension
600x295x3 mm
natural aluminium.anodised
suspension length 2000 mm
24 leds. 12 V 29.4 W (1000 lumen)

suspension
600x295x3 mm
aluminium naturel anodizé
longueur du câble de suspension 2000 mm
24 leds. 12 V 29,4 W (1000 lumen)

sospensione
600x295x3 mm
alluminio naturale anodizzato
cavetti per sospensioni 2000 mm
24 leds. 12 V 29,4 W (1000 lumen)

JN01.05.01.00.0



NINA JEROCH 2007
alumeqa

hängeleuchte (4 platinen)
2 platinen mit leds/2 platinen
ohne leds
600x305x295 mm
aluminium natur.eloxiert
abhängungslänge 2000 mm
48 leds. 12 V 58,81W (2000 lumen)

suspension (4 printed circuit boards)
2 printed circuit boards with leds/2 printed circuit
boards without leds
600x305x295 mm
natural aluminium.anodised
suspension length 2000 mm
48 leds. 12 V 58.81 W (2000 lumen)

suspension (4 circuits imprimés)
2 circuits imprimés avec leds/2 circuits
imprimés sans leds
610x305x295 mm
aluminium naturel anodisé
longueur du câble de suspension 2000 mm
48 leds. 12 V 58,81 W (2000 lumen)

sospensione (4 circuiti stampati)
2 circuiti stampati con leds/2 circuiti
stampati senza leds
610x305x295 mm
alluminio naturale anodizzato
cavetti per sospensioni 2000 mm
48 leds. 12 V 58,81 W (2000 lumen)

JN01.05.03.00.0



NINA JEROCH 2007
alumeqa

hängeleuchte (4 platinen)
2 platinen mit leds/2 platinen
ohne leds

610x610x295 mm
aluminium natur.eloxiert
abhängungslänge 2000 mm
48 leds. 12 V 58,81W (2000 lumen)

suspension (4 printed circuit boards)
2 printed circuit boards with leds/2 printed circuit
boards without leds

610x610x295 mm
natural aluminium.anodised
suspension length 2000 mm
48 leds. 12 V 58.81 W (2000 lumen)

suspension (4 circuits imprimés)
2 circuits imprimés avec leds/2 circuits
imprimés sans leds

610x610x295 mm
aluminium naturel anodisé
longueur du câble de suspension 2000 mm
48 leds. 12 V 58,81 W (2000 lumen)

sospensione (4 circuiti stampati)
2 circuiti stampati con leds/2 circuiti
stampati senza leds

610x610x295 mm
alluminio naturale anodizzato
cavetti per sospensioni 2000 mm
48 leds. 12 V 58,81 W (2000 lumen)

JN01.05.04.00.0



ALIM PASHT-HAN 2010
matrjoschka

hängeleuchte M

Ø 110x170 mm

porzellan.glanzgold/glanzplatin/bisquit.weiss.

aluminium

abhängungslänge 2500 mm

1 x 9 W max. kompaktleuchtstofflampe E14

suspension M

Ø 110x170 mm

porcelain.shiny golden/shiny platinum/bisque.white.

aluminium

suspension lenght 2500 mm

1 x 9 W max. compact fluorescent light E14

suspension M

Ø 110x170 mm

porcelaine or finition brillante/platine finition brillante/

bisquit blanc.aluminium

longueur du câble de suspension 2500 mm

1 x 9 W max. lampe fluocompacte E14

sospensione M

Ø 110x170 mm

porcellana oro lucido/platino lucido/biscotto bianco.

alluminio

cavetti per sospensioni 2500 mm

1 x 9 W max. lampadina fluorescente compatta E14

PH03.05.02.96.0 / PH03.05.02.95.0 / PH03.05.02.10.0



LUIS ROMERO 2010
el lamp

hängeleuchte

Ø 1000x700 mm, andere maße auf anfrage

edelstahl, gestrahlt

abhängungslänge 2500 mm

1 x 70 V 30 W EL

konverter 155x260x85 mm

suspension

Ø 1000x700 mm, other dimensions on request

stainless steel, sandblasted

suspension lenght 2500 mm

1 x 70 V 30 W EL

converter 155x260x85 mm

suspension

Ø 1000x700 mm, autres dimensions sur demande

acier inox sablé

longueur du câble de suspension 2500 mm

1 x 70 V 30 W EL

convertisseur 155x260x85 mm

sospensione

Ø 1000x700 mm, altri misure speciali su richiesta

acciaio inox sabbato

cavetti per sospensioni 2500 mm

1 x 70 V 30 W EL

convertitore 155x260x85 mm

RL01.05.10.00.0





ALI SIAHVOSHI 2005
der fliegende robert

hängeleuchte

1 basisschirm und 7 ergänzungsschirme

Ø 1000x2500 mm

aluminium.edelstahl.nylon.holz

14 x 9 W max. kompaktleuchtstofflampe E14

suspension

1 basic umbrella and 7 additional umbrellas

Ø 1000x2500 mm

aluminium.stainless steel.nylon.wood

14 x 9 W max. compact fluorescent light E14

suspension

1 parapluie de base et 7 parapluies complémentaires

Ø 1000x2500 mm

aluminium.acier inox.nylon

14 x 9 W max. lampe fluocompacte E14

sospensione

1 paralume basilare e 7 paralumi addizionale

Ø 1000x2500 mm

alluminio.acciaio inox.nylon

14 x 9 W max. lampadina fluorescente compatta E14

SA01.05.08.00.0



MICHAEL TOPOR 2003
jahreszeiten.eiszeit

hängeleuchter 90
ca. Ø 1000x650 mm
stahl.verchromt.kristallglas.handgeschliffen
5 kerzen Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
steel.chrome plated.crystal glass.ground by hand
5 candles Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
acier chromé.cristal taillé à la main
5 bougies Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

sospensione 90
appross. Ø 1000x650 mm
acciaio cromato.cristallo molato a mano
5 candele Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

MT01.05.09.05.5





MICHAEL TOPOR 2003
jahreszeiten.frühling

hängeleuchter 90
ca. Ø 1000x650 mm
eisen.bronzebraun.messing.patiniert.kristallglas.
handgeschliffen
5 kerzen Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
iron.bronze brown.brass.patinised.crystal glass.
ground by hand
5 candles Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
fer couleur bronze.laiton patiné.cristal
taillé à la main
5 bougies Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

sospensione 90
appross. Ø 1000x650 mm
fero brunito.ottone patinato.cristallo molato
a mano
5 candele Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

MT01.05.09.01.0





MICHAEL TOPOR 2003
jahreszeiten.sommer

hängeleuchter 90
ca. Ø 1000x650 mm
eisen.bronzebraun.messing.patinirt.kristallglas.
handgeschliffen
5 kerzen Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
iron.bronze brown.brass.patinised.crystal glass.
ground by hand
5 candles Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
fer couleur bronze.laiton patiné.cristal
taillé à la main
5 bougies Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

sospensione 90
appross. Ø 1000x650 mm
fero brunito.ottone patinato.cristallo molato
a mano
5 candele Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

MT01.05.09.02.0





MICHAEL TOPOR 2003
jahreszeiten.herbst

hängeleuchter 90
ca. Ø 1000x650 mm
eisen.bronzebraun.messing.patinirt.kristallglas.
handgeschliffen
5 kerzen Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
iron.bronze brown.brass.patinised.crystal glass.
ground by hand
5 candles Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
fer couleur bronze.laiton patiné.cristal
taillé à la main
5 bougies Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

sospensione 90
appross. Ø 1000x650 mm
fero brunito.ottone patinato.cristallo molato
a mano
5 candele Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

MT01.05.09.03.0





MICHAEL TOPOR 2003
jahreszeiten.winter

hängeleuchter 90
ca. Ø 1000x650 mm
eisen.bronzebraun.kristallglas.handgeschliffen
5 kerzen Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
iron.bronze brown.crystal glass.ground by hand
5 candles Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
fer couleur bronze.cristal taillé à la main
5 bougies Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

sospensione 90
appross. Ø 1000x650 mm
ferro brunito.cristallo molato a mano
5 candele Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

MT01.05.09.04.0





MICHAEL TOPOR 2003
jahreszeiten.eiszeit

hängeleuchter 90
ca. Ø 1000x650 mm
eisen.bronzebraun.kristallglas.handgeschliffen
5 kerzen Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
iron.bronze brown.crystal glass.ground by hand
5 candles Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
fer couleur bronze.cristal taillé à la main
5 bougies Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

sospensione 90
appross. Ø 1000x650 mm
ferro brunito.cristallo molato a mano
5 candele Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

MT01.05.09.05.0





MICHAEL TOPOR 2003
jahreszeiten.frost

hängeleuchter 90
ca. Ø 1000x650 mm
stahl.verchromt.edelstahl.poliert.kristallglas.
handgeschliffen
5 kerzen Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
steel.chrome plated.stainless steel.polished.
crystal glass.ground by hand
5 candles Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
acier chromé.acier inox poli.cristal
taillé à la main
5 bougies Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

sospensione 90
appross. Ø 1000x650 mm
acciaio cromato.acciaio inox molato.cristallo molato
a mano
5 candele Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

MT01.05.09.06.5



MICHAEL TOPOR 2003
jahreszeiten.herbst

hängeleuchter 90
ca. Ø 1000x650 mm
eisen.bronzebraun.messing.patiniert.kristallglas.
handgeschliffen
5 kerzen Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
iron.bronze brown.brass.patinised.crystal glass.
ground by hand
5 candles Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

suspension 90
approx. Ø 1000x650 mm
fer couleur bronze.laiton patiné.cristal taillé à la main
5 bougies Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

sospensione 90
appross. Ø 1000x650 mm
ferro brunito.ottone patinato.cristallo molato a mano
5 candele Ø 22 mm.10 x 25 W (max. 40 W) ba 15d

MT01.05.09.03.0





Ø 50




Ø 70



∅ 90

... ∅ 120 ... ∅ 140 ...



∅ 160

HANS HEISZ 2000

illustri

stehleuchte

ca. Ø 350x1850 mm

stahl,nomex

1 x 60 W max. klar E27 globulux

dimmer

floor lamp

approx. Ø 350x1850 mm

steel,nomex

1 x 60 W max. clear E27 globulux

dimmer switch

lampadaire

approx. Ø 350x1850 mm

acier,nomex

1 x 60 W max. clair E27 globulux

variateur d'intensité

lampada da terra

appross. Ø 350x1850 mm

acciaio,nomex

1 x 60 W max. trasparente E27 globulux

varialuce

HH01.03.02.00.0



BOHUSLAV HORAK 1992
metal garden: gabriele

kleiderständer mit leuchte
ca. Ø 500x1750 mm
aluminium.patinierter.eisen.patinierter
1 x 60 W (max. 100 W) klar E27

rack with lamp
approx. Ø 500x1750 mm
aluminium.patinierter.iron.patinierter
1 x 60 W (max. 100 W) clear E27

porte manteau avec lampe
approx. Ø 500x1750 mm
aluminium patiné.fer patiné.laiton
1 x 60 W (max. 100 W) clair E27

attaccapanni con luce
approx. Ø 500x1750 mm
alluminio patinato.ferro patinato.ottone
1 x 60 W (max. 100 W) trasparente E27

HB02.03.00.00.0



BOHUSLAV HORAK 1998
metal garden: koral

stehleuchte
ca. 300x450x1950 mm
eisen, patiniert
1 x 60 W (max. 100 W) klar E27

floor lamp
approx. 300x450x1950 mm
iron, patinised
1 x 60 W (max. 100 W) clear E27

lampadaire
approx. 300x450x1950 mm
fer patiné
1 x 60 W (max. 100 W) clair E27

lampada da terra
approx. 300x450x1950 mm
ferro patinato
1 x 60 W (max. 100 W) trasparente E27

HB26.03.00.00.0



BOHUSLAV HORAK 1998
metal garden: kvet

stehleuchte

ca. Ø 400x1850/2150 mm

eisen.patinieret.böhmisches glas.

mundgeblasen.sandgestrahlt

1 x 25 W (max. 60 W) klar E14

floor lamp

approx. Ø 400x1850/2150 mm

iron.patinised.bohemian glass.mouth-blown.

sandblasted

1 x 25 W (max. 60 W) clear E14

lampadaire

approx. Ø 400x1850/2150 mm

fer patiné.verre de bohème soufflé à la

bouche et sablé

1 x 25 W (max. 60 W) clair E14

lampada da terra

appross. Ø 400x1850/2150 mm

ferro patinato.cristallo di bohemia soffiato

a bocca e sabbciato

1 x 25 W (max. 60 W) trasparente E14

HB29.03.01.00.0 / HB29.03.02.00.0



BOHUSLAV HORAK 1998
metal garden: silueta

stehleuchte
anthologie quartett 1999
ca. 500x1250x2150 mm
eisen, patiniert
1 x 60 W (max. 100 W) klar E27

floor lamp
approx. 500x1250x2150 mm
iron, patinised
1 x 60 W (max. 100 W) clear E27

lampadaire
approx. 500x1250x2150 mm
fer patiné
1 x 60 W (max. 100 W) clair E27

lampada da terra
approx. 500x1250x2150 mm
ferro patinato
1 x 60 W (max. 100 W) trasparente E27

HB27.03.00.00.0



PATRICK KNOCH 2001
milk

stehleuchte
Ø 250x2000 mm
acryl.edelstahl.stahl.verchromt
1 x 75 W max. GU10

floor lamp
Ø 250x2000 mm
acrylic.stainless steel.steel.chrome-plated
1 x 75 W max. GU10

lampe à poser
Ø 250x2000 mm
acrylique.acier inox.acier chromé
1 x 75 W max. GU10

lampada da terra
Ø 250x2000 mm
acrilico sabbaiato.acciaio inox.acciaio cromato
1 x 75 W max. GU10

KP02.03.00.00.0



ALIM PASHT-HAN 2010
matrjoschka

stehleuchte

Ø 355x1800 mm

porzellan.bisquit.weiss.vertikal halb gelocht.

edelstahl.aluminium

1 x led.12 V 6,9 W (400 lumen)

floor lamp

Ø 355x1800 mm

porcelain.bisque.white.vertically semi-perforated.

stainless steel.aluminium

1 x led.12 V 6.9 W (400 lumen)

lampadaire

Ø 355x1800 mm

biscuit blanc.demi perforé vertical.

acier inox.aluminium

1 x led.12 V 6,9 W (400 lumen)

lampada da terra

Ø 355x1800 mm

biscotto bianco.perforato a metà verticale.

acciaio inox.alluminio

1 x led.12 V 6,9 W (400 lumen)

PH03.03.04.12.0



ALI SIAHVOSHI 2006
table lamp

beistelltisch/bodenleuchte
Ø 500x600 mm
glas.gehärtet.geschliffen.seidenplissee.
carraramarmor.weiss.edelstahl
1 x 9 W max. kompaktleuchtstofflampe E14

side table/floor lamp
Ø 500x600 mm
tempered glass.ground.silk plisse.
carrara marble.white.stainless steel
1 x 9 W max. compact fluorescent light E14

table basse/lampe à poser
Ø 500x600 mm
cristal trempé et biseauté.soie plissée.marbre blanc de
carrare.acier inox
1 x 9 W max. lampe fluocompacte E14

tavolino/lampada da terra
Ø 500x600 mm
cristallo temperato molato.seta plissettata.bianco
carrara.acciaio inox
2 x 9 W max. lampadina fluorescente compatta E14

SA02.03.00.00.0



HANS HEISZ 2000
illustri

tischleuchte
ca. Ø 350x820 mm
stahl.nomex
1 x 60 W max. klar E27 globulux
dimmer

table lamp
approx. Ø 350x820 mm
steel.nomex
1 x 60 W max. clear E27 globulux
dimmer switch

lampe de table
approx. Ø 350x820 mm
acier.nomex
1 x 60 W max. clair E27 globulux
variateur d'intensité

lampada da tavolo
appross. Ø 350x820 mm
acciaio.nomex
1 x 60 W max. trasparente E27 globulux
varialuce

HH01.02.00.00.0





ALIM PASHT-HAN 2010
matryoschka

tischleuchte L/XL/XXL

Ø 130x245/160x295/220x345 mm

porzellan.bisquit.weiss.lithophanie.aluminium

1 x led.12 V 6,9 W (400 lumen)

table lamp L/XL/XXL

Ø 130x245/160x295/220x345 mm

porcelain.bisque.white.lithophane.aluminium

1 x led.12 V 6.9 W (400 lumen)

lampe de table L/XL/XXL

Ø 130x245/160x295/220x345 mm

bisquit blanc.lithophanie.aluminium

1 x led.12 V 6,9 W (400 lumen)

lampada da tavolo L/XL/XXL

Ø 130x245/160x295/220x345 mm

biscotto bianco.litofania.alluminio

1 x led.12 V 6,9 W (400 lumen)

PH03.02.03.10.0 / PH03.02.04.10.0 / PH03.02.05.10.0



SPEZIELL® 2007
kollege

tischleuchte/schreibtischleuchte

160x160x670 mm

aluminium, poliert, edelstahl, poliert, acrylglas

1 x 12 V 75 W max. GY6,35

table lamp/desk lamp

160x160x670 mm

aluminium, polished, stainless steel, polished, acryl glass

1 x 12 V 75 W max. GY6,35

lampe de table/lampe de bureau

160x160x670 mm

aluminium poli, acier inox poli, acrylique

1 x 12 V 75 W max. GY6,35

lampada da tavolo/lampada da scrittoio

160x160x670 mm

alluminio lucidato, acciaio inox lucidato, acrilico

1 x 12 V 75 W max. GY6,35

SP02.02.00.00.0



SPEZIELL® 2007
kollege

tischleuchte/schreibtischleuchte

160x160x670 mm

aluminium, poliert, edelstahl, poliert, acrylglas

1 x 12 V 75 W max. GY6,35

table lamp/desk lamp

160x160x670 mm

aluminium, polished, stainless steel, polished, acryl glass

1 x 12 V 75 W max. GY6,35

lampe de table/lampe de bureau

160x160x670 mm

aluminium poli, acier inox poli, acrylique

1 x 12 V 75 W max. GY6,35

lampada da tavolo/lampada da scrittoio

160x160x670 mm

alluminio lucidato, acciaio inox lucidato, acrilico

1 x 12 V 75 W max. GY6,35

SP02.02.00.00.0





NUNZIA CARBONE & TIZIANO VUDAFIERI 2003
cellula

wandleuchte

200x125x400 mm (1 halterung)

aluminium.edelstahl.kristallglas.handgeschliffen

1 x 15 W (max. 40 W) klar E14

wall lamp

200x125x400 mm (1 bracket)

aluminium.stainless steel.crystal glass.ground by hand

1 x 15 W (max. 40 W) clear E14

applique

200x125x400 mm (1 élément de fixation)

aluminium.acier inox.cristal taillé à la main

1 x 15 W (max. 40 W) clair E14

lampada da parete

200x125x400 mm (1 elemento di supporto)

alluminio.acciaio inox.cristallo molato a mano

1 x 15 W (max. 40 W) trasparente E14

CV01.04.02.10.0



BOHUSLAV HORAK 1998
metal garden: tyklado

wandleuchte
ca. 950x300x150 mm
eisen, patiniert. böhmisches glas. mundgeblasen
1 x 60 W (max. 100 W) klar E27

wall lamp
approx. 950x300x150 mm
iron, patinised. bohemian glass. mouth-blown
1 x 60 W (max. 100 W) clear E27

applique
approx. 950x300x150 mm
fer patiné. verre de bohème soufflé à
la bouche
1 x 60 W (max. 100 W) clair E27

lampada da parete
appross. 950x300x150 mm
ferro patinato. cristallo di bohemia soffiato
a bocca
1 x 60 W (max. 100 W) trasparente E27

HB30.04.00.00.0





MICHAEL VON JAKUBOWSKI & RAINER KRAUSE 2004
crystal rain

wandleuchte rund
ca. 450x335x185 mm
edelstahl.gestrahlt.edelstahl.poliert.
swarovski kristallglas
2 x 40 W max. klar E14

wall lamp round
approx. 450x335x185 mm
stainless steel.blasted.stainless steel.polished.
swarovski crystal glass
2 x 40 W max. clear E14

applique circulaire
approx. 450x335x185 mm
acier inox sablé.acier inox poli.
cristal swarovski
2 x 40 W max. clair E14

lampada da parete rotonda
appross. 450x335x185 mm
acciaio inox molato.acciaio inox sabbato.
cristallo swarovski
2 x 40 W max. trasparente E14

JK01.04.04.10.0





NINA JEROCH 2007
alumeqa

wandleuchte.rechteckig unter putz
295x90x600/600x90x295 mm
aluminium natur.eloxiert
24 leds. 12 V 29,4 W (1000 lumen)
unterputzdose (100x65x350 mm) im
lieferumfang enthalten

wall lamp.rectangular concealed installation
295x90x600/600x90x295 mm
natural aluminium.anodised
24 leds. 12 V 29,4 W (1000 lumen)
installation box (100x65x350 mm) included
in delivery

applique rectangulaire installation encastrée
295x90x600/600x90x295 mm
aluminium naturel anodizé
24 leds. 12 V 29,4 W (1000 lumen)
boîtier d'encastrement (100x65x350 mm) compris
dans le volume de livraison

lampada da parete rettangolare da incastro
295x90x600/600x90x295 mm
alluminio naturale anodizzato
24 leds. 12 V 29,4 W (1000 lumen)
scatola ad incasso (100x65x350 mm) inclusa
nella confezione della lampada

JN01.04.02.00.0



NINA JEROCH 2010
alumeqa

wandleuchte auf putz
295x140x600/600x140x295 mm
aluminium natur.eloxiert
24 leds. 12 V 29,4 W (1000 lumen)

wall lamp.on wall installation
295x140x600/600x140x295 mm
natural aluminium.anodised
24 leds. 12 V 29,4 W (1000 lumen)

applique installation non encastré
295x140x600/600x140x295 mm
aluminium naturel anodizé
24 leds. 12 V 29,4 W (1000 lumen)

lampada da parete non incastrata
295x140x600/600x140x295 mm
alluminio naturale anodizzato
24 leds. 12 V 29,4 W (1000 lumen)

JN01.04.02.01.0





ALIM PASHT-HAN 2010
matryoshka

wandleuchte L
130x130x305 mm
porzellan.bisquit.lithophanie.weiss.mdf.lackiert
1 x led. 12 V 6,9 W (400 lumen)

wall lamp L
130x130x305 mm
porcelain.bisque.lithophane.white.mdf.lacquered
1 x led. 12 V 6,9 W (400 lumen)

applique L
130x130x305 mm
bisquit blanc.lithohanie.mdf laqué
1 x led. 12 V 6,9 W (400 lumen)

lampade da parete L
130x130x305 mm
biscotto bianco.litofania.mdf laccato
1 x led. 12 V 6,9 W (400 lumen)

PH03.04.03.10.0



SPEZIELL® 2010
kollege

wandleuchte

170x280x275 mm

aluminium, poliert, edelstahl, poliert, acrylglas

1 x 12 V 75 W max GY6,35

wall lamp

170x280x275 mm

aluminium, polished, stainless steel, polished, acryl glass

1 x 12 V 75 W max GY6,35

applique

170x280x275 mm

aluminium poli, acier inox poli, acrylique

1 x 12 V 75 W max GY6,35

lampada da parete

170x280x275 mm

alluminio molato, acciaio inox molato, acrilico

1 x 12 V 75 W max GY6,35

SP02.04.00.00.0



BERNHARD STELLMACHER 1991/1996
coffee-light

wandleuchte
160x160x150 mm
porzellan.mdf.lackiert
1 x 12 V 20 W max. G4

wall lamp
160x160x150 mm
porcelain.mdf.laquered
1 x 12 V 20 W max. G4

applique
160x160x150 mm
porcelaine.mdf.laqué
1 x 12 V 20 W max. G4

lampada da parete
160x160x150 mm
porcellana.mdf.laccato
1 x 12 V 20 W max. G4

ST01.04.01.00.0



BERNHARD STELLMACHER 1991/1996
wine-light

wandleuchte

anthologie quartett 1996

160x160x220 mm

glas.mundgeblasen.sandgestrahlt.mdf.lackiert

1 x 12 V 20 W max. (10 W) G4

wall lamp

anthologie quartett 1996

160x160x220 mm

glass.mouth-blown.sandblasted.mdf.laquered

1 x 12 V 20 W max. (10 W) G4

applique

160x160x220 mm

verre soufflé à la bouche et sablé.mdf laqué

1 x 12 V 20 W max. (10 W) G4

lampada da parete

160x160x220 mm

vetro soffiato a bocca e sabbiato.mdf laccato

1 x 12 V 20 W max. (10 W) G4

ST01.04.02.00.0



BERNHARD STELLMACHER 2004
coffee-light

unterschrankleuchte
Ø 150x65 mm
porzellan
1 x 12 V 20 W max. G4
trafo im lieferumfang enthalten

mounting lamp
Ø 150x65 mm
porcelain
1 x 12 V 20 W max. G4
transformer included in delivery

lampe semi-encastrée
Ø 150x65 mm
porcelaine
1 x 12 V 20 W max. G4
transfo compris dans le volume de livraison

lampada sotto pensile
Ø 150x65 mm
porcellana
1 x 12 V 20 W max. G4
trasformatore incluso nella confezione della lampada

ST01.06.01.00.0



BOHUSLAV HORAK 1999
metal garden: lillian

kerzenleuchter
ca. Ø 410x420 mm
eisen, patiniert
7 kerzen Ø 9 mm

candleholder
approx. Ø 410x420 mm
iron, patinised
7 candles Ø 9 mm

chandelier
approx. Ø 410x420 mm
fer patiné
7 bougies Ø 9 mm

portacandele
approx. Ø 410x420 mm
ferro patinato
7 candele Ø 9 mm

HB23.02.00.00.0



ALIM PASHT-HAN 2010
matrjoschka

windlicht

ca. Ø 160x295 mm

porzellan.bisquit.weiss.gelocht.aluminium

1 tealicht Ø 55x22 mm

lantern

approx. Ø 160x295 mm

porcelain.bisque.white.perforated.aluminium

1 tealight Ø 55x22 mm

porte bougie

approx. Ø 160x295 mm

bisquit blanc.perforé.aluminium

1 bougie pour chauffe-plat Ø 55x22 mm

lanterna

approx. Ø 160x295 mm

biscotto bianco.perforato.alluminio

1 candela per lo scaldavivande Ø 55x22 mm

PH01.02.02.04.2



KARL FRIEDRICH SCHINKEL 1825
eisengussleuchter

kerzenleuchter
ca. 120x120x310 mm
eisenguss.lackiert
1 kerze Ø 21 mm

candleholder
approx. 120x120x310 mm
cast iron.lacquered
1 candle Ø 21 mm

chandelier
approx. 120x120x310 mm
fonte de fer laqué
1 bougie Ø 21 mm

candelabro
approx. 120x120x310 mm
fusione di ferro laccato
1 candela Ø 21 mm

SK01.02.01.00.0



KARL FRIEDRICH SCHINKEL 1825
eisengussleuchter

kerzenleuchter
ca. 320x120x410 mm
eisenguss.lackiert
2 kerzen Ø 21 mm

candleholder
approx. 320x120x410 mm
cast iron.lacquered
2 candles Ø 21 mm

chandelier
approx. 320x120x410 mm
fonte de fer laqué
2 bougies Ø 21 mm

candelabro
approx. 320x120x410 mm
fusione di ferro laccato
2 candele Ø 21 mm

SK01.02.02.00.0



JULIA THESENFITZ 2003
leave the light on

öllampe
90x90x90 mm
porzellan.schwarz.messing
verpackungseinheit 4 stück

oil lamp
90x90x90 mm
porcelain.black.brass
4 pieces per unit

lampe à huile
90x90x90 mm
porcelaine noir.laiton
vendu par 4

lampada a olio
90x90x90 mm
porcellana nero.ottone
unità di 4 pezzi

TJ01.00.00.20.0



JULIA THESENFITZ 2003
leave the light on

öllampe
90x90x90 mm
porzellan.weiss.messing
verpackungseinheit 4 stück

oil lamp
90x90x90 mm
porcelain.white.brass
4 pieces per unit

lampe à huile
90x90x90 mm
porcelaine blanc.laiton
vendu par 4

lampada a olio
90x90x90 mm
porcellana bianco.ottone
unità di 4 pezzi

TJ01.00.00.10.0



ANDREAS WILKE 1998
seismo

kerzenleuchter.tischleuchter
Ø 85x450 mm
edelstahl
1 kerze Ø 21 mm

candleholder.table version
Ø 85x450 mm
stainless steel
1 candle Ø 21 mm

bougeoir de table
Ø 85x450 mm
acier inox
1 bougie Ø 21 mm

portacandela da tavolo
Ø 85x450 mm
acciaio inox
1 candela Ø 21 mm

WA01.00.01.00.0



ANDREAS WILKE 1998
seismo


kerzenleuchter.bodenleuchter
Ø 120x1030 mm
edelstahl
1 kerze Ø 21 mm

candleholder.floor version
Ø 120x1030 mm
stainless steel
1 candle Ø 21 mm

bougeoir sur pied
Ø 120x1030 mm
acier inox
1 bougie Ø 21 mm

portacandela da terra
Ø 120x1030 mm
acciaio inox
1 candela Ø 21 mm

WA01.00.02.00.0



IMPRESSUM

art direction: michael von jakubowski
fotos: axel hartmann
ausser s. 91/121: daniel kessler

art direction: michael von jakubowski
photos: axel hartmann
except p. 91/121: daniel kessler

direction artistique: michael von jakubowski
photos: axel hartmann
fors p. 91/121: daniel kessler

direzione artistica: michael von jakubowski
fotografia: axel hartmann
eccetto p. 91/121: daniel kessler

maße in mm:
breite x tiefe x höhe

dimensions in mm:
width x depth x height

dimensions en mm:
largeur x profondeur x hauteur

dimensioni espresse in mm:
lunghezza x profondità x altezza