



EXPORT PRICE LIST 2017/18

VAT NOT INCLUDED

Export Price list 2017/18

iva non inclusa / VAT not included

aibu	3
alysoid	4
alrisha	6
anadem	7
aura	9
ax20	14
bell	16
clavius	22
crystal spotlight	29
euler	30
explo	32
fairy	36
favilla	40
fedora	41
framework led	43
hoops	45
layers	47
lik	50
melting pot	51
momus mini	54
mountain view	55
muse	56
nafir	62
necky	64
nelly	65
nelly straight	66


orchid	67
plumage	69
polia led	72
rythmos	73
shatter led	74
skin	76
skirt	80
sol	91
spillray	92
spiry	100
stilla	101
stormy	102
u-light	103
ukiyo	110
urban	111
urban mini	114
uriel	117
vasily	118
velvet	119
virtus	124
voluptas	125
lampadine / lamp bulbs	127
alimentatori / drivers	128
trasformatore / transformer	132
legenda / legend	133
EEL compatibility	134
condizioni / conditions	136

L'Ufficio Tecnico Axo Light rimane a Vostra completa disposizione per analizzare e sviluppare i Vostri progetti, lo studio illuminotecnico delle ambientazioni oltre che per customizzare le nostre collezioni.

The Axo Light Engineering Department is at your complete disposal to analyse and develop your projects, the lighting technology study for any particular setting, as well as to further personalize our items.

AIBU

LT AIBU



= optional (*) for more info see page 127

design: **Giovanni Barbato**
Lampada da tavolo in vetro triplex soffiato e lavorato a mano, bianco.
Sorgente luminosa a LED con attacco G9.
Table lamp in white triplex handmade blown glass. LED light source with G9 fitting.

AIBU					
Type	Article	Colours	Finish	Source	EURO
LT	AIBU XX	BC white	BC white	G9L G9 LED 1 x Max 2,5W only LED bulbs	160,00

CE ☐ IP20 LED

Attenzione: ordine minimo 2 pezzi. / Attention: minimum order 2 pieces.


example composition code |LT |AIBU XX |BC |BC |G9L

	LAMPG92,5WL2701	G9 LED bulb 2,5W - 2700K - 330° angle (*)	24,00
---	-----------------	---	-------

ALYSOID

SP ALY 51 G

kg 4.5 m³ 0.11




design: **Ryosuke Fukusada**
Collezione di lampade a sospensione in alluminio. Disponibile in vari colori e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.
*Collection consisting of aluminium suspended lamps. Available in several colours and sizes.
Built-in dimmable LED light source.*

ALYSOID						
Type	Article	Colours	Catene / chains	Source		EURO
SP	ALY 51 G	AN anthracite grey wrinkled	NI black polished nickel	LED 20W - diffused beam 3000K		1.078,00
			OT natural brass			770,00
   dimmable phase cut IP20 CRI90 220-240VAc LED ~1203 lm 60 lm/W						
example composition code SP ALY51G AN NI LED						


ALRISHA

AP ALRISH




= optional (*) for more info see page 129

AP ALRISP
with wall mounting box



= optional (*) for more info see page 129

SP ALRISH



design: **Brian Rasmussen**
Collezione composta da lampada da parete e a sospensione in alluminio verniciato bianco.
Sorgente luminosa con attacco a vite o a LED integrato.
*Collection consisting of white painted aluminium suspended lamp and wall lamp.
Screw fitting or built-in LED light source.*


ALRISHA / DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
AP	ALRISH	XX white	XX white	LED 3W - 500mA 3000K	205,00
CE III  IP20 CRI80 ADA LED ~154 lm 51 lm/W					
Collegare in serie / Wire in series					
example composition code AP ALRISH XX XX LED					
	CEDLTC00106	standard 500mA driver - Max 6W (*)			29,00
	CEDLTC00107	dimmable 1-10V 500mA driver - Max 6W (*)			47,00
	CEDLTC00108	dimmable DALI 500mA driver - Max 24W (*)			144,00
Il driver va installato in un luogo remoto e accessibile. / PSU must be installed in accessible and remote location.					

ALRISHA / DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
AP	ALRIS P	XX white	XX white	LED 3W - 500mA 3000K	228,00
CE III with designated PSU IP20 CRI80 ADA LED ~154 lm 51 lm/W					
Collegare in serie / Wire in series					
example composition code AP ALRISP XX XX LED					
	CEDLTC00106	standard 500mA driver - Max 6W (*)			29,00
	CEDLTC00107	dimmable 1-10V 500mA driver - Max 6W (*)			47,00
	CEDLTC00108	dimmable DALI 500mA driver - Max 24W (*)			144,00
Il driver va installato in un luogo remoto e accessibile. / PSU must be installed in accessible and remote location.					

ALRISHA					
Type	Article	Colours	Finish	Source	EURO
SP	ALRISH	XX white	XX white	E27 1 x Max 20W LED or 1 x Max 32W fluo or 1 x Max 150W halo	3.411,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE III IP20 +LED					
example composition code SP ALRISH XX XX E27					

ANADEM

SP ANA 090



design: **Vanessa Vivian**
Collezione composta da lampade a sospensione con finitura in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of suspended lamps in flame-retardant eco-leather finish. Available in several colours and sizes. Screw fitting light source.

ANADEM					
Type	Article	Colours	Finish	Source	EURO
SP	ANA 090 E27	BA ivory white	XX	E27 4 x Max 16W LED or 4 x Max 20W fluo or 4 x Max 70W halo	4.079,00
		MA brown			
		RS red			
		MB brown + white			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE IP20 +LED
example composition code |SP |ANA090E27 |MA |XX


ANADEM					
Type	Article	Colours	Finish	Source	EURO
SP	ANA 090 FLE	BA ivory white	XX	FLE GX24q-4 4x42W	4.447,00
		MA brown			
		RS red			
		MB brown + white			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE IP20 
example composition code |SP |ANA090FLE |RS |XX

ANADEM

SP ANA 150



design: **Vanessa Vivian**
Collezione composta da lampade a sospensione con finitura in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of suspended lamps in flame-retardant eco-leather finish. Available in several colours and sizes. Screw fitting light source.

ANADEM					
Type	Article	Colours	Finish	Source	EURO
SP	ANA 150 E27	BA ivory white	XX	E27 6 x Max 16W LED or 6 x Max 20W fluo or 6 x Max 70W halo	7.307,00
		MA brown			
		RS red			
		MB brown + white			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE	IP20	+LED
example composition code		
SP	ANA150E27	MB XX


ANADEM					
Type	Article	Colours	Finish	Source	EURO
SP	ANA 150 FLE	BA ivory white	XX	FLE GX24q-4 6x42W	7.875,00
		MA brown			
		RS red			
		MB brown + white			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE	IP20	disipabile
example composition code		
SP	ANA150E27	BA XX

AURA

AP AURA




design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, con pendenti in vetro di Murano colorato incamiciato cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

AURA						
Type	Article	Colours	Finish	Source	EURO	
AP	AURA XX	CS "rigadin" crystal	CR chrome	E27 2 x Max 20W LED or 2 x Max 30W fluo or 2 x Max 100W halo	1.710,00	
		BC white			2.013,00	
		RS red			2.209,00	
		TA tea			2.412,00	
AP	AURA XX	CS "rigadin" crystal	OR gold leaf	E27 2 x Max 20W LED or 2 x Max 30W fluo or 2 x Max 100W halo	1.831,00	
		BC white			2.151,00	
		RS red			2.349,00	
		TA tea			2.554,00	

CE IP20 +LED
example composition code |AP |AURA XX |RS |OR |E27

PL AUR P 30




AURA						
Type	Article	Colours	Finish	Source	EURO	
PL	AUR P 30	CS "rigadin" crystal	CR chrome	E27 4 x Max 20W LED or 4 x Max 30W fluo or 4 x Max 100W halo	2.440,00	
		BC white			2.867,00	
		RS red			3.151,00	
		TA tea			3.440,00	
PL	AUR P 30	CS "rigadin" crystal	OR gold leaf	E27 4 x Max 20W LED or 4 x Max 30W fluo or 4 x Max 100W halo	2.722,00	
		BC white			3.199,00	
		RS red			3.483,00	
		TA tea			3.769,00	

CE IP20 +LED
example composition code |PL |AURP30 |TA |CR |E27

AURA

PL AURA P




design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, con pendenti in vetro di Murano colorato incamiciato cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

AURA						
Type	Article	Colours	Finish	Source	EURO	
PL	AURA P X	CS "rigadin" crystal	CR chrome	E27 4 x Max 20W LED or 4 x Max 30W fluo or 4 x Max 100W halo	2.829,00	
		BC white			3.325,00	
		RS red			3.657,00	
		TA tea			3.990,00	
PL	AURA P X	CS "rigadin" crystal	OR gold leaf	E27 4 x Max 20W LED or 4 x Max 30W fluo or 4 x Max 100W halo	3.109,00	
		BC white			3.657,00	
		RS red			3.990,00	
		TA tea			4.319,00	

CE IP20 +LED
example composition code | PL | AURA PX | BC | OR | E27

PL AUR G 30




AURA						
Type	Article	Colours	Finish	Source	EURO	
PL	AUR G 30	CS "rigadin" crystal	CR chrome	E27 4 x Max 20W LED or 4 x Max 30W fluo or 4 x Max 100W halo	3.442,00	
		BC white			4.048,00	
		RS red			4.457,00	
		TA tea			4.859,00	
PL	AUR G 30	CS "rigadin" crystal	OR gold leaf	E27 4 x Max 20W LED or 4 x Max 30W fluo or 4 x Max 100W halo	3.859,00	
		BC white			4.538,00	
		RS red			4.946,00	
		TA tea			5.345,00	

CE IP20 +LED
example composition code | PL | AUR G30 | CS | CR | E27

AURA

PL AURA GR




design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, con pendenti in vetro di Murano colorato incamiciato cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

AURA						
Type	Article	Colours	Finish	Source	EURO	
PL	AURA GR	CS "rigadin" crystal	CR chrome	E27 4 x Max 20W LED or 4 x Max 30W fluo or 4 x Max 100W halo	4.908,00	
		BC white			5.768,00	
		RS red			6.347,00	
		TA tea			6.925,00	
PL	AURA GR	CS "rigadin" crystal	OR gold leaf	E27 4 x Max 20W LED or 4 x Max 30W fluo or 4 x Max 100W halo	5.321,00	
		BC white			6.259,00	
		RS red			6.835,00	
		TA tea			7.411,00	

CE IP20 +LED
example composition code | PL | AURAGR | BC | OR | E27

SP AURA 45




AURA						
Type	Article	Colours	Finish	Source	EURO	
SP	AURA 45	CS "rigadin" crystal	CR chrome	E27 1 x Max 27W LED or 1 x Max 40W fluo or 1 x Max 150W halo	2.521,00	
		BC white			2.961,00	
		RS red			3.254,00	
		TA tea			3.551,00	
SP	AURA 45	CS "rigadin" crystal	OR gold leaf	E27 1 x Max 27W LED or 1 x Max 40W fluo or 1 x Max 150W halo	2.728,00	
		BC white			3.204,00	
		RS red			3.499,00	
		TA tea			3.795,00	

CE IP20 +LED
example composition code | SP | AURA45 | CS | CR | E27

AURA

SP AU 45/2




design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, con pendenti in vetro di Murano colorato incamiciato cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

AURA						
Type	Article	Colours	Finish	Source		EURO
SP	AU 45/2	CS "rigadin" crystal	CR chrome	E27	2 x Max 20W LED or 2 x Max 23W fluo or 2 x Max 150W halo	4.816,00
		BC white				5.662,00
		RS red				6.224,00
		TA tea				6.793,00
SP	AU 45/2	CS "rigadin" crystal	OR gold leaf	E27	2 x Max 20W LED or 2 x Max 23W fluo or 2 x Max 150W halo	5.019,00
		BC white				5.908,00
		RS red				6.466,00
		TA tea				7.036,00

CE IP20 +LED
example composition code | SP | AU45/2 | CS | OR | E27

SP AURA 60




AURA						
Type	Article	Colours	Finish	Source		EURO
SP	AURA 60	CS "rigadin" crystal	CR chrome	E27	1 x Max 35W LED or 1 x Max 60W fluo or 1 x Max 250W halo	3.866,00
		BC white				4.547,00
		RS red				5.002,00
		TA tea				5.457,00
SP	AURA 60	CS "rigadin" crystal	OR gold leaf	E27	1 x Max 35W LED or 1 x Max 60W fluo or 1 x Max 250W halo	4.134,00
		BC white				4.862,00
		RS red				5.317,00
		TA tea				5.768,00

CE IP20 +LED
example composition code | SP | AURA60 | BC | CR | E27

AURA

SP AU 60/2



design: **Manuel Vivian**

Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, con pendenti in vetro di Murano colorato incamiciato cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall lamps, ceiling lamps and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.


AURA						
Type	Article	Colours	Finish	Source		EURO
SP	AU 60/2	CS "rigadin" crystal	CR chrome	E27	2 x Max 20W LED or 2 x Max 23W fluo or 2 x Max 250W halo	6.885,00
		BC white				8.096,00
		RS red				8.906,00
		TA tea				9.717,00
SP	AU 60/2	CS "rigadin" crystal	OR gold leaf	E27	2 x Max 20W LED or 2 x Max 23W fluo or 2 x Max 250W halo	7.151,00
		BC white				8.412,00
		RS red				9.220,00
		TA tea				10.030,00

CE IP20 +LED

example composition code |SP |AU60/2 |RS |OR |E27

AX 20


AP AX20 PI



design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade a sospensione, lampade da terra e da tavolo in metallo cromato. Disponibile in varie dimensioni. Sorgente luminosa con attacco G9 dimmerabile.
Collection consisting of wall lamps, suspended lamps, floor lamps and table lamps with chrome-plated finish. Available in several sizes. Dimmable light source with G9 fitting.


AX 20						
Type	Article	Colours	Finish	Source		EURO
AP	AX20 PI	XX chrome	CR chrome	G9X	G9 1 x Max 60W halo	213,00
CE IP20						
example composition code AP AX20PI XX CR G9X						

AP AX20 GR



AX 20						
Type	Article	Colours	Finish	Source		EURO
AP	AX20 GR	XX chrome	CR chrome	G9X	G9 1 x Max 60W halo	323,00
CE IP20						
example composition code AP AX20GR XX CR G9X						


SP AX20 PI



AX 20						
Type	Article	Colours	Finish	Source		EURO
SP	AX20 PI	XX chrome	CR chrome	G9X	G9 1 x Max 60W halo	203,00
CE IP20						
example composition code SP AX20PI XX CR G9X						

AX 20


PT AX20



design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade a sospensione, lampade da terra e da tavolo in metallo cromato. Disponibile in varie dimensioni. Sorgente luminosa con attacco G9 dimmerabile.
Collection consisting of wall lamps, suspended lamps, floor lamps and table lamps with chrome-plated finish. Available in several sizes. Dimmable light source with G9 fitting.

AX 20					
Type	Article	Colours	Finish	Source	EURO
PT	AX20 XX	XX chrome	CR chrome	G9X G9 1 x Max 60W halo	999,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20 					
example composition code PT AX20XX XX CR G9X					


LT AX20



AX 20					
Type	Article	Colours	Finish	Source	EURO
LT	AX20 XX	XX chrome	CR chrome	G9X G9 1 x Max 60W halo	749,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. <i>Articles in red are available until sold out.</i>					
CE  IP20  dimmable					
example composition code LT AX20XX XX CR G9X					

BELL

PL BEL 060




design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

BELL / diffusore INCLUSO / diffuser INCLUDED						
Type	Article	Colours	Finish	Source	EURO	
PL	BEL 060 E27	BC white	XX	E27 2 x Max 16W LED or 2 x Max 23W fluo or 2 x Max 57W halo	528,00	
		BL electric blue			580,00	
		BW warm white			580,00	
		GI gold yellow			580,00	
		MA brown			580,00	
		MT brick red			580,00	
		NE black			580,00	
		RB burgundy			580,00	
		RS red			580,00	
		VE green			580,00	

Gli in articoli blu sono disponibili in pronta consegna. Articles in blue are available on stock.

CE IP20 +LED
example composition code | PL | BEL060E27 | GI | XX

PL BEL 090




BELL / diffusore INCLUSO / diffuser INCLUDED						
Type	Article	Colours	Finish	Source	EURO	
PL	BEL 090 E27	BC white	XX	E27 3 x Max 16W LED or 3 x Max 23W fluo or 3 x Max 57W halo	1.084,00	
		BL electric blue				
		BW warm white				
		GI gold yellow				
		MA brown				
		MT brick red				
		NE black				
		RB burgundy				
		RS red				
		VE green				

CE IP20 +LED
example composition code | PL | BEL090E27 | BW | XX

BELL

PL BEL 118




design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

BELL / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	BEL 118 E27	BC white	XX	E27 4 x Max 16W LED or 4 x Max 23W fluo or 4 x Max 57W halo	1.674,00
		BL electric blue			
		BW warm white			
		GI gold yellow			
		MA brown			
		MT brick red			
		NE black			
		RB burgundy			
		RS red			
		VE green			

CE IP20 +LED
example composition code | PL | BEL118E27 | BC | XX

PL BEL 180




BELL / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	BEL 180 E27	BC white	XX	E27 5 x Max 16W LED or 5 x Max 23W fluo or 5 x Max 46W halo	3.384,00
		BL electric blue			
		BW warm white			
		GI gold yellow			
		MA brown			
		MT brick red			
		NE black			
		RB burgundy			
		RS red			
		VE green			

CE IP20 +LED
example composition code | PL | BEL180E27 | RS | XX

BELL

SP BEL 045




design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

BELL / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	BEL 045 E27	BC white	XX	E27 1 x Max 20W LED or 1 x Max 33W fluo or 1 x Max 70W halo	418,00
		BL electric blue			504,00
		BW warm white			504,00
		GI gold yellow			504,00
		MA brown			504,00
		MT brick red			504,00
		NE black			504,00
		RB burgundy			504,00
		RS red			418,00
		VE green			504,00

Gli in articoli blu sono disponibili in pronta consegna. Articles in blue are available on stock.

CE	IP20	+LED
example composition code SP BEL045E27 BC XX		

SP BEL 060



BELL / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	BEL 060 E27	BC white	XX	E27 1 x Max 20W LED or 1 x Max 33W fluo or 1 x Max 70W halo	536,00
		BL electric blue			644,00
		BW warm white			644,00
		GI gold yellow			644,00
		MA brown			644,00
		MT brick red			644,00
		NE black			644,00
		RB burgundy			644,00
		RS red			536,00
		VE green			644,00

Gli in articoli blu sono disponibili in pronta consegna. Articles in blue are available on stock.


CE	IP20	+LED
example composition code PL BEL060E27 GI XX		

= optional

+	KITLIGHTEC2	diffusore (non previsto per lampada LED) diffuser (non available for LED source)	64,00
---	-------------	---	-------

BELL

SP BEL 090



design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

BELL / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Colours	Finish	Source	EURO
SP	BEL 090 E27	BC white	XX	E27 4 x Max 20W LED or 4 x Max 33W fluo or 4 x Max 46W halo	1.405,00
		BL electric blue			1.546,00
		BW warm white			1.546,00
		GI gold yellow			1.546,00
		MA brown			1.546,00
		MT brick red			1.546,00
		NE black			1.546,00
		RB burgundy			1.546,00
		RS red			1.546,00
		VE green			1.546,00

Gli in articoli blu sono disponibili in pronta consegna. *Articles in blue are available on stock.*

CE⏚IP20+LED

example composition code | SP | BEL090E27 | BW | XX


BELL / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Colours	Finish	Source	EURO
SP	BEL 090 LED	BC white	XX	LED 75W - diffused beam 3000K	2.460,00
		BL electric blue			2.706,00
		BW warm white			2.706,00
		GI gold yellow			2.706,00
		MA brown			2.706,00
		MT brick red			2.706,00
		NE black			2.706,00
		RB burgundy			2.706,00
		RS red			2.706,00
		VE green			2.706,00

CE⏚IP20CRI90LED6290 lm83 lm/W

example composition code | SP | BEL090LED | BC | XX

BELL

SP BEL 118



design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

BELL / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Colours	Finish	Source	EURO
SP	BEL 118 E27	BC white	XX	E27 4 x Max 20W LED or 4 x Max 33W fluo or 4 x Max 57W halo	2.547,00
		BL electric blue			
		BW warm white			
		GI gold yellow			
		MA brown			
		MT brick red			
		NE black			
		RB burgundy			
		RS red			
		VE green			

CE ⚡ IP20 +LED

example composition code | SP | BEL118E27 | BC | XX


BELL / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Colours	Finish	Source	EURO
SP	BEL 118 LED	BC white	XX	LED 95W - diffused beam 3000K	3.249,00
		BL electric blue			
		BW warm white			
		GI gold yellow			
		MA brown			
		MT brick red			
		NE black			
		RB burgundy			
		RS red			
		VE green			

CE ⚡ IP20 CRI90  LED 6490 lm 68 lm/W

example composition code | SP | BEL118LED | GI | XX

BELL

SP BEL 180



design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

BELL / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Colours	Finish	Source	EURO
SP	BEL 180 E27	BC	white	XX	E27 4xMax 16W + 1xMax 9,5W LED or 5xMax 23W fluo or 4xMax 57W + 1xMax 46W halo
		BL	electric blue		
		BW	warm white		
		GI	gold yellow		
		MA	brown		
		MT	brick red		
		NE	black		
		RB	burgundy		
		RS	red		
		VE	green		


CE	⏚	IP20	+LED		
example composition code		SP	BEL180E27	RS	XX

BELL / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Colours	Finish	Source	EURO
SP	BEL 180 LED	BC	white	XX	LED 95W - diffused beam 3000K
		BL	electric blue		
		BW	warm white		
		GI	gold yellow		
		MA	brown		
		MT	brick red		
		NE	black		
		RB	burgundy		
		RS	red		
		VE	green		

CE	⏚	IP20	CRI90		LED	5252 lm	55 lm/W		
example composition code		SP	BEL180LED	BW	XX				

CLAVIUS

AP CLAV BR



design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, lampade da tavolo e lampada da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps, suspended lamps, table lamps and floor lamp. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

CLAVIUS					
Type	Article	Colours	Finish	Source	EURO
AP	CLAV BR	BC white	XX chrome	E14 1 x Max 6,5W LED or 1 x Max 12W fluo or 1 x Max 42W halo	387,00
		TA tobacco	OR gold		425,00
		SA sand			

IP20

ADA

+LED

example composition code

AP


CLAVBR

SA

OR

E14


AP CLAV 30



CLAVIUS / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours	Finish	Source	EURO
AP	CLAV 30	BC white	XX white	E14 1 x Max 6,5W LED or 1 x Max 12W fluo or 1 x Max 42W halo	270,00
		TA tobacco			
		SA sand			

CE	IP20	+LED			
example composition code					
	AP	CLAV30	TA	XX	E14

AP CLAV PI



CLAVIUS / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours	Finish	Source	EURO
AP	CLAV PI	BC white	XX white	E14 2 x Max 6,5W LED or 2 x Max 12W fluo or 2 x Max 42W halo	507,00
		TA tobacco			
		SA sand			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE



IP20

+LED

example composition code

AP

CLAVPI


BC

XX

E14

CLAVIUS

AP CLAV GR




design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, lampade da tavolo e lampada da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps, suspended lamps, table lamps and floor lamp. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

CLAVIUS / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours	Finish	Source	EURO
AP	CLAV GR	BC white	XX white	E14 6 x Max 6,5W LED or 6 x Max 12W fluo or 6 x Max 42W halo	896,00
		TA tobacco			
		SA sand			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.

CE	⏚	IP20	+LED		
example composition code		AP	CLAVGR	NE	XX E14


PL CLAVIU



CLAVIUS					
Type	Article	Colours	Finish	Source	EURO
PL	CLAVIU	BC white	XX white	E27 3 x Max 9,5W LED or 3 x Max 12W fluo or 3 x Max 46W halo	397,00
		TA tobacco			
		SA sand			

CE	⏚	IP20	+LED		
example composition code		PL	CLAVIU	BC	XX E27

PL CLAV 90




CLAVIUS / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	CLAV 90	BC white	XX white	E27 3 x Max 16W LED or 3 x Max 23W fluo or 3 x Max 70W halo	622,00
		TA tobacco			
		SA sand			

CE	⏚	IP20	+LED		
example composition code		PL	CLAV90	TA	XX E27

CLAVIUS

PL CLA 100



design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, lampade da tavolo e lampada da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps, suspended lamps, table lamps and floor lamp. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.


CLAVIUS					
Type	Article	Colours	Finish	Source	EURO
PL	CLA 100	BC white	XX white	LED 4 x 11,5W 40°diffused light 2700K	1.375,00
		TA tobacco			
		SA sand			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE IP20 LED 4 x ~1015 lm 99 lm/W

example composition code | PL | CLA100 | TA | XX | LED

SP CLAV 40




CLAVIUS / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	CLAV 40	BC white	CR chrome	E27 4 x Max 6,5W LED or 4 x Max 12W fluo or 4 x Max 46W halo	663,00
		TA tobacco	OR gold		729,00
		SA sand			

CE IP20 +LED

example composition code | SP | CLAV40 | SA | OR | E27

SP CLAVI P



CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	CLAVI P	BC white	CR chrome	E27 2 x Max 16W LED or 2 x Max 21W fluo or 2 x Max 70W halo	613,00
		TA tobacco	OR gold		674,00
		SA sand			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE IP20 +LED

example composition code | SP | CLAVIP | BC | CR | E27

CLAVIUS

SP CLAV 60

kg 5.5 m³ 0.17

16 x 16 cm

max 235 cm

4 cm

35 cm

60 x 60 cm

CE

IP20

+LED

example composition code

SP

CLAV60

NE

CR

E27

SP CL 60 40

kg 6 m³ 0.17

16 x 16 cm

max 250 cm

4 cm

35 cm

52 cm

40 x 40 cm

60 x 60 cm

CE

IP20

+LED

example composition code

SP

CL6040

BC

OR

E27

design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, lampade da tavolo e lampada da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps, suspended lamps, table lamps and floor lamp. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

CLAVIUS / diffusore INCLUDED / diffuser INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	CLAV 60	BC white	CR chrome	E27 4 x Max 16W LED or 4 x Max 21W fluo or 4 x Max 70W halo	1.029,00
		TA tobacco	OR gold		1.133,00
		SA sand			

IP20

+LED

example composition code

SP

CLAV60

NE

CR

E27

CLAVIUS / diffusore INCLUDED / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	CL 60 40	BC white	CR chrome	E27 4 x Max 16W LED or 4 x Max 21W fluo or 4 x Max 70W halo	1.511,00
		TA tobacco	OR gold		1.663,00
		SA sand			

CE



IP20

+LED

example composition code

SP

CL6040


BC

OR

E27


CLAVIUS

SP CLAVIU LED




= optional

SP CLAVIU FLE



= optional

SP CLAVIU E27



= optional

design: **Manuel Vivian**

Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, lampade da tavolo e lampada da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall lamps, ceiling lamps, suspended lamps, table lamps and floor lamp. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.


CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	CLAVIU	BC white	CR chrome	LED 34,2W - diffused beam 2700K	1.125,00
		TA tobacco	OR gold		1.231,00
		SA sand			
CE IP20 CRI80 LED ~3470 lm 101 lm/W					
example composition code SP CLAVIU TA CR LED					
+ DSPCLAVIUSXXXXX diffusore / diffuser					60,00

CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	CLAVIU	BC white	CR chrome	FLE G5 1 x 39W	816,00
		TA tobacco	OR gold		897,00
		SA sand			
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20					
example composition code SP CLAVIU BC OR FLE					
+ DSPCLAVIUSXXXXX diffusore / diffuser					60,00

CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	CLAVIU	BC white	CR chrome	E27 3 x Max 16W LED or 3 x Max 21W fluo or 3 x Max 70W halo	715,00
		TA tobacco	OR gold		787,00
		SA sand			
CE IP20 +LED					
example composition code SP CLAVIU SA OR E27					
+ DSPCLAVIUSXXXXX diffusore / diffuser					60,00

CLAVIUS

SP CLA 140 LED



= optional


design: **Manuel Vivian**

Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, lampade da tavolo e lampada da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall lamps, ceiling lamps, suspended lamps, table lamps and floor lamp. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	CLA 140	BC white	CR chrome	LED 45,6W - diffused beam 2700K	1.387,00
		TA tobacco	OR gold		1.526,00
		SA sand			
CE IP20 CRI80 LED ~4626 lm 101 lm/W					
example composition code SP CLA140 SA OR LED					
DSPCLAVIUS140XX diffusore / diffuser					89,00


SP CLA 140 E27



= optional

CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	CLA 140	BC white	CR chrome	E27 4 x Max 16W LED or 4 x Max 21W fluo or 4 x Max 70W halo	850,00
		TA tobacco	OR gold		933,00
		SA sand			
CE IP20 +LED					
example composition code SP CLA140 TA CR E27					
+ DSPCLAVIUS140XX diffusore / diffuser					89,00


PT CLAVIU



CLAVIUS					
Type	Article	Colours	Finish	Source	EURO
PT	CLAVIU	BC white	CR chrome	E27 2 x Max 16W LED or 2 x Max 21W fluo or 2 x Max 70W halo (dimmable lamps required)	1.786,00
		TA tobacco	OR gold		1.964,00
		SA sand			
CE IP20   +LED					
example composition code PL CLAVIU BC OR E27					

CLAVIUS


LT CLAV XP



design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione, lampade da tavolo e lampada da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, ceiling lamps, suspended lamps, table lamps and floor lamp. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.


CLAVIUS						
Type	Article	Colours	Finish	Source		EURO
LT	CLAV XP	BC white	CR chrome	E14	1 x Max 6,5W LED or 1 x Max 12W fluo or 1 x Max 42W halo	294,00
		TA tobacco	OR gold			323,00
		SA sand				
CE  IP20 +LED						
example composition code LT CLAVXP BC OR E14						

LT CLAVI P



CLAVIUS						
Type	Article	Colours	Finish	Source		EURO
LT	CLAVI P	BC white	CR chrome	E14	2 x Max 6,5W LED or 2 x Max 12W fluo or 2 x Max 42W halo	663,00
		TA tobacco	OR gold			729,00
		SA sand				
CE  IP20 +LED						
example composition code LT CLAVIP SA CR E14						


LT CLAVI G



CLAVIUS						
Type	Article	Colours	Finish	Source		EURO
LT	CLAVIG	BC white	CR chrome	E27	2 x Max 16W LED or 2 x Max 21W fluo or 2 x Max 70W halo	854,00
		TA tobacco	OR gold			940,00
		SA sand				
CE ☐ IP20 +LED example composition code LT CLAVIG SA OR E27						

CRYSTAL SPOTLIGHT

FA MENCAR



= optional (*) for more info see page 132

design: **Manuel Vivian**
Faretto ad incasso in cristallo. Sorgente luminosa con attacco GY6.35 o GU4 a 12V oppure con attacco G9.
Crystal recessed downlight with metal finish. Light source with 12V GY6.35, GU4 fitting, or G9 fitting.

CRYSTAL SPOTLIGHT MENCAR						
Type	Article	Colours	Finish	Source	EURO	
FA	MENCAR	CS crystal	XX chrome	G9X G9 1 x Max 40W halo 220-240Vac	136,00	

CE IP20

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm

example composition code |FA |MENCAR |CS |XX |G9X

CRYSTAL SPOTLIGHT MENCAR / TRANSFORMER NOT INCLUDED						
Type	Article	Colours	Finish	Source	EURO	
FA	MENCAR	CS crystal	XX chrome	12V GY6.35 1 x Max 35W 12Vac or GU4 1 x Max 35W 12Vac dicr.	127,00	


CE IP20

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm

example composition code |FA |MENCAR |CS |XX |12V

	TR60PRIMULA	dimmmable phase cut 60W transformer (*)	18,00
--	-------------	---	-------

FA NASHIR



= optional (*) for more info see page 132

CRYSTAL SPOTLIGHT NASHIRA						
Type	Article	Colours	Finish	Source	EURO	
FA	NASHIR	CS crystal	XX chrome	G9X G9 1 x Max 40W halo 220-240Vac	136,00	

CE IP20

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm

example composition code |FA |NASHIR |CS |XX |G9X

CRYSTAL SPOTLIGHT NASHIRA / TRANSFORMER NOT INCLUDED						
Type	Article	Colours	Finish	Source	EURO	
FA	NASHIR	CS crystal	XX chrome	12V GY6.35 1 x Max 35W 12Vac or GU4 1 x Max 35W 12Vac dicr.	127,00	

CE IP20


foro - hole Ø 5,5 cm / profondità min - min depth 10 cm

example composition code |FA |NASHIR |CS |XX |12V


	TR60PRIMULA	dimmmable phase cut 60W transformer (*)	18,00
--	-------------	---	-------

EULER


PL EULER P




PL EULER M




PL EULER G



PL EULE MP



PL EULE GP



design: Cambi - Scatena - Turini
Collezione composta da lampade da soffitto in tessuto elastico bianco. Disponibile in varie dimensioni. Sorgente luminosa fluorescente dimmerabile.
Collection consisting of ceiling lamps made in white stretch fabric. Available in several sizes. Fluorescent dimmable light source.

EULER					
Type	Article	Colours	Code End	Source	EURO
PL	EULER P FLE	BC white	XX	GX24q-4 4x42W	2.309,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20 DALI					
example composition code PL EULERPFLE BC XX					

EULER					
Type	Article	Colours	Code End	Source	EURO
PL	EULER M FLE	BC white	XX	GX24q-4 4x42W	2.469,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20 DALI					
example composition code PL EULERMFLE BC XX					


EULER					
Type	Article	Colours	Code End	Source	EURO
PL	EULER G FLE	BC white	XX	GX24q-4 4x42W	2.557,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20 DALI					
example composition code PL EULERG FLE BC XX					

EULER					
Type	Article	Colours	Code End	Source	EURO
PL	EULE MP FLE	BC white	XX	GX24q-4 4x42W	3.320,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20 DALI					
example composition code PL EULEMPFLE BC XX					


EULER					
Type	Article	Colours	Code End	Source	EURO
PL	EULE GP FLE	BC white	XX	GX24q-4 4x42W	3.433,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20 DALI					
example composition code PL EULEGPFLE BC XX					

EULER

PL EULE GM



PL EUL GMP



design: Cambi - Scatena - Turini

Collezione composta da lampade da soffitto in tessuto elastico bianco. Disponibile in varie dimensioni. Sorgente luminosa fluorescente dimmerabile.


Collection consisting of ceiling lamps made in white stretch fabric. Available in several sizes. Fluorescent dimmable light source.

EULER					
Type	Article	Colours	Code End	Source	EURO
PL	EULE GM FLE	BC white	XX	GX24q-4 4x42W	3.620,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20  					
example composition code PL EULEGMFLE BC XX					

EULER					
Type	Article	Colours	Code End	Source	EURO
PL	EUL GMP FLE	BC white	XX	GX24q-4 4x42W	4.637,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.					
CE IP20  					
example composition code PL EULGMPFLE BC XX					

EXPLO

SP EXP Q 10



design: **Manuel Vivian**
Collezione composta da lampade a sospensione con montatura verniciato e acciaio, con barre in vetro di Murano lavorate a mano. Sorgente luminosa con attacco R7s. **Possibilità di composizioni personalizzate.**
*Collection consisting of suspended lamps with painted metal and steel frame and with hand-made Murano glass bars. Light source with R7s fitting. **Customised compositions are possible upon request.***

EXPLO


Type	Article	Colours	Finish	Source	EURO
SP	EXP Q 10	BC white	XX white and steel	R7S 2 x Max 120W (118)	2.568,00
		RS red			

CE

 IP20


example composition code | SP | EXPQ10 | RS | XX | R7S

SP EXPL 10




EXPLO						
Type	Article	Colours	Finish	Source		EURO
SP	EXPL 10	BC white	XX white and steel	R7S	3 x Max 120W (118)	3.018,00
		RS red				
CE IP20						
example composition code SP EXPL10 BC XX R7S						

SP EXPL0 5



EXPLO						
Type	Article	Colours	Finish	Source		EURO
SP	EXPLO 5	BC white	XX white and steel	R7S	1 x Max 120W (118)	1.469,00
		RS red				
CE IP20						
example composition code SP EXPLO5 RS XX R7S						

SP EXPL I 5



EXPLO

Type	Article	Colours	Finish	Source	EURO
SP	EXPL I 5	BC white	XX white and steel	R7S 1 x Max 120W (118)	1.478,00
		RS red			

CE

IP20

foro - hole Ø 6 cm / profondità min - min depth 10 cm

example composition code

SP

EXPLI5

RS

XX


R7S

EXPLO

SP EXPL I 5

100x100 composition

15 glass bars & 2 light diffusers



design: **Manuel Vivian**

Collezione composta da lampade a sospensione con montatura verniciato e acciaio, con barre in vetro di Murano lavorate a mano. Sorgente luminosa con attacco R7s. **Possibilità di composizioni personalizzate**

*Collection consisting of suspended lamps with painted metal and steel frame and with hand-made Murano glass bars. Light source with R7s fitting. **Customised compositions are possible upon request.***

EXPLO / questo prodotto ha una dima per l'installazione / this product has a template for the installation							
Qty	Type	Article	Colours	Finish	Source	EURO	
2 x	SP	EXPL I 5	BC white	XX white and steel	R7S 2 x Max 120W (118)	2 x 1.478,00	
			RS red				
5 x		VEXPLOF	BC white	vetri aggiuntivi / extra glasses		5 x 195,00	
			RS red				
10 x		INTERMEXPLO			cilindretti di fissaggio / fixing cylinders	10 x 19,00	
TOTALE / AMOUNT						4.121,00	


CE  IP20						
foro - hole Ø 6 cm / profondità min - min depth 10 cm						
example composition code	SP	EXPLI5 VEXPLOF INTERMEXPLO	RS RS	XX	R7S	x n. 2 pcs x n. 5 pcs x n. 10 pcs

EXPLO

SP EXPL I 5

200x100 composition

30 glass bars & 4 light diffusers



Esempio di composizione personalizzata.

Customised composition example.

EXPLO / questo prodotto ha una dima per l'installazione / this product has a template for the installation							
Qty	Type	Article	Colours	Finish	Source	EURO	
4 x	SP	EXPL I 5	BC white	XX white and steel	R7S 4 x Max 120W (118)	4 x 1.478,00	
			RS red				
10 x		VEXPLOF	BC white	vetri aggiuntivi / extra glasses		10 x 195,00	
			RS red				
20 x		INTERMEXPLO			cilindretti di fissaggio / fixing cylinders	20 x 19,00	
TOTALE / AMOUNT						8.242,00	


CE  IP20						
foro - hole Ø 6 cm / profondità min - min depth 10 cm						
example composition code	SP	EXPLI5 VEXPLOF INTERMEXPLO	RS RS	XX	R7S	x n. 4 pcs x n. 10 pcs x n. 20 pcs

EXPLO

SP EXPL I 5

200x200 composition

60 glass bars & 8 light diffusers



design: Manuel Vivian

Collezione composta da lampade a sospensione con montatura verniciato e acciaio, con barre in vetro di Murano lavorate a mano. Sorgente luminosa con attacco R7s. **Possibilità di composizioni personalizzate.**

Collection consisting of suspended lamps with painted metal and steel frame and with hand-made Murano glass bars. Light source with R7s fitting. **Customised compositions are possible upon request.**

EXPLO / questo prodotto ha una dima per l'installazione / this product has a template for the installation							
Qty	Type	Article	Colours	Finish	Source	EURO	
8 x	SP	EXPL I 5	BC white	XX white and steel	R7S 8 x Max 120W (118)	8 x 1.478,00	
			RS red				
20 x		VEXPLOF	BC white	vetri aggiuntivi / extra glasses		20 x 195,00	
			RS red				
40 x		INTERMEXPLO		cilindretti di fissaggio / fixing cylinders		40 x 19,00	
TOTALE / AMOUNT						16.484,00	


CE  IP20

foro - hole Ø 6 cm / profondità min - min depth 10 cm

example composition code	SP	EXPLI5	BC	XX	R7S	x n. 8 pcs
		VEXPLOF	RS			x n. 20 pcs
		INTERMEXPLO				x n. 40 pcs

EXPLO ACCESSORIES


KIT 1 V EXPLO



design: **Manuel Vivian**
Accessori utili alla personalizzazione delle sospensioni standard.
Accessories useful for the customization of the standard suspensions.


EXPLO			
Article	Colours		EURO
KIT 1 V EXPLO	BC white	XXX	234,00
	RS red		
example composition code KIT1VEXPLO RS XXX			

V EXPLO




EXPLO			
Article	Colours		EURO
V EXPLO	BC white		195,00
	RS red		
example composition code VEXPLO BC			

INTERM EXPLO



EXPLO			
Article	Colours		EURO
INTERM EXPLO	steel		19,00 each
example composition code INTERMEXPLO			


SP EXPLO R7S



EXPLO					
Type	Article	Colours	Finish	Source	EURO
SP	EXPLO X	XX	XX white and steel	R7S 1 x Max 120W (118)	597,00
CE IP20					
example composition code SP EXPLOX XX XX R7S					

FAIRY

FA FAIRY




design: **Manuel Vivian**
Collezione composta da faretti, lampade da parete, lampade da soffitto e lampade a sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile per alcuni articoli.
Collection consisting of recessed downlights, wall lamps, ceiling lamps and suspended lamps with chromed metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimmmable for some versions) LED light source.

FAIRY / DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
FA	FAIRY X	CS crystal	CR chrome	LED 6,2W - 350mA diffused beam - 2700K	205,00
		AM amber			228,00
		GR grey			228,00

CE	III	with capacitor PSU	IP20	CRI90	LED	~478 lm	77 lm/W
foro - hole Ø 8 cm / profondità min - min depth 10 cm						- Collegare in serie. / Wire in series.	
example composition code						FA	FAIRYX
						AM	CR
						LED	
	CEDLTC00100	standard 350mA driver - Max 8W (*)				29,00	
	CEDLTC00103	dimmable 1-10V 350mA driver - Max 25W (*)				119,00	
	CEDLTC00104	dimmable DALI 350mA driver - Max 25W (*)				144,00	

= optional (*) for more info see page 128


AP FAIRY



FAIRY					
Type	Article	Colours	Finish	Source	EURO
AP	FAIRY X	CS crystal	CR chrome	LED 6,2W - diffused beam 2700K	382,00
		AM amber			395,00
		GR grey			395,00

CE	III	IP20	CRI90	LED	~478 lm	77 lm/W	
example composition code						AP	FAIRYX
						CS	CR
						LED	

PL FAIRY




FAIRY					
Type	Article	Colours	Finish	Source	EURO
PL	FAIRY X	CS crystal	CR chrome	LED 6,2W - diffused beam 2700K	347,00
		AM amber			372,00
		GR grey			372,00

CE	III	IP20	CRI90	LED	~478 lm	77 lm/W	
example composition code						PL	FAIRYX
						GR	CR
						LED	


FAIRY

PL FAIRY I (RECESSED)



= optional (*) for more info see page 128

SP FAIRY



design: **Manuel Vivian**
Collezione composta da faretti, lampade da parete, lampade da soffitto e lampade a sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile per alcuni articoli.
Collection consisting of recessed downlights, wall lamps, ceiling lamps and suspended lamps with chromed metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimmmable for some versions) LED light source.

FAIRY / DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	FAIRY I	CS crystal	CR chrome	LED 6,2W - 350mA diffused beam - 2700K	275,00
		AM amber			300,00
		GR grey			300,00

CE	III	with electronic PSU	IP20	CRI90	LED	~478 lm	77 lm/W
foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.							
example composition code PL FAIRYI GR CR LED							


	CEDLTC00100	standard 350mA driver - Max 8W (*)	29,00
	CEDLTC00103	dimmmable 1-10V 350mA driver - Max 25W (*)	119,00
	CEDLTC00104	dimmmable DALI 350mA driver - Max 25W (*)	144,00

FAIRY					
Type	Article	Colours	Finish	Source	EURO
SP	FAIRY X	CS crystal	CR chrome	LED 6,2W - diffused beam - 2700K	408,00
		AM amber			431,00
		GR grey			431,00
SP	FAIRY X	CS crystal	BR matt bronze	LED 6,2W - diffused beam - 2700K	430,00
		AM amber	NI matt nickel		455,00
		GR grey			455,00

CE	III	IP20	CRI90	LED	~478 lm	77 lm/W
example composition code SP FAIRYX CS BR LED						

FAIRY

SP FAIRY I (RECESSED)




= optional (*) for more info see page 128

design: **Manuel Vivian**
Collezione composta da faretti, lampade da parete, lampade da soffitto e lampade a sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile per alcuni articoli.
Collection consisting of recessed downlights, wall lamps, ceiling lamps and suspended lamps with chromed metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimmmable for some versions) LED light source.

FAIRY / DRIVER NOT INCLUDED						
Type	Article	Colours	Finish	Source	EURO	
SP	FAIRY I	CS crystal	CR chrome	LED 6,2W - 350mA diffused beam - 2700K	347,00	
		AM amber			372,00	
		GR grey			372,00	
SP	FAIRY I	CS crystal	BR matt bronze	LED 6,2W - 350mA diffused beam - 2700K	364,00	
		AM amber	NI matt nickel		388,00	
		GR grey			388,00	

		IP20		CRI90		LED	~478 lm	77 lm/W
foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.								
example composition code SP FAIRYI AM NI LED								
	CEDLTC00100	standard 350mA driver - Max 8W (*)						29,00
	CEDLTC00103	dimmmable 1-10V 350mA driver - Max 25W (*)						119,00
	CEDLTC00104	dimmmable DALI 350mA driver - Max 25W (*)						144,00

SP FAI 12 R




FAIRY						
Type	Article	Colours	Finish	Source	EURO	
SP	FAI 12 R	CS crystal	CR white + chrome	LED 12 x 6,2W - diffused beam 2700K	3.860,00	
		AM amber			4.135,00	
		GR grey			4.135,00	
SP	FAI 12 R	CS crystal	BR white + matt bronze	LED 12 x 6,2W - diffused beam 2700K	4.064,00	
		AM amber	NI white + matt nickel		4.347,00	
		GR grey			4.347,00	

CE	IP20	CRI90	LED	12 x ~478 lm	77 lm/W
example composition code SP FAI12R GR BR LED					


FAIRY

SP FAIR 12



= optional

SP FAIR 18



= optional

design: **Manuel Vivian**
Collezione composta da faretto, lampada da parete, lampade da soffitto e lampade a sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile per alcuni articoli.
Collection consisting of recessed downlights, wall lamps, ceiling lamps and suspended lamps with chromed metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimmmable for some versions) LED light source.

FAIRY						
Type	Article	Colours	Finish	Source	EURO	
SP	FAIR 12	CS crystal	CR white + chrome	LED 12 x 6,2W - diffused beam 2700K	3.824,00	
		AM amber			4.087,00	
		GR grey			4.087,00	
SP	FAIR 12	CS crystal	BR white + matt bronze	LED 12 x 6,2W - diffused beam 2700K	4.059,00	
		AM amber	NI white + matt nickel		4.336,00	
		GR grey			4.336,00	

CE IP20 CRI90 LED 12 x ~478 lm 77 lm/W

example composition code | SP | FAIR12 | CS | NI | LED

+	ANELLOFAIRY060X	kg 1.2 - m³ 0.034 - Ø 60 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. <i>Ring for customised composition. Fastening elements included.</i>	180,00
	ANELLOFAIRY100X	kg 2 - m³ 0.093 - Ø 100 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. <i>Ring for customised composition. Fastening elements included.</i>	228,00
Suggerito l'uso di entrambi gli anelli da Ø 60 e Ø 100 cm per la creazione di composizioni personalizzate. <i>We suggest the use of both the Ø 60 e Ø 100 cm rings together when creating customised compositions.</i>			

FAIRY						
Type	Article	Colours	Finish	Source	EURO	
SP	FAIR 18	CS crystal	CR white + chrome	LED 18 x 6,2W - diffused beam 2700K	5.413,00	
		AM amber			5.807,00	
		GR grey			5.807,00	
SP	FAIR 18	CS crystal	BR white + matt bronze	LED 18 x 6,2W - diffused beam 2700K	5.726,00	
		AM amber	NI white + matt nickel		6.133,00	
		GR grey			6.133,00	


CE IP20 CRI90 LED 18 x ~478 lm 77 lm/W

example composition code | SP | FAIR18 | CS | CR | LED

+	ANELLOFAIRY060X	kg 1.2 - m³ 0.034 - Ø 60 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. <i>Ring for customised composition. Fastening elements included.</i>	180,00
	ANELLOFAIRY100X	kg 2 - m³ 0.093 - Ø 100 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. <i>Ring for customised composition. Fastening elements included.</i>	228,00
Suggerito l'uso di entrambi gli anelli da Ø 60 e Ø 100 cm per la creazione di composizioni personalizzate. <i>We suggest the use of both the Ø 60 e Ø 100 cm rings together when creating customised compositions.</i>			

FAVILLA

WALL/CEILING/SPOT



design: **Manuel Vivian**
Lampada da parete o da soffitto in alluminio in vari colori, orientabile. Disponibile anche nella versione ad incasso. Sorgente luminosa a LED integrato.
Adjustable wall or ceiling lamp in aluminium, also in a recessed version. Available in several colours. Built-in LED light source.


FAVILLA / LED 6,2W							
Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	6	105	0	04	1	1	246,00
				matt black	2700 K	22°	
				07		3	
				white 9016 matt		45°	

CE IP20 CRI90 LED ~437 lm 70 lm/W
example composition code |E| 6 |105| 0 |04| 1 |3|

FAVILLA / LED 8,4W							
Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	6	105	0	04	3	1	246,00
				matt black	4000 K	22°	
				07		3	
				white 9016 matt		45°	

CE IP20 CRI80 LED ~594 lm 70 lm/W
example composition code |E| 6 |105| 0 |07| 3 |1|

RECESSED



FAVILLA / LED 6,2 W - 350mA / DRIVER NOT INCLUDED							
Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	8	105	4	04	1	1	205,00
			recessed	matt black	2700 K	22°	
				07		3	
				white 9016 matt		45°	

CE IP20 ADA CRI90 LED ~437 lm 70 lm/W
foro - hole Ø 5,5 cm / profondità min - min depth 10 cm

Collegare in serie. Lunghezza cavo 150 cm. / Wire in series. Cable length 150 cm.


example composition code |E| 8 |105| 4 |07| 1 |3|

= optional (*) for more info see page 128

	CEDLTC00100	standard 350mA driver - Max 8W (*)	29,00
	CEDLTC00103	dimmbable 1-10V 350mA driver - Max 25W (*)	119,00
	CEDLTC00104	dimmbable DALI 350mA driver - Max 25W (*)	144,00

FEDORA

FA FEDORA




= optional (*) for more info see page 127

design: **Dima Loginoff**

Collezione composta da faretto ad incasso e lampade a sospensione. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.
Collection consisting of recessed downlight and suspended lamps. Available in several colours and sizes. LED light source with GU10 fitting.

FEDORA					
Type	Article	Colours	Finish	Source	EURO
FA	FEDORA	XX glass	XX white varnished metal	GU1 GU10 LED 1 x Max 7,5W only LED bulbs 220-240Vac	172,00
CE IP20 LED					
foro - hole Ø 10 cm / profondità min - min depth 10 cm					
example composition code FA FEDORA XX XX GU1					
 LAMPGU105,5W040 GU10 LED bulb 5,5W - 3000K - 40° angle (*)					41,00


SP FEDOR 1



= optional (*) for more info see page 127

FEDORA					
Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 1	RO rose gold + glass	BC white varnished metal	GU1 GU10 LED 1 x Max 7,5W only LED bulbs 220-240VAc	342,00
		BR bronze + glass			
		CR chrome + glass			
CE IP20 LED					
example composition code SP FEDOR1 CR BC GU1					
 LAMPGU105,5W040 GU10 LED bulb 5,5W - 3000K - 40° angle (*)					41,00

SP FEDOR 3




= optional (*) for more info see page 127

FEDORA					
Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 3	RO rose gold + glass	BC white varnished metal	GU1 GU10 LED 3 x Max 7,5W only LED bulbs 220-240VAc	781,00
		BR bronze + glass			
		CR chrome + glass			
CE IP20 LED					
example composition code SP FEDOR3 RO BC GU1					
 LAMPGU105,5W040 GU10 LED bulb 5,5W - 3000K - 40° angle (*)					41,00 each


FEDORA

SP FEDOR 6




= optional (*) for more info see page 127

SP FEDOR 7



= optional (*) for more info see page 127

SP FEDO 12



= optional (*) for more info see page 127

design: **Dima Loginoff**

Collezione composta da faretto ad incasso e lampade a sospensione. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.
Collection consisting of recessed downlight and suspended lamps. Available in several colours and sizes. LED light source with GU10 fitting.

FEDORA					
Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 6	RO rose gold + glass	BC white varnished metal	GU1 GU10 LED 6 x Max 7,5W only LED bulbs 220-240VAc	1.620,00
		BR bronze + glass			
		CR chrome + glass			
CE IP20 LED					
example composition code SP FEDOR6 CR BC GU1					
LAMPGU105,5W040 GU10 LED bulb 5,5W - 3000K - 40° angle (*)					41,00 each


FEDORA					
Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 7	RO rose gold + glass	BC white varnished metal	GU1 GU10 LED 7 x Max 7,5W only LED bulbs 220-240VAc	1.895,00
		BR bronze + glass			
		CR chrome + glass			
CE IP20 LED					
example composition code SP FEDOR7 RO BC GU1					
LAMPGU105,5W040 GU10 LED bulb 5,5W - 3000K - 40° angle (*)					41,00 each

FEDORA					
Type	Article	Colours	Finish	Source	EURO
SP	FEDO 12	RO rose gold + glass	BC white varnished metal	GU1 GU10 LED 12 x Max 7,5W only LED bulbs 220-240VAc	3.101,00
		BR bronze + glass			
		CR chrome + glass			
CE IP20 LED					
example composition code SP FEDO12 CR BC GU1					
LAMPGU105,5W040 GU10 LED bulb 5,5W - 3000K - 40° angle (*)					41,00 each

FRAMEWORK LED

PL FW P

PL FW P 090 *kg 6.1 m³ 0.20*
PL FW P 180 *kg 6.2 m³ 0.20*
PL FW P 270 *kg 6.3 m³ 0.20*




design: **Manuel Vivian**
Collezione composta da lampade da soffitto o da parete e lampade a sospensione in alluminio bianco. Disponibile in varie dimensioni. Le lampade da soffitto/da parete sono fornite in tre diverse altezze. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of ceiling or wall lamps and suspended lamps in white aluminium. Available in several sizes. The ceiling/wall lamps are also supplied in three different heights. Built-in LED light source.

FRAMEWORK / applicazione a soffitto o a parete / <i>application: both as ceiling or wall lamp</i>					
Type	Article	Colours	Code End	Source	EURO
PL	FW P 090 LED	BC white	XX	LED 65,6W - diffused beam 3000K	1.578,00
	FW P 180 LED				1.592,00
	FW P 270 LED				1.630,00
CE IP20 CRI80 LED ~8824 lm 134,5 lm/W					
example composition code PL FWP180LED BC XX					

PL FW M


PL FW M 090 *kg 9,2 m³ 0.37*
PL FW M 180 *kg 9,3 m³ 0.37*
PL FW M 270 *kg 9,4 m³ 0.37*



FRAMEWORK / applicazione a soffitto o a parete / <i>application: both as ceiling or wall lamp</i>					
Type	Article	Colours	Code End	Source	EURO
PL	FW M 090 LED	BC white	XX	LED 65,6W - diffused beam 3000K	1.790,00
	FW M 180 LED				1.804,00
	FW M 270 LED				1.840,00
CE IP20 CRI80 LED ~8824 lm 134,5 lm/W					
example composition code PL FWM090LED BC XX					

PL FM G


PL FW G 090 *kg 8,8 m³ 0.38*
PL FW G 180 *kg 8,9 m³ 0.38*
PL FW G 270 *kg 9 m³ 0.38*



FRAMEWORK / applicazione a soffitto o a parete / <i>application: both as ceiling or wall lamp</i>					
Type	Article	Colours	Code End	Source	EURO
PL	FW G 090 LED	BC white	XX	LED 98,4W - diffused beam 3000K	2.106,00
	FW G 180 LED				2.120,00
	FW G 270 LED				2.158,00
CE IP20 CRI80 LED ~13236 lm 131 lm/W					
example composition code PL FWG270LED BC XX					

FRAMEWORK LED

SP FRAME P




design: **Manuel Vivian**

Collezione composta da lampade da soffitto o da parete e lampade a sospensione in alluminio bianco. Disponibile in varie dimensioni. Le lampade da soffitto/da parete sono fornite in tre diverse altezze. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of ceiling or wall lamps and suspended lamps in white aluminium. Available in several sizes. The ceiling/wall lamps are also supplied in three different heights. Built-in LED light source.


FRAMEWORK					
Type	Article	Colours	Code End	Source	EURO
SP	FRAME P LED	BC white	XX	LED 65,6W - diffused beam 3000K	1.613,00
CE IP20 CRI80  LED ~8824 lm 134,5 lm/W example composition code SP FRAMEPLED BC XX					

SP FRAME M



FRAMEWORK					
Type	Article	Colours	Code End	Source	EURO
SP	FRAME M LED	BC white	XX	LED 65,6W - diffused beam 3000K	1.805,00
CE IP20 CRI80  LED ~8824 lm 134,5 lm/W example composition code SP FRAME M LED BC XX					


SP FRAME G



FRAMEWORK					
Type	Article	Colours	Code End	Source	EURO
SP	FRAME G LED	BC white	XX	LED 98,4W - diffused beam 3000K	2.176,00
CE IP20 CRI80  ~13236 lm 131 lm/W example composition code SP FRAMEGLED BC XX					

HOOPS


PL HOOPS 2



design: **Giovanni Barbato**
Collezione composta da lampade da soffitto e lampade a sospensione con elementi intercambiabili di diverse forme e dimensioni. Finitura dorata. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione uplight e downlight.
Collection consisting of ceiling lamps and suspended lamps with interchangeable elements in different shapes and sizes. Gold finish. Built-in dimmable LED light source. The suspended lamps can light upward and downward.


HOOPS					
Type	Article	Colours	Finish	Source	EURO
PL	HOOPS 2	OR gold	OR gold	LED 16,6W - diffused beam 3000K	899,00
CEIP20CRI90220-240VACLED~1210 lm73 lm/W example composition code PL HOOPS2 OR OR LED					

PL HOOPS 3



HOOPS					
Type	Article	Colours	Finish	Source	EURO
PL	HOOPS 3	OR gold	OR gold	LED 16,6W - diffused beam 3000K	968,00
CEIP20CRI90220-240VAcLED~1210 lm73 lm/W example composition code PL HOOPS3 OR OR LED					


SP HOOPS 2



HOOPS / con illuminazione verso alto e basso / with upward and downward lighting					
Type	Article	Colours	Finish	Source	EURO
SP	HOOPS 2	OR gold	OR gold	LED 33,2W - diffused beam 3000K	1.493,00
CEIP20CRI90220-240VACLED~2420 lm73 lm/W example composition code SP HOOPS2 OR OR LED					

HOOPS


SP HOOPS 3



design: **Giovanni Barbato**
Collezione composta da lampade da soffitto e lampade a sospensione con elementi intercambiabili di diverse forme e dimensioni. Finitura dorata. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione uplight e downlight.
Collection consisting of ceiling lamps and suspended lamps with interchangeable elements in different shapes and sizes. Gold finish. Built-in dimmable LED light source. The suspended lamps can light upward and downward.


HOOPS / con illuminazione verso alto e basso / with upward and downward lighting					
Type	Article	Colours	Finish	Source	EURO
SP	HOOPS 3	OR gold	OR gold	LED 33,2W - diffused beam 3000K	1.511,00
CEIP20CRI90220-240VACLED~2420 lm73 lm/W example composition code SP HOOPS3 OR OR LED					

SP HOOPS 4



HOOPS / con illuminazione verso alto e basso / with upward and downward lighting					
Type	Article	Colours	Finish	Source	EURO
SP	HOOPS 4	OR gold	OR gold	LED 33,2W - diffused beam 3000K	1.708,00
CEIP20CRI90220-240VACLED~2420 lm73 lm/W example composition code SP HOOPS4 OR OR LED					


SP HOOPS 6



HOOPS / con illuminazione verso alto e basso / with upward and downward lighting					
Type	Article	Colours	Finish	Source	EURO
SP	HOOPS 6	OR gold	OR gold	LED 33,2W - diffused beam 3000K	1.840,00
CEIP20CRI90220-240VACLED~2420 lm73 lm/W example composition code SP HOOPS6 OR OR LED					

LAYERS

SP LAY A




design: **Vanessa Vivian**
Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting light source.

LAYERS					
Type	Article	Colours	Code End	Source	EURO
SP	LAY A XX E27	BC white	XX	E27 9 x Max 16W LED or 9 x Max 20W fluo or 9 x Max 70W halo	4.201,00
		AR orange			
		BW warm white			
		GI gold yellow			
		GR light grey			
		GS dark grey			
		MT brick red			
		RB burgundy			
		RS red			
		VE light green			
		M1 multicolor 1: RB+RS+AR+GI			
		M2 multicolor 2: GS+GR+BC			

CE	IP20	+LED
example composition code		
SP	LAYAXXE27	RS XX

SP LAY B




LAYERS					
Type	Article	Colours	Code End	Source	EURO
SP	LAY B XX E27	BC white	XX	E27 15 x Max 16W LED or 15 x Max 20W fluo or 15 x Max 70W halo	8.352,00
		AR orange			
		BW warm white			
		GI gold yellow			
		GR light grey			
		GS dark grey			
		MT brick red			
		RB burgundy			
		RS red			
		VE light green			
		M1 multicolor 1: RB+RS+AR+GI			
		M2 multicolor 2: GS+GR+BC			

CE	IP20	+LED
example composition code		
SP	LAYBXXE27	BC XX

LAYERS

SP LAY C




design: **Vanessa Vivian**
Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting light source.

LAYERS					
Type	Article	Colours	Code End	Source	EURO
SP	LAY C XX E27	BC white	XX	E27 15 x Max 16W LED or 15 x Max 20W fluo or 15 x Max 70W halo	7.021,00
		AR orange			
		BW warm white			
		GI gold yellow			
		GR light grey			
		GS dark grey			
		MT brick red			
		RB burgundy			
		RS red			
		VE light green			
		M1 multicolor 1: RB+RS+AR+GI			
		M2 multicolor 2: GS+GR+BC			

CE IP20 +LED
example composition code |SP |LAYCXXE27 |RS |XX

SP LAY D




LAYERS					
Type	Article	Colours	Code End	Source	EURO
SP	LAY D XX E27	BC white	XX	E27 9 x Max 16W LED or 9 x Max 20W fluo or 9 x Max 70W halo	4.660,00
		AR orange			
		BW warm white			
		GI gold yellow			
		GR light grey			
		GS dark grey			
		MT brick red			
		RB burgundy			
		RS red			
		VE light green			
		M1 multicolor 1: RB+RS+AR+GI			
		M2 multicolor 2: GS+GR+BC			

CE IP20 +LED
example composition code |SP |LAYDXXE27 |BC |XX

LAYERS

SP LAY E




design: **Vanessa Vivian**
Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting light source.

LAYERS					
Type	Article	Colours	Code End	Source	EURO
SP	LAY E XX E27	BC white	XX	E27 9 x Max 16W LED or 9 x Max 20W fluo or 9 x Max 70W halo	4.182,00
		AR orange			
		BW warm white			
		GI gold yellow			
		GR light grey			
		GS dark grey			
		MT brick red			
		RB burgundy			
		RS red			
		VE light green			
		M1 multicolor 1: RB+RS+AR+GI			
		M2 multicolor 2: GS+GR+BC			

CE IP20 +LED
example composition code |SP |LAYEXXE27 |RS |XX

SP LAY F




LAYERS					
Type	Article	Colours	Code End	Source	EURO
SP	LAY F XX E27	BC white	XX	E27 9 x Max 16W LED or 9 x Max 20W fluo or 9 x Max 70W halo	3.755,00
		AR orange			
		BW warm white			
		GI gold yellow			
		GR light grey			
		GS dark grey			
		MT brick red			
		RB burgundy			
		RS red			
		VE light green			
		M1 multicolor 1: RB+RS+AR+GI			
		M2 multicolor 2: GS+GR+BC			

CE IP20 +LED
example composition code |SP |LAYFXXE27 |BC |XX

LIK

AP LIK




design: **S. & R. Cornelissen**
Lampada da parete in alluminio disponibile in vari colori.
Sorgente luminosa a LED integrato dimmerabile.
Aluminium wall lamp available in several colours. Built-in dimmable LED light.

LIK						
Type	Article	Colours		Code End	Source	EURO
AP	LIK XXX	BC	wrinkled white	XX	LED 16,6W - diffused beam 3000K	176,00
		BR	matt bronze			198,00
		NI	matt nickel			198,00
CE  IP20 CRI90  ADA 220-240VAC LED ~1350 lm 81 lm/W						
example composition code		AP	LIKXXX	BR	XX	LED

MELTING POT


AP MELTIN



design: **Sandro Santantonio**
Collezione composta da lampade da parete, lampade a sospensione e lampade da terra. I paralumi sono proposti con diversi pattern decorativi. Diffusori opalescenti disponibili su richiesta. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, suspended lamps and floor lamps. The lampshades coming in various decorative patterns. Opalescent diffusers available on request. Screw fitting light source.

MELTING POT						
Type	Article	Colours	Finish	Source	EURO	
AP	MELTIN	BC light patterns outside / white inside	XX white varnished metal	E27 2 x Max 16W LED or 2 x Max 15W fluo or 2 x Max 30W halo	408,00	
		BO light patterns outside / gold inside			434,00	
		NE dark patterns outside / gold inside			434,00	
CE IP20 ADA +LED						
example composition code		AP	MELTIN	BO	XX	E27

SP MELT 55



MELTING POT / diffusore NON INCLUSO - disponibile su richiesta
diffuser NOT INCLUDED - available on request

Type	Article	Colours	Finish	Source	EURO
SP	MELT 55	BA two light patterns outside / silver inside	XX white varnished metal	E27 3 x Max 16W LED or 3 x Max 15W fluo or 3 x Max 70W halo	495,00
		BO two light patterns outside / gold inside			
		NA two dark patterns outside / silver inside			
		NE two dark patterns outside / gold inside			

CE



IP20

+LED

example composition code

SP


MELT55

NA

XX

E27

SP MELT 60




MELTING POT / diffusore NON INCLUSO / diffuser NOT INCLUDED						
Type	Article	Colours	Finish	Source	EURO	
SP	MELT 60	BC light patterns outside / white inside	XX white varnished metal	E27 1 x Max 16W LED or 1 x Max 23W fluo or 1 x Max 70W halo	1.261,00	
		BA two light patterns outside / silver inside			1.319,00	
		BO two light patterns outside / gold inside			1.319,00	
		NA two dark patterns outside / silver inside			1.319,00	
		NE dark patterns outside / gold inside			1.319,00	
CE IP20 +LED						
example composition code SP MELT60 BC XX E27						
+ DSPMELTING60XXX diffusori (2 pezzi) / diffusers (2 pieces)					58,00	

= optional

MELTING POT

SP MELT 80

kg 2.6 m³ 0.575



design: **Sandro Santantonio**
Collezione composta da lampade da parete, lampade a sospensione e lampade da terra. I paralumi sono proposti con diversi pattern decorativi. Diffusori opalescenti disponibili su richiesta. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, suspended lamps and floor lamps. The lampshades coming in various decorative patterns. Opalescent diffusers available on request. Screw fitting light source.

MELTING POT / diffusore NON INCLUSO - disponibile su richiesta
diffuser NOT INCLUDED - available on request

Type	Article	Colours	Finish	Source	EURO
SP	MELT 80	BA two light patterns outside / silver inside	XX white varnished metal	E27 3 x Max 16W LED or 3 x Max 15W fluo or 3 x Max 70W halo	875,00
		BO two light patterns outside / gold inside			
		NA two dark patterns outside / silver inside			
		NE two dark patterns outside / gold inside			

CE



IP20

+LED

example composition code

SP

MELT80


NA

XX

E27

SP MEL 115

kg 4.5 m³ 0.17




MELTING POT / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	MEL 115	BC light patterns outside / white inside	XX white varnished metal	E27 4 x Max 16W LED or 4 x Max 23W fluo or 4 x Max 70W halo	1.546,00
		BA two light patterns outside / silver inside			1.620,00
		BO two light patterns outside / gold inside			1.620,00
		NA two dark patterns outside / silver inside			1.620,00
		NE two dark patterns outside / gold inside			1.620,00
CE IP20 +LED					
example composition code SP MEL115 NE XX E27					
+ DSPMELTING115XX diffusori (4 pezzi) / diffusers (4 pieces)					116,00

= optional


MELTING POT

SP MEL 120




= optional

PT MELT 55



PT MELT 80



design: **Sandro Santantonio**
Collezione composta da lampade da parete, lampade a sospensione e lampade da terra. I paralumi sono proposti con diversi pattern decorativi. Diffusori opalescenti disponibili su richiesta. Sorgente luminosa con attacco a vite.
Collection consisting of wall lamps, suspended lamps and floor lamps. The lampshades coming in various decorative patterns. Opalescent diffusers available on request. Screw fitting light source.

MELTING POT / diffusore NON INCLUSO / diffuser NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	MEL 120	BC light patterns outside / white inside	XX white varnished metal	E27 3 x Max 16W LED or 3 x Max 23W fluo or 3 x Max 70W halo	3.513,00
		BA two light patterns outside / silver inside			3.730,00
		B0 two light patterns outside / gold inside			3.730,00
		NA two dark patterns outside / silver inside			3.730,00
		NE two dark patterns outside / gold inside			3.730,00

  IP20		 +LED	
example composition code			
 SP	 MEL120	 NE	 XX
 E27			
 DSPMELTING120XX diffusore (1 pezzo) / diffuser (1 piece)			77,00

MELTING POT / sono richieste lampade dimmerabili / dimmable lamps required					
Type	Article	Colours	Finish	Source	EURO
PT	MELT 55	BA two light patterns outside / silver inside	GR grey varnished metal	E27 3 x Max 16W LED or 3 x Max 15W fluo or 3 x Max 70W halo	770,00
		B0 two light patterns outside / gold inside			
		NA two dark patterns outside / silver inside			
		NE two dark patterns outside / gold inside			

CE	IP20	dimmerabile	+LED		
example composition code					
PT	MELT55	B0	GR	E27	


MELTING POT / sono richieste lampade dimmerabili / dimmable lamps required					
Type	Article	Colours	Finish	Source	EURO
PT	MELT 80	BA two light patterns outside / silver inside	GR grey varnished metal	E27 3 x Max 16W LED or 3 x Max 15W fluo or 3 x Max 70W halo	1.095,00
		B0 two light patterns outside / gold inside			
		NA two dark patterns outside / silver inside			
		NE two dark patterns outside / gold inside			

CE	IP20	dimmerabile	+LED		
example composition code					
PT	MELT80	BA	GR	E27	

MOMUS MINI

MOMUS MINI WALL

kg 0.27 m³ 0.0016




design: **Manuel Vivian**
Lampada da parete in alluminio bianco. Sorgente luminosa a LED integrato.
Wall lamp in white aluminium. Built-in LED light source.

MOMUS / LED 3W / DRIVER INCLUDED							
Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	1	103	0	06 white 9016 wrinkled	1 3000 K	4 diffused	118,00
CE⏚IP20ADA CRI85LED160 lm53 lm/W example composition code E 1 103 0 06 1 4							

MOUNTAIN VIEW

SP MOUNTA



design: **Dima Loginoff**

Lampada a sospensione realizzata in vetro soffiato trasparente disponibile in vari colori. Sorgente luminosa a LED integrato dimmerabile.


Suspended lamp made of transparent blown glass, available in several colours. Built-in dimmable LED light source.

MOUNTAIN VIEW				
Type	Article	Colours / Finish	Source	EURO
SP	MOUNTA	CS / CR crystal / chrome	LED 16W - 3000K	1.770,00
		CS / OR crystal / gold		1.950,00
		AM / OR amber / gold		1.950,00
		GR / CR grey / chrome		1.950,00

</

MUSE

PL MUSE 40



design: **Sandro Santantonio**
Collezione di lampade da soffitto, da parete, a sospensione e da tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of ceiling or wall lamps, suspended lamps and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

MUSE / tessuto INCLUSO, kit lente NON PREVISTO / *fabric INCLUDED, glass diffuser kit NOT AVAILABLE*
/ applicazione a soffitto o a parete / *application: both as ceiling or wall lamp*

Type	Article	Colours	Finish	Source	EURO
PL	MUSE 40	BC white	XX white metal	E27 1 x Max 6,5W LED or 1 x Max 42W halo	199,00
		AR orange			256,00
		AZ light blue			256,00
		BL dark blue			256,00
		FU fuchsia			256,00
		GI yellow			256,00
		RO pink			256,00
		RS red			256,00
		VE green			256,00
		VI violet			256,00
		MC multicolour			284,00
		FI flower			284,00
		ST sticks			284,00


CE IP20 +LED
example composition code |PL |MUSE40 |GI |XX |E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / *ADDITIONAL FABRICS UPON REQUEST:*

TSPLMUSE40	white	56,00
TSPLMUSE40AR	orange	77,00
TSPLMUSE40AZ	light blue	77,00
TSPLMUSE40BL	dark blue	77,00
TSPLMUSE40FU	fuchsia	77,00
TSPLMUSE40GI	yellow	77,00
TSPLMUSE40RO	pink	77,00
TSPLMUSE40RS	red	77,00
TSPLMUSE40VE	green	77,00
TSPLMUSE40VI	violet	77,00
TSPLMUSE40MC	multicolour	93,00
TSPLMUSE40FI	flower	93,00
TSPLMUSE40ST	sticks	93,00

MUSE

PL MUSE 60



design: **Sandro Santantonio**
Collezione di lampade da soffitto, da parete, a sospensione e da tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of ceiling or wall lamps, suspended lamps and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.


MUSE / tessuto INCLUSO, kit lente NON PREVISTO / fabric INCLUDED, glass diffuser kit NOT AVAILABLE / applicazione a soffitto o a parete / application: both as ceiling or wall lamp						
Type	Article	Colours	Finish	Source	EURO	
PL	MUSE 60	BC white	XX white metal	E27 2 x Max 6,5W LED or 2 x Max 42W halo	256,00	
		AR orange			313,00	
		AZ light blue			313,00	
		BL dark blue			313,00	
		FU fuchsia			313,00	
		GI yellow			313,00	
		RO pink			313,00	
		RS red			313,00	
		VE green			313,00	
		VI violet			313,00	
		MC multicolour			354,00	
		FI flower			354,00	
		ST sticks			354,00	

CE	IP20	+LED
example composition code PL MUSE60 ST XX E27		

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:		
TSPLMUSE60	white	65,00
TSPLMUSE60AR	orange	87,00
TSPLMUSE60AZ	light blue	87,00
TSPLMUSE60BL	dark blue	87,00
TSPLMUSE60FU	fuchsia	87,00
TSPLMUSE60GI	yellow	87,00
TSPLMUSE60RO	pink	87,00
TSPLMUSE60RS	red	87,00
TSPLMUSE60VE	green	87,00
TSPLMUSE60VI	violet	87,00
TSPLMUSE60MC	multicolour	135,00
TSPLMUSE60FI	flower	135,00
TSPLMUSE60ST	sticks	135,00

MUSE

PL MUSE 80



design: **Sandro Santantonio**
Collezione di lampade da soffitto, da parete, a sospensione e da tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of ceiling or wall lamps, suspended lamps and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.


MUSE / tessuto INCLUSO, kit lente NON INCLUSO / fabric INCLUDED, glass diffuser kit NOT INCLUDED / applicazione a soffitto o a parete / application: both as ceiling or wall lamp					
Type	Article	Colours	Finish	Source	EURO
PL	MUSE 80	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halo	481,00
		AR orange			533,00
		AZ light blue			533,00
		BL dark blue			533,00
		FU fuchsia			533,00
		GI yellow			533,00
		RO pink			533,00
		RS red			533,00
		VE green			533,00
		VI violet			533,00
		MC multicolour			680,00
		FI flower			680,00
		ST sticks			680,00

CE ⓘ IP20 +LED					
example composition code PL MUSE80 MC XX FLE					
+ KPLMUSE		kit lente solo per E27 con lampadina LED glass diffuser kit only for E27 when mounting LED bulb			74,00

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:		
TSPLMUSE80	white	126,00
TSPLMUSE80AR	orange	158,00
TSPLMUSE80AZ	light blue	158,00
TSPLMUSE80BL	dark blue	158,00
TSPLMUSE80FU	fuchsia	158,00
TSPLMUSE80GI	yellow	158,00
TSPLMUSE80RO	pink	158,00
TSPLMUSE80RS	red	158,00
TSPLMUSE80VE	green	158,00
TSPLMUSE80VI	violet	158,00
TSPLMUSE80MC	multicolour	226,00
TSPLMUSE80FI	flower	226,00
TSPLMUSE80ST	sticks	226,00

MUSE

PL MUS 120



design: **Sandro Santantonio**
Collezione di lampade da soffitto, da parete, a sospensione e da tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of ceiling or wall lamps, suspended lamps and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

MUSE / tessuto INCLUSO, kit lente NON INCLUSO / fabric INCLUDED, glass diffuser kit NOT INCLUDED / applicazione a soffitto o a parete / application: both as ceiling or wall lamp						
Type	Article	Colours	Finish	Source		EURO
PL	MUS 120	BC white	XX white metal	E27	3 x Max 16W LED or 3 x Max 70W halo	583,00
		AR orange				635,00
		AZ light blue				635,00
		BL dark blue				635,00
		FU fuchsia				635,00
		GI yellow				635,00
		RO pink				635,00
		RS red				635,00
		VE green				635,00
		VI violet				635,00
		MC multicolour				837,00
		FI flower				837,00
		ST sticks				837,00

CE ⓘ IP20 +LED						
example composition code PL MUS120 VE XX E27						
+ KPLMSE		kit lente solo per E27 con lampadina LED glass diffuser kit only for E27 when mounting LED bulb				74,00


TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE120	white	151,00
TSPLMUSE120AR	orange	193,00
TSPLMUSE120AZ	light blue	193,00
TSPLMUSE120BL	dark blue	193,00
TSPLMUSE120FU	fuchsia	193,00
TSPLMUSE120GI	yellow	193,00
TSPLMUSE120RO	pink	193,00
TSPLMUSE120RS	red	193,00
TSPLMUSE120VE	green	193,00
TSPLMUSE120VI	violet	193,00
TSPLMUSE120MC	multicolour	328,00
TSPLMUSE120FI	flower	328,00
TSPLMUSE120ST	sticks	328,00


= optional

MUSE

PL MUS 60 Q



PL MU 120 Q



= optional

design: **Sandro Santantonio**
Collezione di lampade da soffitto, da parete, a sospensione e da tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of ceiling or wall lamps, suspended lamps and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

MUSE / tessuto INCLUSO, kit lente NON PREVISTO / fabric INCLUDED, glass diffuser kit NOT AVAILABLE / applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	MUS 60 Q	BC white	XX white metal	E27 2 x Max 6,5W LED or 2 x Max 42W halo	297,00

IP20

+LED

example composition code | PL | MUS60Q | BC | XX | E27

MUSE / tessuto INCLUSO, kit lente NON INCLUSO / fabric INCLUDED, glass diffuser kit NOT INCLUDED / applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	MU 120 Q	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halo	618,00

CE


IP20

+LED


example composition code | PL | MU120Q | BC | XX | E27

+ KPLMSE				kit lente solo per E27 con lampadina LED glass diffuser kit only for E27 when mounting LED bulb		74,00
----------	--	--	--	--	--	-------

LT MUSE P



LT MUSE G




MUSE / tessuto INCLUSO / fabric INCLUDED						
Type	Article	Colours	Finish	Source	EURO	
LT	MUSE P X	BC white	XX white metal	E14	1 x Max 6,5W LED or 1 x Max 42W halo	318,00
CE  IP20 +LED						
example composition code LT MUSEPX BC XX E14						

MUSE / tessuto INCLUSO / fabric INCLUDED						
Type	Article	Colours	Finish	Source	EURO	
LT	MUSE G X	BC white	XX white metal	E27	1 x Max 20W LED or 1 x Max 105W halo (dimmmable lamps required)	538,00
CE   IP20 +LED example composition code LT MUSEGX BC XX E27						

MUSE

SP MUSE



design: **Sandro Santantonio**
Collezione di lampade da soffitto, da parete, a sospensione e da tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of ceiling or wall lamps, suspended lamps and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

MUSE / tessuto INCLUSO / fabric INCLUDED						
Type	Article	Colours	Finish	Source		EURO
SP	MUSE XX	BC white	XX white metal	E27	1 x Max 20W LED or 1 x Max 116W halo	720,00
		AR orange				799,00
		AZ light blue				799,00
		BL dark blue				799,00
		FU fuchsia				799,00
		GI yellow				799,00
		RO pink				799,00
		RS red				799,00
		VE green				799,00
		VI violet				799,00
		MC multicolour				1.003,00


CE IP20 +LED
example composition code |SP| MUSEXX |FU| XX |E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSSPMUSE	white	186,00
TSSPMUSEAR	orange	209,00
TSSPMUSEAZ	light blue	209,00
TSSPMUSEBL	dark blue	209,00
TSSPMUSEFU	fuchsia	209,00
TSSPMUSEGI	yellow	209,00
TSSPMUSERO	pink	209,00
TSSPMUSERS	red	209,00
TSSPMUSEVE	green	209,00
TSSPMUSEVI	violet	209,00
TSSPMUSEMC	multicolour	273,00


NAFIR

PL NAFIR 3



= optional (*) for more info see page 127

PL NAFI I 3



design: Karim Rashid

Collezione composta da faretti ad incasso, lampade da soffitto e lampade a sospensione in ABS ad iniezione. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.

Collection consisting of recessed downlights, ceiling lamps and suspended lamps in injection moulded ABS. Available in several colours and sizes. LED light source with GU10 fitting.

NAFIR				
Type	Article	Colours / Finish	Source	EURO
PL	NAFIR 3	BC / BC white / white	GU1 GU10 LED 3 x Max 7,5W only LED bulb - 220-240VAc	720,00
		CR / BC chrome / white		902,00
		BC / OR white / gold		902,00
		BR / BC bronze / white		971,00
		RO / BC pink gold / white		971,00

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.


  IP20 	
example composition code PL NAFIR3 BR BC GU1	
	LAMPGU105,5W040 <i>GU10 LED bulb 5,5W - 3000K - 40° angle (*)</i>
41,00 each	

NAFIR				
Type	Article	Colours / Finish	Source	EURO
PL	NAFI I 3	BC / BC white / white	12V GU5.3 LED 3 x Max 5W only LED bulb - 220-240VAc	671,00
		CR / BC chrome / white		744,00
		BC / OR white / gold		744,00

CE	IP20	LED		
foro 59,6x59,6 cm / profondità min 15 cm (controsoffitto standard) o 40 cm (controsoffitto a pannelli) hole 59,6x59,6 cm / min depth 15 cm (standard false ceiling) or 40 cm (false ceiling tiles)				
example composition code PL NAFI I 3 BC BC 12V				


NAFIR

SP NAFIR 1



= optional (*) for more info see page 127

SP NAFIR 3



= optional (*) for more info see page 127

design: Karim Rashid
Collezione composta da faretti ad incasso, lampade da soffitto e lampade a sospensione in ABS ad iniezione. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.
Collection consisting of recessed downlights, ceiling lamps and suspended lamps in injection moulded ABS. Available in several colours and sizes. LED light source with GU10 fitting.

NAFIR				
Type	Article	Colours / Finish	Source	EURO
SP	NAFIR 1	BC / BC white / white	GU1 GU10 LED 1 x Max 7,5W only LED bulb - 220-240VAc	286,00
		CR / BC chrome / white		347,00
		BC / OR white / gold		347,00
		BR / BC bronze / white		377,00
		RO / BC pink gold / white		377,00

CE IP20 LED

example composition code | SP | NAFIR1 | CR BC | GU1

	LAMPGU105,5W040 GU10 LED bulb 5,5W - 3000K - 40° angle (*)	41,00
---	--	-------

NAFIR				
Type	Article	Colours / Finish	Source	EURO
SP	NAFIR 3	BC / BC white / white	GU1 GU10 LED 3 x Max 7,5W only LED bulb - 220-240VAc	728,00
		CR / BC chrome / white		897,00
		BC / OR white / gold		897,00
		BR / BC bronze / white		1.000,00
		RO / BC pink gold / white		1.000,00


CE IP20 LED

example composition code | SP | NAFIR3 | RO BC | GU1

	LAMPGU105,5W040 GU10 LED bulb 5,5W - 3000K - 40° angle (*)	41,00 each
---	--	------------

NECKY

PL NEC 100




design: **Diagora Design**
Lampada da parete o da soffitto con struttura metallica e rivestimento in tessuto bianco elasticizzato, sfoderabile e lavabile. Sorgente luminosa con attacco a vite.
Ceiling or wall lamp with metal frame and white removable, washable elastic fabric covering. Screw fitting light source.

NECKY / tessuto INCLUSO / fabric INCLUDED / applicazione a soffitto o a parete / application: both as ceiling or wall lamp					
Type	Article	Colours / Finish		Source	EURO
PL	NEC 100	BC white	XX white metal	E27 3 x Max 6,5W LED or 3 x Max 42W halo	383,00

CE IP20 +LED
example composition code | PL | NEC100 | BC | XX | FLE

NELLY STRAIGHT

PL NEL S 60



design: **Manuel Vivian**
Collezione composta da lampade da parete o da soffitto con struttura metallica e rivestimento in tessuto elasticizzato. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of ceiling or wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	NEL S 60	BC white	XX white metal	E27 2 x Max 16W LED or 2 x Max 70W halo	217,00
		FA ivory pattern			
		FB white pattern			

IP20

+LED

example composition code

PL

NELS60


FA

XX

E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:		
TSPLNELLYQ60BC	white	68,00
TSPLNELLYQ60FA	ivory pattern	68,00
TSPLNELLYQ60FB	white pattern	68,00

PL NE S 100



NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	NE S 100	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halo	366,00
		FA ivory pattern			
		FB white pattern			

IP20

+LED

example composition code

PL

NES100


FB

XX

E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:		
TSPLNELLYQ100BC	white	151,00
TSPLNELLYQ100FA	ivory pattern	151,00
TSPLNELLYQ100FB	white pattern	151,00

PL NE S 140



NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	NE S 140	BC white	XX white metal	E27 4 x Max 16W LED or 4 x Max 70W halo	831,00
		FA ivory pattern			
		FB white pattern			

IP20

+LED

example composition code

PL

NES140

BC


XX

E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:		
TSPLNELLYQ140BC	white	198,00
TSPLNELLYQ140FA	ivory pattern	198,00
TSPLNELLYQ140FB	white pattern	198,00

ORCHID


AP ORCHID



design: **Rainer Mutsch**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione e lampade da terra in alluminio. Disponibile in vari colori. La sorgente luminosa è a LED integrato dimmerabile.
Collection consisting of aluminium wall lamps, ceiling lamps, suspended lamps and floor lamps. Available in several colours. Built-in dimmable LED light source.


ORCHID / applicazione a soffitto o a parete / application: both as ceiling or wall lamp					
Type	Article	Colours	Code End	Source	EURO
AP	ORCHID	BC white	XX	LED 15W - diffused beam 3000K	198,00
		SA sand			
CE IP20 CRI90  220-240VAc LED ~822 lm 59lm/W					
example composition code AP ORCHID SA XX LED					

PL ORCHID



ORCHID					
Type	Article	Colours	Code End	Source	EURO
PL	ORCHID	BC white	XX	LED 3 x 15W - diffused beam 3000K	656,00
		SA sand			
CE IP20 CRI90  220-240VAc LED 3 x ~822 lm 59lm/W example composition code PL ORCHID BC XX LED					


SP ORCHI 3



ORCHID					
Type	Article	Colours	Code End	Source	EURO
SP	ORCHI 3	BC white	XX	LED 3 x 15W - diffused beam 3000K	860,00
		SA sand			
CE IP20 CRI90  220-240VAc LED 3 x ~822 lm 59lm/W					
example composition code SP ORCHI3 SA XX LED					

ORCHID


SP ORCHI 4



design: **Rainer Mutsch**
Collezione composta da lampade da parete, lampade da soffitto, lampade a sospensione e lampade da terra in alluminio. Disponibile in vari colori. La sorgente luminosa è a LED integrato dimmerabile.
Collection consisting of aluminium wall lamps, ceiling lamps, suspended lamps and floor lamps. Available in several colours. Built-in dimmable LED light source.

ORCHID					
Type	Article	Colours	Code End	Source	EURO
SP	ORCHI 4	BC white	XX	LED 4 x 15W - diffused beam 3000K	1.074,00
		SA sand			
CE dimmmable phase cut IP20 CRI90 220-240VAc LED 4 x ~822 lm 59lm/W					
example composition code SP ORCHI4 BC XX LED					


PT ORCHID



ORCHID					
Type	Article	Colours	Code End	Source	EURO
PT	ORCHID	BC white	XX	LED 3x15W - diffused beam 3000K	888,00
		SA sand			
CE IP20 CRI90  220-240VAc LED 3 x ~822 lm 59lm/W example composition code PT ORCHID SA XX LED					

PLUMAGE

SP PLU 080




design: **Vanessa Vivian**
Collezione composta da lampade da sospensione e lampade da terra con struttura in metallo verniciato bianco e diffusori in tessuto TREVIRA® CS ignifugato. Disponibile in vari colori e dimensioni.
Sorgente luminosa con attacco a vite.
Collection consisting of suspended lamps and floor lamps with white metal frame and fabric diffusers covered with flame-retardant TREVIRA® CS. Available in several colours and sizes. Screw fitting light source.

PLUMAGE					
Type	Article	Colours	Finish	Source	EURO
SP	PLU 080 E27	BC white	XX	E27 3 x Max 16W LED or 3 x Max 20W fluo or 3 x Max 70W halo	2.682,00
		AR orange			
		FU fuchsia			
		GR light grey			
		MA brown			
		RS red			
		VE light green			
		MC multi-color			

CE	⏚	IP20	+LED		
example composition code		SP	PLU080E27	GR	XX

SP PLU 120




PLUMAGE					
Type	Article	Colours	Finish	Source	EURO
SP	PLU 120 E27	BC white	XX	E27 6 x Max 16W LED or 6 x Max 20W fluo or 6 x Max 70W halo	4.069,00
		AR orange			
		FU fuchsia			
		GR light grey			
		MA brown			
		RS red			
		VE light green			
		MC multi-color			

CE	⏚	IP20	+LED		
example composition code		SP	PLU120E27	BC	XX

PLUMAGE

SP PLU 180




design: **Vanessa Vivian**
Collezione composta da lampade da sospensione e lampade da terra con struttura in metallo verniciato bianco e diffusori in tessuto TREVIRA® CS ignifugato. Disponibile in vari colori e dimensioni.
Sorgente luminosa con attacco a vite.
Collection consisting of suspended lamps and floor lamps with white metal frame and fabric diffusers covered with flame-retardant TREVIRA® CS. Available in several colours and sizes. Screw fitting light source.

PLUMAGE					
Type	Article	Colours	Finish	Source	EURO
SP	PLU 180 E27	BC white	XX	E27 6 x Max 16W LED or 6 x Max 20W fluo or 6 x Max 70W halo	5.884,00
		AR orange			
		FU fuchsia			
		GR light grey			
		MA brown			
		RS red			
		VE light green			
		MC multi-color			

CE IP20 +LED
example composition code |SP |PLU180E27 |MC |XX

PT PLU 080




PLUMAGE					
Type	Article	Colours	Finish	Source	EURO
PT	PLU 080 E27	BC white	XX	E27 3 x Max 16W LED or 3 x Max 20W fluo or 3 x Max 70W halo	3.483,00
		AR orange			
		FU fuchsia			
		GR light grey			
		MA brown			
		RS red			
		VE light green			
		MC multi-color			

CE IP20 dimmable +LED
example composition code |PT |PLU080E27 |FU |XX

PLUMAGE

PT PLU 180



design: **Vanessa Vivian**
Collezione composta da lampade da sospensione e lampade da terra con struttura in metallo verniciato bianco e diffusori in tessuto TREVIRA® CS ignifugato. Disponibile in vari colori e dimensioni.
Sorgente luminosa con attacco a vite.
Collection consisting of suspended lamps and floor lamps with white metal frame and fabric diffusers covered with flame-retardant TREVIRA® CS. Available in several colours and sizes. Screw fitting light source.

PLUMAGE					
Type	Article	Colours	Finish	Source	EURO
PT	PLU 180 E27	BC white	XX	E27 6 x Max 16W LED or 6 x Max 20W fluo or 6 x Max 70W halo	7.663,00
		AR orange			
		FU fuchsia			
		GR light grey			
		MA brown			
		RS red			
		VE light green			
		MC multi-color			

CE

IP20

dimmable

+LED

example composition code

PT


PLU180E27

RS

XX

POLIA LED


AP POLIA P



design: **Manuel Vivian**
Collezione composta da lampade da parete in metallo, disponibile in vari colori e dimensioni.
Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of metal wall lamps available in several colours and sizes.
Built-in dimmable LED light source.

POLIA						
Type	Article	Colours	Code End	Source		EURO
AP	POLIA P	BC textured white	XX	LED	16W - diffused beam 3000K	270,00
		GR white and basalt grey				282,00
		CO rust brown				338,00
CE IP20 CRI90  ADA 220-240VAC LED ~957 lm 60lm/W						
example composition code AP POLIAP GR XX LED						


AP POLIA G



POLIA						
Type	Article	Colours	Finish	Source		EURO
AP	POLIA G	BC textured white	XX	LED	24W - diffused beam 3000K	496,00
		GR white and basalt grey				528,00
		CO rust brown				630,00
CE IP20 ADA CRI90  220-240VAC LED ~1436 lm 60lm/W						
example composition code AP POLIAG CO XX LED						

SHATTER LED

AP SHATTE




design: **Serge & Robert Cornelissen**

Collezione composta da lampada da parete, lampade da soffitto e lampada a sospensione in alluminio bianco. Disponibile in varie dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of wall lamp, ceiling lamps and suspended lamps in white aluminium. Available in several sizes. Built-in dimmable LED light source.


SHATTER					
Type	Article	Colours	Code End	Source	EURO
AP	SHATTE LED	BC white	XX	LED 32,8W - diffused beam 3000K	690,00
CEIP20CRI80 dimmerable DALI LED~2976 lm90 lm/W					
example composition code AP SHATTELED BC XX					

PL SHATT P




SHATTER					
Type	Article	Colours (lampshade)	Code End	Source	EURO
PL	SHATT P LED	BC white	XX	LED 32,8W - diffused beam 3000K	1.139,00
CEIP20CRI80 dimmerable DALI LED~2080 lm63 lm/W					
example composition code PL SHATTPLED BC XX					

PL SHATT M



SHATTER					
Type	Article	Colours	Code End	Source	EURO
PL	SHATT M LED	BC white	XX	LED 65,6W - diffused beam 3000K	1.528,00
CEIP20CRI80 dimmerable DALI LED~4960 lm76 lm/W					
example composition code PL SHATTMLED BC XX					


PL SHATT G



SHATTER					
Type	Article	Colours	Code End	Source	EURO
PL	SHATT G LED	BC white	XX	LED 98,4W - diffused beam 3000K	2.066,00
CEIP20CRI80 dimmerable DALI LED~7440 lm76 lm/W					
example composition code PL SHATTGLEED BC XX					

SHATTER LED


SP SHATT P



design: **Serge & Robert Cornelissen**
Collezione composta da lampada da parete, lampade da soffitto e lampada a sospensione in alluminio bianco. Disponibile in varie dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of wall lamp, ceiling lamps and suspended lamps in white aluminium. Available in several sizes. Built-in dimmable LED light source.


SHATTER / solo luce verso il basso / downward light only					
Type	Article	Colours (lampshade)	Code End	Source	EURO
SP	SHATT P LED	BC white	XX	LED 32,8W - diffused beam 3000K	1.271,00
CE IP20 CRI80  LED ~2080 lm 63 lm/W					
example composition code SP SHATTPLED BC XX					

SP SHATT M



SHATTER / solo luce verso il basso / downward light only					
Type	Article	Colours	Code End	Source	EURO
SP	SHATT M LED	BC white	XX	LED 65,6W - diffused beam 3000K	1.685,00
CE IP20 CRI80  LED ~4960 lm 76 lm/W					
example composition code SP SHATTMLED BC XX					


SP SHATT G



SHATTER / solo luce verso il basso / downward light only					
Type	Article	Colours	Code End	Source	EURO
SP	SHATT G LED	BC white	XX	LED 98,4W - diffused beam 3000K	2.162,00
CE IP20 CRI80  LED ~7440 lm 76 lm/W					
example composition code SP SHATTGLEED BC XX					

SKIN

PL SKI 070




design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con paralume in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps. The lampshade is covered with flame-retardant eco-leather. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

SKIN					
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 070 E27	BA ivory white	BC white	E27 2 x Max 16W LED or 2 x Max 20W fluo	894,00
PL	SKI 070 E27	BC white	BC white	E27 2 x Max 16W LED or 2 x Max 20W fluo	992,00
		AG silver	BW warm white		
		AR orange			
		AZ light blue			
		BA ivory white			
		MA brown			
		NE matt black			
		OR gold			
		RS fire red			
		VE green			

Gli in articoli blu sono disponibili in pronta consegna. Articles in blue are available on stock.

CE	⊕	IP20	+LED		
example composition code		PL	SKI070E27	BC	BC

PL SKI 100




SKIN					
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 100 E27	BC white	BC white	E27 3 x Max 16W LED or 3 x Max 23W fluo	1.778,00
		AG silver	BW warm white		
		AR orange			
		AZ light blue			
		BA ivory white			
		MA brown			
		NE matt black			
		OR gold			
		RS fire red			
		VE green			

CE	⊕	IP20	+LED		
example composition code		PL	SKI100E27	MA	BW

SKIN

PL SKI 160



design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con paralume in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps. The lampshade is covered with flame-retardant eco-leather. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

SKIN					
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 160 E27	BC white	BC white	E27 5 x Max 16W LED or 5 x Max 23W fluo	4.777,00
		AG silver	BW warm white		
		AR orange			
		AZ light blue			
		BA ivory white			
		MA brown			
		NE matt black			
		OR gold			
		RS fire red			
		VE green			

CE

IP20

+LED

example composition code


PL

SKI160E27

MA

BW

SP SKI 070



SKIN					
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 070 E27	BA ivory white	BC white	E27 4 x Max 16W LED or 4 x Max 20W fluo	1.081,00
SP	SKI 070 E27	BC white	BC white	E27 4 x Max 16W LED or 4 x Max 20W fluo	1.239,00
		AG silver	BW warm white		
		AR orange			
		AZ light blue			
		BA ivory white			
		MA brown			
		NE matt black			
		OR gold			
		RS fire red			
		VE green			

CE

IP20

+LED

example composition code

SP


SKI070E27

AR

BW

SKIN

SP SKI 100



design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con paralume in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps. The lampshade is covered with flame-retardant eco-leather. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

SKIN					
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 100 E27	BC white	BC white	E27 6 x Max 16W LED or 6 x Max 20W fluo	2.097,00
		AG silver	BW warm white		
		AR orange			
		AZ light blue			
		BA ivory white			
		MA brown			
		NE matt black			
		OR gold			
		RS fire red			
		VE green			

CE IP20 +LED

example composition code | PL | SKI100E27 | MA | BC |


SKIN					
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 100 LED	BC white	BC white	LED 95W - diffused beam 3000K	2.911,00
		AG silver	BW warm white		
		AR orange			
		AZ light blue			
		BA ivory white			
		MA brown			
		NE matt black			
		OR gold			
		RS fire red			
		VE green			

CE IP20 CRI90  LED ~5896 lm 62 lm/W

example composition code | SP | SKI100LED | BC | BW |

SKIN

SP SKI 160



design: **Manuel Vivian**
Collezione composta da lampade da soffitto e lampade a sospensione con paralume in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.
Collection consisting of ceiling lamps and suspended lamps. The lampshade is covered with flame-retardant eco-leather. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

SKIN					
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 160 E27	BC white	BC white	E27 6 x Max 16W LED or 6 x Max 20W fluo	5.236,00
		AG silver	BW warm white		
		AR orange			
		AZ light blue			
		BA ivory white			
		MA brown			
		NE matt black			
		OR gold			
		RS fire red			
		VE green			

CE ⓘ IP20 +LED

example composition code | PL | SKI100E27 | MA | BC |


SKIN					
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 160 LED	BC white	BC white	LED 95W - diffused beam 3000K	5.670,00
		AG silver	BW warm white		
		AR orange			
		AZ light blue			
		BA ivory white			
		MA brown			
		NE matt black			
		OR gold			
		RS fire red			
		VE green			

CE ⓘ IP20 CRI90  LED ~5896 lm 62 lm/W

example composition code | SP | SKI160LED | BA | BW |

SKIRT

AP SKR 028



design: **Manuel Vivian**
Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero. Un paralume decorativo interno (stampabile anche con grafica personalizzata) è disponibile per alcune lampade a sospensione e da soffitto.
Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric. A decorative inner lampshade [also printable with customized graphic] available only for some of the suspended and ceiling lamps.


SKIRT						
Type	Article	Exterior Net	Fabric Colours	Source		EURO
AP	SKR 028 FLE	XX no black net	BC white	FLE	2G10 1x36W	364,00
AP	SKR 028 FLE	NE black net	BC white	FLE	2G10 1x36W	441,00
		XX no black net	AR orange			376,00
			AZ light blue			
			BL blue			
			FU fuchsia			
			GR light grey			
			MA brown			
			RS red			
			VE light green			

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.
Gli in articoli blu sono disponibili in pronta consegna. Articles in blue are available on stock.

CE IP20

example composition code |AP |SKR028FLE |NE |RS |

PL SKR 070



SKIRT / diffusore INCLUSO / diffuser INCLUDED						
Type	Article	Exterior Net	Fabric Colours	Source		EURO
PL	SKR 070 E27	XX no black net	BC white	E27	1 x Max 16W LED or 1 x Max 23W fluo or 1 x Max 70W halo	1.290,00
PL	SKR 070 E27	NE black net	BC white	E27	1 x Max 16W LED or 1 x Max 23W fluo or 1 x Max 70W halo	1.611,00
		XX no black net	AR orange			1.308,00
			AZ light blue			
			BL blue			
			FU fuchsia			
			GR light grey			
			MA brown			
			RS red			
			VE light green			


Gli in articoli blu sono disponibili in pronta consegna. Articles in blue are available on stock.

CE IP20 +LED

example composition code |PL |SKR070E27 |XX |GR |

SKIRT

PL SKR 100



design: **Manuel Vivian**

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero. Un paralume decorativo interno (stampabile anche con grafica personalizzata) è disponibile per alcune lampade a sospensione e da soffitto.


Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric. A decorative inner lampshade (also printable with customized graphic) available only for some of the suspended and ceiling lamps.

SKIRT / diffusore INCLUSO / diffuser INCLUDED						
Type	Article	Exterior Net	Fabric Colours	Source	EURO	
PL	SKR 100 E27	NE black net	BC white	E27 3 x Max 16W LED or 3 x Max 23W fluo or 3 x Max 70W halo	2.754,00	
		XX no black net	AR orange		2.203,00	
			AZ light blue			
			BL blue			
			FU fuchsia			
			GR light grey			
			MA brown			
			RS red			
			VE light green			

CE IP20 +LED

example composition code |PL |SKR100E27 |NE |BC |

PL SKR 150





SKIRT / diffusore INCLUSO / diffuser INCLUDED						
Type	Article	Exterior Net	Fabric Colours	Source	EURO	
PL	SKR 150 E27	NE black net	BC white	E27 4 x Max 16W LED or 4 x Max 23W fluo or 4 x Max 70W halo	4.803,00	
		XX no black net	AR orange		3.859,00	
			AZ light blue			
			BL blue			
			FU fuchsia			
			GR light grey			
			MA brown			
			RS red			
			VE light green			

CE IP20 +LED

example composition code |PL |SKR150E27 |XX |RS |

SKIRT

PL SK 150 2



= optional

design: **Manuel Vivian**
Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero. Un paralume decorativo interno (stampabile anche con grafica personalizzata) è disponibile per alcune lampade a sospensione e da soffitto.
Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric. A decorative inner lampshade (also printable with customized graphic) available only for some of the suspended and ceiling lamps.

SKIRT / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SK 150 2 E27	NE black net	BC white	E27 4 x Max 16W LED or 4 x Max 23W fluo or 4 x Max 70W halo	6.116,00
		XX no black net	AR orange		4.725,00
			AZ light blue		
			BL blue		
			FU fuchsia		
			GR light grey		
			MA brown		
			RS red		
			VE light green		

IP20

+LED

example composition code

PL

SK1502E27


NE

MA

+	PASK1502FANA001	paralume decorativo interno grafica "natura" <i>inner decorative lampshade "nature" graphic</i>	450,00
	PASK1502FAUR002	paralume decorativo interno grafica "città" <i>inner decorative lampshade "urban" graphic</i>	450,00
	PASK1502FAFL003	paralume decorativo interno grafica "fiori" <i>inner decorative lampshade "flowers" graphic</i>	450,00
	servizio di personalizzazione della grafica (forfait) con riserva di fattibilità (Customer Service) <i>graphic customisation service (flat rate) subject to feasibility study (Customer Service)</i>		+ 540,00

SKIRT

SP SKR 050



design: **Manuel Vivian**
Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero. Un paralume decorativo interno (stampabile anche con grafica personalizzata) è disponibile per alcune lampade a sospensione e da soffitto.
Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric. A decorative inner lampshade [also printable with customized graphic] available only for some of the suspended and ceiling lamps.


SKIRT / diffusore NON INCLUSO / diffuser NOT INCLUDED						
Type	Article	Exterior Net	Fabric Colours	Source		EURO
SP	SKR 050 E27	XX no black net	BC white	E27	1 x Max 20W LED or 1 x Max 33W fluo or 1 x Max 70W halo	488,00
SP	SKR 050 E27	NE black net	BC white	E27	1 x Max 20W LED or 1 x Max 33W fluo or 1 x Max 70W halo	754,00
		XX no black net	AR orange			611,00
			AZ light blue			
			BL blue			
			FU fuchsia			
			GR light grey			
			MA brown			
			RS red			
			VE light green			

Gli in articoli blu sono disponibili in pronta consegna. *Articles in blue are available on stock.*

CE IP20 +LED

example composition code | SP | SKR050E27 | NE | MA |

SP SKR 070



SKIRT / diffusore INCLUSO / diffuser INCLUDED						
Type	Article	Exterior Net	Fabric Colours	Source		EURO
SP	SKR 0750 E27	XX no black net	BC white	E27	1 x Max 20W LED or 1 x Max 33W fluo or 1 x Max 70W halo	1.037,00
SP	SKR 070 E27	NE black net	BC white	E27	1 x Max 20W LED or 1 x Max 33W fluo or 1 x Max 70W halo	1.442,00
		XX no black net	AR orange			1.181,00
			AZ light blue			
			BL blue			
			FU fuchsia			
			GR light grey			
			MA brown			
			RS red			
			VE light green			


Gli in articoli blu sono disponibili in pronta consegna. *Articles in blue are available on stock.*

CE IP20 +LED

example composition code | SP | SKR070E27 | XX | GR |

SKIRT

SP SKR 140



design: **Manuel Vivian**
Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero. Un paralume decorativo interno (stampabile anche con grafica personalizzata) è disponibile per alcune lampade a sospensione e da soffitto.
Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric. A decorative inner lampshade (also printable with customized graphic) available only for some of the suspended and ceiling lamps.


SKIRT / diffusore INCLUSO / diffuser INCLUDED						
Type	Article	Exterior Net	Fabric Colours	Source	EURO	
SP	SKR 140 E27	NE black net	BC white	E27 4 x Max 16W LED or 4 x Max 23W fluo or 4 x Max 57W halo	3.105,00	
		XX no black net	AR orange		2.568,00	
			AZ light blue			
			BL blue			
			FU fuchsia			
			GR light grey			
			MA brown			
			RS red			
			VE light green			

IP20 +LED

example composition code | SP | SKR140E27 | NE | BC |

SKIRT

SP SK 100 2



design: **Manuel Vivian**
Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero. Un paralume decorativo interno (stampabile anche con grafica personalizzata) è disponibile per alcune lampade a sospensione e da soffitto.
Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric. A decorative inner lampshade [also printable with customized graphic] available only for some of the suspended and ceiling lamps.

SKIRT / diffusore INCLUSO, con illuminazione verso alto e basso / *diffuser INCLUDED, with upward and downward lighting*

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 100 2 E27	NE black net	BC white	E27 4x Max 20W LED or 4 x Max 33W fluo or 4 x Max 70W halo	3.846,00
		XX no black net	AR orange		2.906,00
			AZ light blue		
			BL blue		
			FU fuchsia		
			GR light grey		
			MA brown		
			RS red		
			VE light green		

CE IP20 +LED

example composition code | SP | SK1002E27 | XX | GR |

SKIRT / diffusore INCLUSO, con illuminazione verso alto e basso / *diffuser INCLUDED, with upward and downward lighting*

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 100 2 LED	NE black net	BC white	LED 95W - diffused beam 3000K	4.219,00
		XX no black net	AR orange		3.228,00
			AZ light blue		
			BL blue		
			FU fuchsia		
			GR light grey		
			MA brown		
			RS red		
			VE light green		

IP20

CRI90

LED

~5896 lm

62 lm/W


example composition code

SP

SK1002LED

NE

RS




= optional

+	PASK1002FANA001	paralume decorativo interno grafica "natura" <i>inner decorative lampshade "nature" graphic</i>	265,00
	PASK1002FAUR002	paralume decorativo interno grafica "città" <i>inner decorative lampshade "urban" graphic</i>	265,00
	PASK1002FAFL003	paralume decorativo interno grafica "fiori" <i>inner decorative lampshade "flowers" graphic</i>	265,00
	servizio di personalizzazione della grafica (forfait) con riserva di fattibilità (Customer Service) <i>graphic customisation service (flat rate) subject to feasibility study (Customer Service)</i>		+ 360,00

SKIRT

SP SK 150 2



design: **Manuel Vivian**
Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero. Un paralume decorativo interno (stampabile anche con grafica personalizzata) è disponibile per alcune lampade a sospensione e da soffitto.
Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric. A decorative inner lampshade [also printable with customized graphic] available only for some of the suspended and ceiling lamps.

SKIRT / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 150 2 E27	NE black net	BC white	E27 4xMax 16W + 1xMax 12W LED or 5xMax 23W fluo or 4xMax 70W + 1xMax 57W halo	6.181,00
		XX no black net	AR orange		4.825,00
			AZ light blue		
			BL blue		
			FU fuchsia		
			GR light grey		
			MA brown		
			RS red		
			VE light green		


CE IP20 +LED

example composition code | SP | SK1502E27 | NE | MA |

SKIRT / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 150 2 LED	NE black net	BC white	LED 95W / diffused beam 3000K	6.810,00
		XX no black net	AR orange		5.352,00
			AZ light blue		
			BL blue		
			FU fuchsia		
			GR light grey		
			MA brown		
			RS red		
			VE light green		

CE IP20 CRI90  LED ~5896 lm 62 lm/W

example composition code | SP | SK1502LED | XX | BC |




= optional

+	PASK1502FANA001	paralume decorativo interno grafica "natura" <i>inner decorative lampshade "nature" graphic</i>	450,00
	PASK1502FAUR002	paralume decorativo interno grafica "città" <i>inner decorative lampshade "urban" graphic</i>	450,00
	PASK1502FAFL003	paralume decorativo interno grafica "fiori" <i>inner decorative lampshade "flowers" graphic</i>	450,00
	servizio di personalizzazione della grafica (forfait) con riserva di fattibilità (Customer Service) <i>graphic customisation service (flat rate) subject to feasibility study (Customer Service)</i>		+ 540,00

SKIRT

LT SKR 050



kg 11 m³ 0.20

design: **Manuel Vivian**
Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero. Un paralume decorativo interno (stampabile anche con grafica personalizzata) è disponibile per alcune lampade a sospensione e da soffitto.
Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric. A decorative inner lampshade (also printable with customized graphic) available only for some of the suspended and ceiling lamps.

SKIRT

Type	Article	Exterior Net	Fabric Colours	Source	EURO
LT	SKR 050 E27	NE black net	BC white	E27 3 x Max 16W LED or 3x Max 23W fluo or 3x Max 46W halo	1.199,00
		XX no black net	AR orange		1.019,00
			AZ light blue		
			BL blue		
			FU fuchsia		
			GR light grey		
			MA brown		
			RS red		
			VE light green		

CE

IP20

+LED

example composition code

LT


SKR0570E27

XX

GR

SOL

SOL CEILING




design: **Manuel Vivian**
Lampada da soffitto in alluminio bianco. Sorgente luminosa a LED.

Ceiling lamp in white aluminium. Built-in LED light source.

SOL / LED 9W							
Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	3	104	0	06 white 9016 wrinkled	1 3000 K	4 diffused	184,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.							
CE ⚡ IP20 CRI85 LED 524 lm 52 lm/W							
example composition code E 3 104 0 06 1 4							

SPILLRAY

AP SPILLR




= optional (*) for more info see page 127

design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto ad incasso e lampade a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.
Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

SPILLRAY					
Type	Article	Colours	Finish	Source	EURO
AP	SPILLR	CS crystal	CR chrome	12V (••) G4 1xMax 20W 12VAc halo included	266,00
		RS red		G4L (•) G4 1xMax 1,5W 12Vdc LED included - only LED bulb	307,00
		GR grey			307,00
CE IP20 (••)  LED (•)					
example composition code AP SPILLR RS CR G4L					
		LAMPADINABISP.20W	20W G4 halogen bulb 12V - 3000K (*)		2,00
		LAMPG41,5WL3001	1,5W G4 LED bulb - 3000K (*)		8,00

PL SPIL P I (RECESSED)




SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	SPIL P I	CS crystal	CR chrome	12V (••) G4 1xMax 20W 12VAc halo included	198,00
		RS red		G4L (•) G4 1xMax 1,5W 12Vdc LED included - only LED bulb	236,00
		GR grey			236,00
CE IP20 LED (•)					
foro - hole Ø 4 cm / profondità min - min depth 10 cm					
example composition code PL SPILPI CS CR 12V					

		TR60PRIMULA	(12V) dimmable phase cut 60W transformer (*)	18,00
		CEDMWC00200	(G4L) standard driver - Max 8W (*)	21,00
		CEDMWC00201	(G4L) standard driver - Max 12W (*)	22,00
		LAMPADINABISP.20W	20W G4 halogen bulb 12V - 3000K (*)	2,00
		LAMPG41,5WL3001	1,5W G4 LED bulb - 3000K (*)	8,00

= optional (*) for more info see pages 127-132

SPILLRAY

PL SPIL M I (RECESSED)



= optional (*) for more info see pages 127-132

design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto ad incasso e lampade a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.
Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.


SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	SPIL M I	CS crystal	CR chrome	12V (••) G4 1xMax 20W 12Vac halo included	222,00
		RS red		G4L (•) G4 1xMax 1,5W 12Vdc LED included - only LED bulb	260,00
		GR grey			260,00

CE III (••) with dedicated PSU IP20 LED (•)

foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code				
PL	SPILMI	RS	CR	G4L
	TR60PRIMULA	(12V) dimmable phase cut 60W transformer (*)		18,00
	CEDMWC00200	(G4L) standard driver - Max 8W (*)		21,00
	CEDMWC00201	(G4L) standard driver - Max 12W (*)		22,00
	LAMPADINABISP.20W	20W G4 halogen bulb 12V - 3000K (*)		2,00
	LAMPG41,5WL3001	1,5W G4 LED bulb - 3000K (*)		8,00

PL SPIL G I (RECESSED)



= optional (*) for more info see pages 127-132

SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
PL	SPIL G I	CS crystal	CR chrome	12V (••) G4 1xMax 20W 12Vac halo included	243,00
		RS red		G4L (•) G4 1xMax 1,5W 12Vdc LED included - only LED bulb	280,00
		GR grey			280,00


CE III (••) with dedicated PSU IP20 LED (•)

foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code				
PL	SPILGI	GR	CR	12V
	TR60PRIMULA	(12V) dimmable phase cut 60W transformer (*)		18,00
	CEDMWC00200	(G4L) standard driver - Max 8W (*)		21,00
	CEDMWC00201	(G4L) standard driver - Max 12W (*)		22,00
	LAMPADINABISP.20W	20W G4 halogen bulb 12V - 3000K (*)		2,00
	LAMPG41,5WL3001	1,5W G4 LED bulb - 3000K (*)		8,00

SPILLRAY

SP SPILL M




= optional (*) for more info see page 127

design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto ad incasso e lampade a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.
Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

SPILLRAY					
Type	Article	Colours	Finish	Source	EURO
SP	SPILL M	CS crystal	CR chrome	12V (••) G4 1xMax 20W 12Vac halo included	284,00
		RS red		G4L (•) G4 1xMax 1,5W 12Vdc LED included - only LED bulb	321,00
		GR grey			321,00
		BR metallic bronze			389,00

		IP20			
example composition code SP SPILLM BS CR G4L					
	LAMPADINABISP.20W	20W G4 halogen bulb 12V - 3000K (*)	2,00		
	LAMPG41,5WL3001	1,5W G4 LED bulb - 3000K (*)	8,00		

SP SPIL M I (RECESSED)




= optional (*) for more info see pages 127-132

SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	SPIL M I	CS crystal	CR chrome	12V (••) G4 1xMax 20W 12Vac halo included	259,00
		RS red		G4L (•) G4 1xMax 1,5W 12Vdc LED included - only LED bulb	296,00
		GR grey			296,00
		BR metallic bronze			365,00

CE				IP20		
foro - hole Ø 4 cm / profondità min - min depth 10 cm						
example composition code SP SPILMI CS CR 12V						
	TR60PRIMULA	(12V) dimmable phase cut 60W transformer (*)				18,00
	CEDMWC00200	(G4L) standard driver - Max 8W (*)				21,00
	CEDMWC00201	(G4L) standard driver - Max 12W (*)				22,00
	LAMPADINABISP.20W	20W G4 halogen bulb 12V - 3000K (*)				2,00
	LAMPG41,5WL3001	1,5W G4 LED bulb - 3000K (*)				8,00

SPILLRAY

SP SPILL G




= optional (*) for more info see page 127

design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto ad incasso e lampade a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.
Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

SPILLRAY					
Type	Article	Colours	Finish	Source	EURO
SP	SPILL G	CS crystal	CR chrome	12V (••) G4 1xMax 20W 12Vac halo included	314,00
		RS red		G4L (•) G4 1xMax 1,5W 12Vdc LED included - only LED bulb	345,00
		GR grey			345,00
		BR metallic bronze			432,00

CE ⚡ IP20 (••) dimmable phase cut LED (•)					
example composition code SP SPILLG GR CR 12V					
		LAMPADINABISP.20W	20W G4 halogen bulb 12V - 3000K (*)	2,00	
		LAMPG41,5WL3001	1,5W G4 LED bulb - 3000K (*)	8,00	

SP SPIL G I (RECESSED)




= optional (*) for more info see pages 127-132

SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED					
Type	Article	Colours	Finish	Source	EURO
SP	SPIL G I	CS crystal	CR chrome	12V (••) G4 1xMax 20W 12Vac halo included	289,00
		RS red		G4L (•) G4 1xMax 1,5W 12Vdc LED included - only LED bulb	321,00
		GR grey			321,00
		BR metallic bronze			408,00

CE ⚡ (••) with dedicated PCB IP20 LED (•)					
foro - hole Ø 4 cm / profondità min - min depth 10 cm					
example composition code SP SPILGI CS CR G4L					
		TR60PRIMULA	(12V) dimmable phase cut 60W transformer (*)	18,00	
		CEDMWC00200	(G4L) standard driver - Max 8W (*)	21,00	
		CEDMWC00201	(G4L) standard driver - Max 12W (*)	22,00	
		LAMPADINABISP.20W	20W G4 halogen bulb 12V - 3000K (*)	2,00	
		LAMPG41,5WL3001	1,5W G4 LED bulb - 3000K (*)	8,00	


SPILLRAY

SP SPIL 20




= optional (*) for more info see page 127

SP SPIL 26



= optional (*) for more info see page 127

SP SPIL 30



= optional (*) for more info see page 127

design: **Manuel Vivian**
Collezione composta da lampade da parete, lampade da soffitto ad incasso e lampade a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.
Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

SPILLRAY						
Type	Article	Colours	Finish	Source		EURO
SP	SPIL 20	CS crystal	CR chrome	12V	G4 20 x Max 10W halo included	6.085,00
		RS red				7.079,00
		GR grey				7.079,00

CE  IP20 						
example composition code SP SPIL20 RS CR 12V						
		LAMPADINABISP.10W	10W G4 halogen bulb 12V - 3000K (*)			2,00 each

SPILLRAY						
Type	Article	Colours	Finish	Source		EURO
SP	SPIL 26	CS crystal	CR chrome	12V	G4 26 x Max 10W halo included	6.958,00
		RS red				8.227,00
		GR grey				8.227,00


CE  IP20 						
example composition code		SP	SPIL26	CS	CR	12V
		LAMPADINABISP.10W 10W G4 halogen bulb 12V - 3000K (*)				2,00 each

SPILLRAY						
Type	Article	Colours	Finish	Source		EURO
SP	SPIL 30	CS crystal	CR chrome	12V	G4 30 x Max 10W halo included	9.000,00
		RS red				10.498,00
		GR grey				10.498,00

CE  IP20 						
example composition code SP SPIL30 GR CR 12V						
		LAMPADINABISP.10W	10W G4 halogen bulb 12V - 3000K (*)			2,00 each

SPIRY

SP SPIRY



design: **Giovanni Barbato**
Lampada a sospensione in alluminio curvato bianco. Sorgente luminosa con attacco a vite.
Suspended lamp in white bent aluminium. Screw fitting light source.


SPIRY					EURO
Type	Article	Colours	Finish	Source	
SP	SPIRY X	BC white	XX	E27 1 x Max 20W LED or 1 x Max 23W fluo or 1 x Max 100W halo	463,00

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE	⊕	IP20	+LED			
example composition code		SP	SPIRYX	BC	XX	E27

U-LIGHT

AP ULI 090




design: **Timo Ripatti**
Collezione composta da lampade da parete, lampade da soffitto e lampade a sospensione in alluminio. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminium. Available in several colours and sizes. Built-in LED dimmable light source.


U-LIGHT / installazione downlight o uplight / downlight or uplight mounting					
Type	Article	Colours	Code End	Source	EURO
AP	ULI 090 LED	AN anthracite grey	XX	LED 17W - diffused beam 3000K	556,00
		RU rust brown			
CE ⚡ IP20 CRI90  LED ~1322 lm 78 lm/W					
example composition code AP ULI090LED RU XX					

U-LIGHT

PL UL 1 090 h10 cm canopy
PL UL 2 090 h25 cm canopy



PL UL 1 090 h10 cm recessed
PL UL 2 090 h25 cm recessed



= optional (*) for more info see page 132

design: **Timo Ripatti**
Collezione composta da lampade da parete, lampade da soffitto e lampade a sospensione in alluminio.
Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminium.
Available in several colours and sizes. Built-in LED dimmable light source.

U-LIGHT / plafoniera h10 cm oppure h25 cm con rosone / h10 cm or h25 cm ceiling lamp with canopy

Type	Article	Colours	Version	Source	EURO
PL	UL 1 090 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 57,6W - diffused beam 3000K	1.894,00
	UL 2 090 LED (h25 cm)	RU rust brown			1.910,00

CE IP20 **CRI90** **LED** ~4413 lm 77 lm/W

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code | **PL** | **UL2090LED** | **AN** | **XX** |

U-LIGHT /plafoniera h10 cm oppure h25 cm, ad incasso - driver NON INCLUSO /h10 cm or h25 cm recessed ceiling lamp - driver NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 090 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 57,6W - diffused beam 3000K	1.694,00
	UL 2 090 LED (h25 cm)	RU rust brown			1.708,00

CE IP20 **CRI90** **LED** ~4413 lm 77 lm/W

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm


Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code | **PL** | **UL1090LED** | **RU** | **IN** |


	CEDMWC00202	dimmbale 1-10 24VDC driver max 80W (*)	94,00
--	-------------	--	-------

U-LIGHT

PL UL 1 120 h10 cm canopy
PL UL 2 120 h25 cm canopy



PL UL 1 120 h10 cm recessed
PL UL 2 120 h25 cm recessed



design: **Timo Ripatti**
Collezione composta da lampade da parete, lampade da soffitto e lampade a sospensione in alluminio. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminium. Available in several colours and sizes. Built-in LED dimmable light source.

U-LIGHT / plafoniera h10 cm oppure h25 cm con rosone / h10cm or h25cm ceiling lamp with canopy						
Type	Article	Colours	Version	Source		EURO
PL	UL 1 120 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 84,6W - diffused beam 3000K		2.298,00
	UL 2 120 LED (h25 cm)	RU rust brown				2.312,00


CE	IP20	CRI90	dimmable	LED	~6618 lm	77 lm/W
Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione). Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).						
example composition code PL UL1120LED RU XX						

U-LIGHT / plafoniera h10 cm oppure h25 cm, ad incasso - driver NON INCLUSO / h10 cm or h25 cm recessed ceiling lamp - driver NOT INCLUDED						
Type	Article	Colours	Version	Source		EURO
PL	UL 1 120 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 84,6W - diffused beam 3000K		2.036,00
	UL 2 120 LED (h25 cm)	RU rust brown				2.050,00


CE	IP20	CRI90	dimmable with dedicated PSU	LED	~6618 lm	77 lm/W
foro - hole Ø 4,5 cm / profondità min - min depth 10 cm						
Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione). Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).						
example composition code PL UL2120LED AN IN						
CEDMWC00203		dimmable 1-10 24VDC driver max 100W (*)				148,00

U-LIGHT

PL UL 1 160 h10 cm canopy
PL UL 2 160 h25 cm canopy



PL UL 1 160 h10 cm recessed
PL UL 2 160 h25 cm recessed



= optional (*) for more info see page 132

design: **Timo Ripatti**
Collezione composta da lampade da parete, lampade da soffitto e lampade a sospensione in alluminio.
Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminium.
Available in several colours and sizes. Built-in LED dimmable light source.

U-LIGHT / plafoniera h10 cm oppure h25 cm con rosone / h10 cm or h25 cm ceiling lamp with canopy						
Type	Article	Colours	Version	Source		EURO
PL	UL 1 160 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 108W - diffused beam 3000K		2.632,00
	UL 2 160 LED (h25 cm)	RU rust brown				2.646,00

CE IP20 CRI90  LED ~8274 lm 77 lm/W

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code | PL | UL2160LED | AN | XX |

U-LIGHT / plafoniera h10 cm oppure h25 cm, ad incasso - driver NON INCLUSO / h10 cm or h25 cm recessed ceiling lamp - driver NOT INCLUDED						
Type	Article	Colours	Version	Source		EURO
PL	UL 1 160 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 108W - diffused beam 3000K		2.321,00
	UL 2 160 LED (h25 cm)	RU rust brown				2.336,00

CE  IP20 CRI90  LED ~8274 lm 77 lm/W

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm


Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code | PL | UL1160LED | RU | IN |

	CEDMWC00202	dimmable 1-10 24VDC driver max 80W (*) x 2 pcs.	94,00 each
---	-------------	---	------------


U-LIGHT

SP ULA 090 canopy
SP ULA 090 recessed



= optional (*) for more info see page 132

SP ULA 120 canopy
SP ULA 120 recessed



= optional (*) for more info see page 132


design: **Timo Ripatti**
Collezione composta da lampade da parete, lampade da soffitto e lampade a sospensione in alluminio.
Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
*Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminium.
Available in several colours and sizes. Built-in LED dimmable light source.*

U-LIGHT / sospensione con rosone / suspension with canopy					
Type	Article	Colours	Version	Source	EURO
SP	ULA 090 LED	AN anthracite grey	XX standard canopy	LED 57,6W - diffused beam 3000K	1.914,00
		RU rust brown			
CE IP20 CRI90  LED ~4413 lm 77 lm/W					
example composition code SP ULA090LED RU XX					
U-LIGHT / sospensione ad incasso - driver NON INCLUSO / recessed suspension- driver NOT INCLUDED					
Type	Article	Colours	Version	Source	EURO
SP	ULA 090 LED	AN anthracite grey	IN recessed canopy	LED 57,6W - diffused beam 3000K	1.708,00
		RU rust brown			
CE  IP20 CRI90  LED ~4413 lm 77 lm/W					
foro - hole Ø 4,5 cm / profondità min - min depth 10 cm					
example composition code SP ULA090LED AN IN					
		CEDMWC00202		dimmable 1-10 24VDC driver max 80W (*)	94,00

U-LIGHT / sospensione con rosone / suspension with canopy					
Type	Article	Colours	Version	Source	EURO
SP	ULA 120 LED	AN anthracite grey	XX standard canopy	LED 84,6W - diffused beam 3000K	2.380,00
		RU rust brown			
CE IP20 CRI90  LED ~6618 lm 77 lm/W					
example composition code SP ULA120LED AN XX					
U-LIGHT / sospensione ad incasso - driver NON INCLUSO / recessed suspension- driver NOT INCLUDED					
Type	Article	Colours	Version	Source	EURO
SP	ULA 120 LED	AN anthracite grey	IN recessed canopy	LED 84,6W - diffused beam 3000K	2.116,00
		RU rust brown			
CE  IP20 CRI90  LED ~6618 lm 77 lm/W					
foro - hole Ø 4,5 cm / profondità min - min depth 10 cm					
example composition code SP ULA120LED RU IN					
CEDMWC00203 dimmable 1-10 24VDC driver max 100W (*)					148,00

U-LIGHT

SP ULA 160 canopy
SP ULA 160 recessed



= optional (*) for more info see page 132


design: **Timo Ripatti**
Collezione composta da lampade da parete, lampade da soffitto e lampade a sospensione in alluminio. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminium. Available in several colours and sizes. Built-in LED dimmable light source.

U-LIGHT / sospensione con rosone / suspension with canopy					
Type	Article	Colours	Version	Source	EURO
SP	ULA 160 LED	AN anthracite grey	XX standard canopy	LED 108W - diffused beam 3000K	2.724,00
		RU rust brown			
CE IP20 CRI90  LED ~8274 lm 77 lm/W					
example composition code SP ULA160LED AN XX					

U-LIGHT / sospensione ad incasso - driver NON INCLUSO / recessed suspension - driver NOT INCLUDED					
Type	Article	Colours	Version	Source	EURO
SP	ULA 160 LED	AN anthracite grey	IN recessed canopy	LED 108W - diffused beam 3000K	2.404,00
		RU rust brown			
CE IP20 CRI90  LED ~8274 lm 77 lm/W					
foro - hole Ø 4,5 cm / profondità min - min depth 10 cm					
example composition code SP ULA160LED RU IN					
		CEDMWC00202 dimmable 1-10 24VDC driver max 80W [*] x 2 pcs.			94,00 each

U-LIGHT


SP ULI 090



design: **Timo Ripatti**
Collezione composta da lampade da parete, lampade da soffitto e lampade a sospensione in alluminio.
Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminium.
Available in several colours and sizes. Built-in LED dimmable light source.


U-LIGHT						
Type	Article	Colours	Code End	Source	EURO	
SP	ULI 090 LED	AN anthracite grey	XX	LED 57,6W - diffused beam 3000K	2.272,00	
		RU rust brown				
CE IP20 CRI90 LED ~4413 lm 77 lm/W						
example composition code SP ULI090LED RU XX						

SP ULI 120



U-LIGHT						
Type	Article	Colours	Code End	Source	EURO	
SP	ULI 120 LED	AN anthracite grey	XX	LED 86,4W - diffused beam 3000K	2.786,00	
		RU rust brown				
CE IP20 CRI90 LED ~6618 lm 77 lm/W						
example composition code		SP	ULI120LED	AN	XX	

SP ULI 160



U-LIGHT

Type	Article	Colours	Code End	Source	EURO
SP	ULI 160 LED	AN anthracite grey	XX	LED 108W - diffused beam 3000K	3.198,00
		RU rust brown			

CE



IP20

CRI90



LED


~8274 lm

77 lm/W

example composition code | SP | ULI160LED | RU | XX |

UKIYO


PL UKIYO P



design: **Manuel Vivian**
Collezione composta da lampade da parete o da soffitto con struttura metallica e rivestimento in tessuto bianco retato elasticizzato, sfoderabile e lavabile. Disponibile in varie dimensioni. Sorgente luminosa con attacco a vite.
Collection consisting of ceiling or wall lamps with metal frame and white removable, washable elastic mesh fabric covering. Available in several sizes. Screw fitting light source.


UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp					
Type	Article	Colours	Finish	Source	EURO
PL	UKIYO P	BC white	XX white metal	E27 3 x Max 6,5W LED or 3 x Max 42W halo	431,00
CE IP20 +LED					
example composition code PL UKIYOP BC XX E27					
TESSUTO SUPPLEMENTARE SU RICHIESTA / ADDITIONAL FABRIC UPON REQUEST:					
TSPLUKIYO60X60BC white					93,00

PL UKI 110



UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp					
Type	Article	Colours	Finish	Source	EURO
PL	UKI 110	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halo	460,00
CE IP20 +LED					
example composition code PL UKI110 BC XX E27					
TESSUTO SUPPLEMENTARE SU RICHIESTA / ADDITIONAL FABRIC UPON REQUEST:					
TSPLUKIYO110X55BC white					221,00


PL UKIYO G



UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp					
Type	Article	Colours	Finish	Source	EURO
PL	UKIYO G	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halo	591,00
CE IP20 +LED					
example composition code PL UKIYOG BC XX E27					
TESSUTO SUPPLEMENTARE SU RICHIESTA / ADDITIONAL FABRIC UPON REQUEST:					
TSPLUKIYO100X100BC white					314,00

URBAN


PL URBAN P



design: **Dima Loginoff**
Collezione composta da lampade da soffitto e lampade a sospensione in alluminio. Disponibile in vari colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso.
Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of aluminium ceiling lamps and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.


URBAN					
Type	Article	Colours	Finishing	Source	EURO
PL	URBAN P	BC wrinkled white	XX	LED 15W - diffused beam 3000K	184,00
		BR matt bronze			
		NI matt nickel			
CE IP20 CRI90 220-240VAC LED ~946 lm (*) 63 lm/W (*) example composition code PL URBANP NI XX LED					

PL URBAN M



URBAN					
Type	Article	Colours	Finishing	Source	EURO
PL	URBAN M	BC wrinkled white	XX	LED 15W - diffused beam 3000K	230,00
		BR matt bronze			
		NI matt nickel			
CE IP20 CRI90 220-240VAC LED ~946 lm (*) 63 lm/W (*)					
example composition code PL URBANM BC XX LED					


PL URBAN G



URBAN					
Type	Article	Colours	Finishing	Source	EURO
PL	URBAN G	BC wrinkled white	XX	LED 15W - diffused beam 3000K	252,00
		BR matt bronze			
		NI matt nickel			
CE IP20 CRI90 220-240VAC LED ~946 lm (*) 63 lm/W (*) example composition code PL URBANG BR XX LED					

URBAN


SP URBAN P



design: **Dima Loginoff**
Collezione composta da lampade da soffitto e lampade a sospensione in alluminio. Disponibile in vari colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso.
Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of aluminium ceiling lamps and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.


URBAN / solo con illuminazione verso il basso / downward lighting only					
Type	Article	Colours	Finishing	Source	EURO
SP	URBAN P	BC wrinkled white	XX	LED 15W - diffused beam 3000K	288,00
		BR matt bronze			
		NI matt nickel			
CE IP20 CRI90 220-240VAC LED ~946 lm (*) 63 lm/W (*)					
example composition code SP URBANP BR XX LED					

SP URBAN M



URBAN / solo con illuminazione verso il basso / <i>downward lighting only</i>						
Type	Article	Colours	Finishing	Source	EURO	
SP	URBAN M	BC wrinkled white	XX	LED 15W - diffused beam 3000K	336,00	
		BR matt bronze				
		NI matt nickel				
CE IP20 CRI90 220-240VAC LED ~946 lm (*) 63 lm/W (*)						
example composition code SP URBANM NI XX LED						


SP URBA P I (RECESSED)



URBAN / solo con illuminazione verso il basso / <i>downward lighting only</i>						
Type	Article	Colours	Finishing	Source	EURO	
SP	URBA P I	BC wrinkled white	XX	LED 15W - diffused beam 3000K	272,00	
		BR matt bronze				
		NI matt nickel				
CE  IP20 CRI90  220-240VAC LED ~946 lm (*) 63 lm/W (*)						
foro - hole Ø 4,5 cm / profondità min - <i>min depth</i> 10 cm						
example composition code SP URBAPI BC XX LED						

URBAN

SP URBA M I (RECESSED)



design: **Dima Loginoff**


Collezione composta da lampade da soffitto e lampade a sospensione in alluminio. Disponibile in vari colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling lamps and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

URBAN / solo con illuminazione verso il basso / downward lighting only					
Type	Article	Colours	Finishing	Source	EURO
SP	URBA M I	BC wrinkled white	XX	LED 15W - diffused beam 3000K	320,00
		BR matt bronze			
		NI matt nickel			
CE  IP20 CRI90  220-240VAC LED ~946 lm [*] 63 lm/W [*]					
foro - hole Ø 4,5 cm / profondità min - min depth 10 cm					
example composition code SP URBAMI BR XX LED					

URBAN MINI


PL URBMI P



design: **Dima Loginoff**
Collezione composta da lampade a sospensione e lampade da soffitto in alluminio.
Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of aluminium ceiling lamps and suspended lamps.
Available in several colours and sizes Built-in dimmable LED light source.


URBAN MINI					
Type	Article	Colours	Finishing	Source	EURO
PL	URB MI P	BC wrinkled white	XX	LED 8W - diffused beam 3000K	135,00
		BR matt bronze			
		NI matt nickel			
CE IP20 CRI90 220-240VAC LED ~409 lm (*) 51 lm/W (*) example composition code PL URBMI P BR XX LED					

PL URBMI M



URBAN MINI					
Type	Article	Colours	Finishing	Source	EURO
PL	URB MI M	BC wrinkled white	XX	LED 8W - diffused beam 3000K	187,00
		BR matt bronze			
		NI matt nickel			
CE IP20 CRI90 220-240VAC LED ~409 lm (*) 51 lm/W (*) example composition code PL URBMI M NI XX LED					


PL URBMI G



URBAN MINI					
Type	Article	Colours	Finishing	Source	EURO
PL	URB MIG	BC wrinkled white	XX	LED 8W - diffused beam 3000K	198,00
		BR matt bronze			
		NI matt nickel			
CE IP20 CRI90 220-240VAC LED ~409 lm (*) 51 lm/W (*) example composition code PL URBMIG BC XX LED					

URBAN MINI


SP URMI PI (RECESSED)



design: **Dima Loginoff**
Collezione composta da lampade a sospensione e lampade da soffitto in alluminio.
Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
*Collection consisting of aluminium ceiling lamps and suspended lamps.
Available in several colours and sizes Built-in dimmable LED light source.*


URBAN MINI						
Type	Article	Colours	Finishing	Source		EURO
SP	URMI P I	BC wrinkled white	XX	LED	8W - diffused beam 3000K	188,00
		BR matt bronze				
		NI matt nickel				
CE IP20 CRI90 220-240VAC LED ~409 lm (*) 51 lm/W (*)						
foro - hole Ø 4,5 cm / profondità min - min depth 10 cm						
example composition code SP URMIPI NI XX LED						

SP URMI MI (RECESSED)



URBAN MINI						
Type	Article	Colours	Finishing	Source	EURO	
SP	URMI M I	BC wrinkled white	XX	LED 8W - diffused beam 3000K	242,00	
		BR matt bronze				
		NI matt nickel				
CE IP20 CRI90 220-240VAC LED ~409 lm [*] 51 lm/W [*]						
foro - hole Ø 4,5 cm / profondità min - min depth 10 cm						
example composition code SP URMIMI BC XX LED						


SP URMI GI (RECESSED)



URBAN MINI						
Type	Article	Colours	Finishing	Source		EURO
SP	URMI G I	BC wrinkled white	XX	LED	8W - diffused beam 3000K	259,00
		BR matt bronze				
		NI matt nickel				
CE IP20 CRI90 220-240VAC LED ~409 lm (*) 51 lm/W (*)						
foro - hole Ø 4,5 cm / profondità min - min depth 10 cm						
example composition code SP URMIGI BR XX LED						

URBAN MINI


SP URBMI P



design: **Dima Loginoff**
Collezione composta da lampade a sospensione e lampade da soffitto in alluminio.
Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
*Collection consisting of aluminium ceiling lamps and suspended lamps.
Available in several colours and sizes Built-in dimmable LED light source.*


URBAN MINI						
Type	Article	Colours		Finishing	Source	EURO
SP	URBMINP	BC	wrinkled white	XX	LED 8W - diffused beam 3000K	204,00
		BR	matt bronze			
		NI	matt nickel			
CE IP20 CRI90  220-240VAC LED ~409 lm 51 lm/W						
example composition code SP URBMINP BR XX LED						

SP URBMI M



URBAN MINI						
Type	Article	Colours		Finishing	Source	EURO
SP	URBMI M	BC	wrinkled white	XX	LED 8W - diffused beam 3000K	256,00
		BR	matt bronze			
		NI	matt nickel			
CE IP20 CRI90  220-240VAC LED ~409 lm 51 lm/W						
example composition code SP URBMIM BC XX LED						

SP URBMI G



URBAN MINI

Type	Article	Colours	Finishing	Source	EURO
SP	URBMI G	BC wrinkled white	XX	LED 8W - diffused beam 3000K	298,00
		BR matt bronze			
		NI matt nickel			

CE



IP20

CRI90



220-240VAC

LED

~409 lm

51 lm/W

example composition code

SP

URBMIG


NI

XX

LED

URIEL

AP URIEL P




design: **Manuel Vivian**
Collezione composta da lampade da parete in metallo, disponibile in vari colori e dimensioni.
Sorgente luminosa con attacco R7S.
*Collection consisting of metal wall lamps in metal. Available in several colours and sizes.
Light source with R7s fitting.*

URIEL						
Type	Article	Colours	Code End	Source		EURO
AP	URIEL P	BC pearl white	XX	R7S	1 x Max 120W (78)	245,00
		BR bronze				230,00
		CR chrome				286,00

CE IP20 ADA
example composition code |AP |URIELP |BR |XX |R7S

AP URIEL G




URIEL						
Type	Article	Colours	Finish	Source		EURO
AP	URIEL G	BC pearl white	XX	R7S	1 x Max 160W (118)	388,00
		BR bronze				328,00
		CR chrome				548,00

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. *Articles in red are available until sold out.*

CE IP20 ADA
example composition code |AP |URIELG |CR |XX |R7S

VASILY
AP VASILY



= optional


design: **Manuel Vivian**
Lampada da parete in metallo, disponibile in vari colori. Sorgente luminosa con attacco G9.
Wall lamp in metal. Available in several colours. Light source with G9 fitting.

VASILY						
Type	Article	Colours	Finish	Source		EURO
AP	VASILY	BC textured white	XX	G9X	G9 1 x Max 60W halo	136,00
		CR polished steel				176,00

CE ⚡ IP20 ADA						
example composition code AP VASILY CR XX G9X						
+	PLACCAVASILYBC	placca bianco texturizzato / <i>textured white backplate</i>				27,00
	PLACCAVASILYCR	placca acciaio lucido / <i>polished steel backplate</i>				39,00

VELVET

PL VEL 070




design: **Manuel Vivian**
Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.
Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

VELVET / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 070 E27	BC ice white	BC white	E27 2 x Max 16W LED or 2 x Max 20W fluo	988,00
		AR orange	BL electric blue		
		AZ light blue	BW warm white		
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		
		RB burgundy	RB burgundy		
			RS red		
			VE green		

CE	⏚	IP20	+LED		
example composition code		PL	VEL070E27	BL	RS

PL VEL 100




VELVET / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 100 E27	BC ice white	BC white	E27 3 x Max 16W LED or 3 x Max 33W fluo 3 x Max 57W halo	1.875,00
		AR orange	BL electric blue		
		AZ light blue	BW warm white		
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		
		RB burgundy	RB burgundy		
			RS red		
			VE green		

CE	⏚	IP20	+LED		
example composition code		PL	VEL100E27	NE	GI

VELVET

PL VEL 160




design: **Manuel Vivian**
Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.
Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

VELVET / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 160 E27	BC ice white	BC white	E27 5 x Max 16W LED or 5 x Max 23W fluo 5 x Max 46W halo	5.082,00
		AR orange	BL electric blue		
		AZ light blue	BW warm white		
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		
		RB burgundy	RB burgundy		
			RS red		
			VE green		

CE	IP20	+LED
example composition code		
PL	VEL160E27	BC VE

SP VEL 050




VELVET / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 050 E27	BC ice white	BC white	E27 1 x Max 16W LED or 1 x Max 23W fluo	969,00
		AR orange	BL electric blue		
		AZ light blue	BW warm white		
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		
		RB burgundy	RB burgundy		
			RS red		
			VE green		

CE	IP20	+LED
example composition code		
SP	VEL050E27	BA BC

VELVET

SP VEL 070




design: **Manuel Vivian**
Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.
Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

VELVET / diffusore INCLUSO / diffuser INCLUDED					
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 070 E27	BC ice white	BC white	E27 1 x Max 20W LED or 1 x Max 33W fluo 1 x Max 70W halo	1.308,00
		AR orange	BL electric blue		
		AZ light blue	BW warm white		
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		
		RB burgundy	RB burgundy		
			RS red		
			VE green		

CE IP20 +LED
example composition code | PL | VEL100E27 | AR | BW |

SP VEL 100




VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting					
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 100 E27	BC ice white	BC white	E27 4 x Max 20W LED or 4 x Max 33W fluo 4 x Max 57W halo	3.338,00
		AR orange	BL electric blue		
		AZ light blue	BW warm white		
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		
		RB burgundy	RB burgundy		
			RS red		
			VE green		

CE IP20 +LED
example composition code | SP | VEL100E27 | MA | BC |

VELVET

SP VEL 100




design: **Manuel Vivian**

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.
Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 100 LED	BC ice white	BC white	LED 95W - diffused beam 3000K	3.824,00
		AR orange	BL electric blue		
		AZ light blue	BW warm white		
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		
		RB burgundy	RB burgundy		
			RS red		
			VE green		

CE	⏚	IP20	CRI90		LED	~6378 lm	67 lm/W
example composition code		SP	VEL100LED	RB	NE		

SP VEL 160




VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>					
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 160 E27	BC ice white	BC white	E27 4xMax 16W + 1xMax 9,5W LED or 5xMax 23W fluo or 4xMax 57W + 1xMax 46W halo	6.870,00
		AR orange	BL electric blue		
		AZ light blue	BW warm white		
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		
		RB burgundy	RB burgundy		
			RS red		
			VE green		

CE	⏚	IP20	+LED				
example composition code		SP	VEL160E27	AR	BC		

VELVET

SP VEL 160



design: **Manuel Vivian**


Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / <i>diffuser INCLUDED, with upward and downward lighting</i>						
Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO	
SP	VEL 160 LED	BC ice white	BC white	LED 95W - diffused beam 3000K	7.617,00	
		AR orange	BL electric blue			
		AZ light blue	BW warm white			
		BA ivory white	GI gold yellow			
		BL blue	MA brown			
		MA brown	MT brick red			
		NE black	NE black			
		RB burgundy	RB burgundy			
			RS red			
			VE green			
CE ⚡ IP20 CRI90  LED ~6096 lm 64 lm/W example composition code SP VEL160LED MA BC						


VIRTUS

VIRTUS SUSPENSION



= optional

VIRTUS SUSPENSION



= optional (*) for more info see page 128

design: **Manuel Vivian**
Collezione composta da lampade a sospensione in alluminio in vari colori.
Disponile anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.
Collection consisting of suspended lamps in aluminium, also in a recessed version.
Available in several colours. Built-in dimmable LED light source.

VIRTUS / LED 3W							
Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	2	101	 monopoint canopy version	07 matt white RAL 9016	 3000 K	 medium beam	242,00
				10 anthracite grey wrinkled - final black polished nickel			266,00
				11 anthracite grey wrinkled - final polished gold			266,00
				12 rust brown wrinkled final black polished nickel			266,00
				13 rust brown wrinkled final polished gold			266,00

  IP20 CRI90   ~184 lm 61 lm/W

example composition code | E | 2 | 101 | 1 | 11 | 1 | 2

	E000700900	Kit decentramento bianco Ø 2,2 x 2 cm. White decentralization kit Ø 2,2 x 2 cm.	12,00
---	------------	--	-------

VIRTUS RECESSED / LED 3W / 350mA / DRIVER NOT INCLUDED							
Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	2	101	 recessed	07 matt white RAL 9016	 3000 K	 medium beam	194,00
				10 anthracite grey wrinkled - final black polished nickel			214,00
				11 anthracite grey wrinkled - final polished gold			214,00
				12 rust brown wrinkled final black polished nickel			214,00
				13 rust brown wrinkled final polished gold			214,00


  IP20 CRI90   ~184 lm 61 lm/W

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

example composition code E 2 101 4 13 1 2			
	E000700900	Kit decentramento bianco Ø 2,2 x 2 cm. White decentralization kit Ø 2,2 x 2 cm.	12,00
	CEDLTC00100	standard 350mA driver - Max 8W (*)	29,00
	CEDLTC00101	standard 350mA driver - Max 12W (*)	41,00
	CEDLTC00102	dimmable 1-10V & PUSH 350mA driver - Max 6W (*)	47,00
	CEDLTC00103	dimmable 1-10V 350mA driver - Max 25W (*)	119,00
	CEDLTC00104	dimmable DALI 350mA driver - Max 25W (*)	144,00
	CEDLLG00302	standard 350mA driver - Max 6W (*)	42,00
	CEDLLG00303	standard 350mA driver - Max 12W (*)	62,00

VOLUPTAS

VOLUPTAS SWITCH WALL



design: **Lorenzo Truant**
Collezione composta da lampade da parete e da soffitto in alluminio bianco con asta flessibile rivestita in gomma. Disponibile in varie versioni. Sorgente luminosa a LED integrato.
Collection consisting of white aluminium wall lamps and ceiling lamps with rubber-coated flexible rod. Available in several versions. Built-in LED light source.

VOLUPTAS / LED 4W


Zone	Type	Arti- cle	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	1	110	0	07 white 9016 matt	1 3000 K	4 diffused	203,00

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.

IP20 CRI80 ~226 lm 56 lm/W

example composition code | E | 1 | 110 | 0 | 07 | 1 | 4

VOLUPTAS ARM WALL



VOLUPTAS / LED 4W / 700mA DRIVER NOT INCLUDED

Zone	Type	Arti- cle	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	1	107	0	07 white 9016 matt	1 3000 K	4 diffused	138,00

Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.

IP20 CRI80 ~226 lm 56 lm/W

Collegare in serie. Lunghezza cavo 150 cm. / Wire in series. Cable length 150 cm.


example composition code | E | 1 | 107 | 0 | 07 | 1 | 4

= optional (*) for more info see page 130

	CEDLTC00109	standard 700mA driver - Max 6W (*)	30,00
	CEDLTC00111	standard 700mA driver - Max 17W (*)	55,00
	CEDLTC00112	standard 700mA driver - Max 32W (*)	77,00
	CEDLTC00113	dimnable 1-10V 700mA driver - Max 20W (*)	67,00
	CEDLTC00103	dimnable 1-10V 700mA driver - Max 50W (*)	119,00
	CEDLTC00104	dimnable DALI 700mA driver - Max 50W (*)	144,00

VOLUPTAS


VOLUPTAS 140 CEILING



design: **Lorenzo Truant**
Collezione composta da lampade da parete e da soffitto in alluminio bianco con asta flessibile rivestita in gomma. Disponibile in varie versioni. Sorgente luminosa a LED integrato.
Collection consisting of white aluminium wall lamps and ceiling lamps with rubber-coated flexible rod. Available in several versions. Built-in LED light source.

VOLUPTAS / LED 4W							
Zone	Type	Arti- cle	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	3	108	0	07 white 9016 matt	1 3000 K	4 diffused	212,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.							
CE IP20 CRI80 LED ~226 lm 56 lm/W							
example composition code E 3 108 0 07 1 4							




VOLUPTAS 4-140 CEILING



VOLUPTAS / LED 16W							
Zone	Type	Arti- cle	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	3	109	0	07 white 9016 matt	1 3000 K	4 diffused	549,00
Gli articoli in rosso sono disponibili solo fino ad esaurimento scorte. Articles in red are available until sold out.							
CE IP20 CRI80 LED ~904 lm 56 lm/W							
example composition code E 3 109 0 07 1 4							

ACCESSORI / ACCESSORIES


BULBS

LAMP BULBS			
	Code	Description	EURO
	LAMPG92,5WL2701	G9 LED BULB (for Aibu) 2,5W, 200lm, 2700K, beam 330°, Ra>80, A+ class, not dimmable - 220-240VAc	24,00
	LAMPGU105,5W040	GU10 LED BULB (for Fedora - Nafir) 5,5W, 350lm, 3000K, beam 40°, A class, not dimmable - 220-240VAc	41,00
	LAMPG41,5WL3001	G4 LED BULB (for Spillray G4L) 1,5W, 200lm, 3000K, COB leds, Ra>80, A+ class, not dimmable - 12V Ac/Dc	8,00
	LAMPADINABISP.10W	G4 12V HALOGEN BULB (for Spillray 12V) 10W, 130 lm, 3000K, Ra 100, C class, dimmable - 12VAc	2,00
	LAMPADINABISP.20W	G4 12V HALOGEN BULB (for Spillray 12V) 20W, 320 lm, 3000K, Ra 100, C class, dimmable - 12VAc	2,00


ACCESSORI / ACCESSORIES

DRIVER 350mA

STANDARD




DRIVER 350mA STANDARD						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00100	Standard not dimmable	8	100-240V 50-60 Hz	350mA cost. 24V	net kg 0.04	29,00
CE IP20 						




DRIVER 350mA STANDARD						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00101	Standard not dimmable	12	100-240V 50-60 Hz	350mA cost. 36V	net kg 0.045	41,00
CE IP20 						

DIMMABLE 1-10V




DRIVER 350mA DIMMABLE 1-10V & PUSH						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00102	Dimmable 1-10V	6	220-240V 50-60 Hz	350mA cost. 24V	net kg 0.06	47,00
CE   IP20 						



DRIVER 350mA DIMMABLE 1-10V						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00103	Dimmable 1-10V	25	110-240V 50-60 Hz	350mA cost. 74V Max	net kg 0.15	119,00
CE  IP20 						


DIMMABLE DALI




DRIVER 350mA DIMMABLE DALI						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00104	Dimmable DALI	25	110-240V 50-60 Hz	350mA cost. 74V Max	net kg 0.15	144,00
CE  IP20 						

DRIVER 350mA

IP67




DRIVER 350mA IP67						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLLG00302	IP67 not dimmable	6	120-240V 50-60 Hz	350mA 2-20V	net kg 0.094	42,00
CE IP67 						



DRIVER 350mA IP67						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLLG00303	IP67 not dimmable	12	120-240V 50-60 Hz	350mA 2-35V	net kg 0.181	62,00
CE IP67 						


DRIVER 500mA

STANDARD




DRIVER 500mA STANDARD						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00106	Standard not dimmable	6	100-240V 50-60 Hz	500mA cost. 12V	net kg 0.04	29,00
CE IP20 						

DIMMABLE 1-10V



DRIVER 500mA DIMMABLE 1-10V						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00107	Dimmable 1-10V	6	220-240V 50-60 Hz	500mA cost. 12V	net kg 0.06	47,00
CE  IP20 						


DIMMABLE DALI



DRIVER 500mA DIMMABLE DALI						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00108	Dimmable DALI	24	110-240V 50-60 Hz	500mA cost. 47V Max	net kg 0.11	144,00
CE  IP20 						

DRIVER 500mA

IP67




DRIVER 500mA IP67

Code	Product	W Max	Input	Output	Weight	EURO
CEDLLG00304	IP67 not dimmable	6	120-240V 50-60 Hz	500mA 2-14V	net kg 0.094	42,00

CE IP67 

DRIVER 700mA


STANDARD



DRIVER 700mA STANDARD

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00109	Standard not dimmable	6	100-240V 50-60 Hz	700mA cost. 12V	net kg 0.035	30,00


CE IP20 



DRIVER 700mA STANDARD

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00111	Standard not dimmable	17	220-240V 50-60 Hz	700mA cost. 27V	net kg 0.106	55,00

CE IP20 




DRIVER 700mA STANDARD

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00112	Standard not dimmable	32	220-240V 50-60 Hz	700mA cost. 46V Max	net kg 0.185	77,00

CE IP20 

DRIVER 700mA


DIMMABLE 1-10V



DRIVER 700mA DIMMABLE 1-10V						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00113	Dimmable 1-10V	20	110-240V 50-60 Hz	700mA cost. 28V Max	net kg 0.08	67,00
CE  IP20 						


DRIVER 700mA DIMMABLE 1-10V						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00103	Dimmable 1-10V	50	110-240V 50-60 Hz	700mA cost. 71V Max	net kg 0.15	119,00
CE  IP20 						

DIMMABLE DALI



DRIVER 700mA DIMMABLE DALI						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00104	Dimmable DALI	50	110-240V 50-60 Hz	700mA cost. 71V Max	net kg 0.15	144,00
CE  IP20 						

IP67





DRIVER 700mA IP67						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLLG00307	IP67 not dimmable	12	120-240V 50-60 Hz	700mA 2-18V	net kg 0.181	42,00
CE IP67 						

DRIVER 700mA IP67						
Code	Product	W Max	Input	Output	Weight	EURO
CEDLLG00308	IP67 dimmable phase cut	36	220-240V 50-60 Hz	700mA 4-525V	net kg 0.28	62,00
CE  IP67 						

DRIVER for Spillray LED

STANDARD



12V

DRIVER 12V / LED 1÷5 x 1,5W						
Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00200	Standard not dimmable	8	100-240V 50-60 Hz	12VDC cost. 0,67mA	net kg 0,06	22,00

CE IP30





DRIVER 12V / LED 1÷8 x 1,5W						
Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00201	Standard not dimmable	12	110-240V 50-60 Hz	12VDC cost. 1A	net kg 0,06	23,00

CE IP30



DRIVER for U-Light

IP 67



24V

DRIVER 24V						
Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	IP 67 Dimmable 1-10V	80	100-240V 50-60 Hz	24VDC cost. 3,4mA	net kg 0,9	94,00

CE  IP67




DRIVER 24V						
Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	IP 67 Dimmable 1-10V	100	110-240V 50-60 Hz	24VDC cost. 4A	net kg 1,2	148,00

CE  IP67



TRANSFORMER

DIMMABLE PHASE CUT



12V

TRANSFORMER						
Code	Product	W Max	Input	Output	Weight	EURO
TR60PRIMULA	Dimmable Phase Cut	60	230-240V 50-60 Hz	12VAC	net kg 0,06	18,00

CE  IP20



LEGENDA / LEGEND



I nostri prodotti sono tutti sottoposti alle prove di sicurezza elettrica e conformi alle Direttive Comunitarie Europee EN60598-1, LVD 2006/95/EC, EMC 2004/108/EC (ove previsto).

All our products undergo electric safety tests and comply with ECC Directive EN60598-1, LVD 2006/95/EC, EMC 2004/108/EC (where provided).



CLASSE 1

Solo isolamento fondamentale; le parti conduttrici accessibili sono collegate ad un conduttore di terra. Messa a terra obbligatoria.

Basic insulation, accessible conductors are earthed. Earthing is compulsory.



Dimmerabile. Dimmer incluso.

Dimmable. Dimmer included.



Dimmerabile trailing edge.

Dimmable trailing edge.



Prodotto con LED integrato.

Integrated LED product.



Prodotto da esterni con grado di protezione IPXY elevato.

Outdoor product with high IPXY protection.



Prodotto conforme alla normativa USA A.D.A. (protruding objects).

Product conforms to the USA A.D.A. standards (protruding objects).



CLASSE 2

Sistema a doppio isolamento; messa a terra esclusa.

Double insulation. Earthing: excluded.



Dimmerabile solo con driver dedicato.

Dimmable only with dedicated power supply unit.



Dimmerabile a taglio di fase.

Dimmable phase cut.



Prodotto con LED integrato a tensione di rete.

Product equipped with Integrated LED for the mains voltage.



Grado di protezione contro corpi solidi X - e contro i liquidi Y.

Protection rating against solid bodies X - against liquids Y.



Accessorio optional generico.

Generic optional accessory.



CLASSE 3

Apparecchio in cui la protezione contro la scossa elettrica si basa sulla alimentazione a bassissima tensione di sicurezza.

Appliance in which protection against electrical shock is guaranteed by the extremely lowvoltage power supply.



Articolo dimmerabile 1-10V.

Dimmable 1-10V.



Articolo dimmerabile Push

Dimmable Push



Prodotto per sola lampadina a LED.

Product for LED light bulbs only.



Indice di resa di colore.

Colour rendering index.



PSU

Alimentatore.

Power Supply Unit.



Interfacciabile con sistema DALI.

Interfaceable with DALI system.



Prodotto con lampadine LED o convenzionali.

Product for LED or conventional light bulbs.

Misure dei disegni in cm.

Schede tecniche e files 3D verranno implementati e resi disponibili nel sito www.axolight.it nella sezione PRODOTTI > AXO LIGHT sotto la voce "dimensioni / dati tecnici" di ogni collezione.

Measures of the drawings in cm.

Technical sheets and the 3D files will be updated and available at www.axolight.it in the section PRODUCTS > AXO LIGHT and under the link "dimension / technical data", available under each collection.

EEL compatibility

Energy Efficiency Label compatibility

Gli apparecchi Axo Light sono compatibili con lampadine etichettate con le classi energetiche del regolamento ENERGY LABELLING eventualmente disponibili in commercio e previa verifica dimensionale.

La classe energetica in grassetto è quella della lampadina con cui è venduto l'apparecchio.

I prodotti presenti a listino con il simbolo **LED** sono muniti di lampade a LED integrate A, A+, A++ non sostituibili.

Le informazioni qui riportate riguardo le classi energetiche delle lampadine non sono esaustive di tutti i tipi effettivamente reperibili sul mercato dell'Area Economica Europea.

The Axo Light luminaires are compatible with bulbs – if available in the market and previously checked as regards their dimensions - labelled with the energy classes of the ENERGY LABELLING regulation.

The energy class letter in bold format is related to the bulb supplied together with the specific article.

The products with the **LED** symbol are equipped with built-in LED lamps A, A+, A++ that cannot be changed.

The information regarding the energy classes of the bulbs are not exhaustive about the actual while range available in the Economic European Area market.

CODICE / CODE	EELc
Aibu	
LTAIBUXXXXXG9L	A, A+, A++
Alrish	
SPALRISHXXXXE27	D, C, B, A, A+, A++
Anadem	
SPANAO90E27	D, C, B, A, A+, A++
SPANAO90FLE	A
SPANAI50E27	D, C, B, A, A+, A++
SPANAI50FLE	A
Aura	
APAUAXXXXXXE27	D, C, B, A, A+, A++
PLAURAGRXXXXE27	D, C, B, A, A+, A++
PLAURAPXXXXE27	D, C, B, A, A+, A++
PLAURG30XXXXE27	D, C, B, A, A+, A++
PLAURP30XXXXE27	D, C, B, A, A+, A++
SPAU45/2XXXXE27	D, C, B, A, A+, A++
SPAU60/2XXXXE27	D, C, B, A, A+, A++
SPAURA45XXXXE27	D, C, B, A, A+, A++
SPAURA60XXXXE27	D, C, B, A, A+, A++
Ax20	
SPAX20PIXXXXG9X	D
APAX20GRXXXXG9X	D
APAX20PIXXXXG9X	D
LTAX20XXXXXXG9X	D
PTAX20XXXXXXG9X	D
Bell	
PLBEL060E27	D, C, B, A, A+, A++
PLBEL090E27	D, C, B, A, A+, A++
PLBEL118E27	D, C, B, A, A+, A++
PLBEL180E27	D, C, B, A, A+, A++
SPBEL045E27	D, C, B, A, A+, A++
SPBEL060E27	D, C, B, A, A+, A++
SPBEL090E27	D, C, B, A, A+, A++
SPBEL118E27	D, C, B, A, A+, A++
SPBEL180E27	D, C, B, A, A+, A++
Clavius	
APCLAV30XXXXE14	D, C, B, A, A+, A++
APCLAVBRXXXXE14	D, C, B, A, A+, A++
APCLAVGRXXXXE14	D, C, B, A, A+, A++
APCLAVPIXXXXE14	D, C, B, A, A+, A++
LTCLAVIGXXXXE27	D, C, B, A, A+, A++
LTCLAVIPXXXXE14	D, C, B, A, A+, A++
LTCLAVXPXXXXE14	D, C, B, A, A+, A++
PLCLAV90XXXXE27	D, C, B, A, A+, A++
PLCLAVIUXXXXE27	D, C, B, A, A+, A++
PTCLAVIUXXXXE27	D, C, B, A, A+
SPCLA140XXXXE27	D, C, B, A, A+, A++
SPCLAV40XXXXE27	D, C, B, A, A+, A++
SPCLAV60XXXXE27	D, C, B, A, A+, A++
SPCLAVIPXXXXE27	D, C, B, A, A+, A++
SPCLAVIUXXXXE27	D, C, B, A, A+, A++
SPCLAVIUXXXXFLE	A, A+
SPCL6040XXXXE27	D, C, B, A, A+, A++

CODICE / CODE	EELc
Crystal Spotlight	
FAMENCARXXXX12V	C, B
FAMENCARXXXXG9X	D
FANASHIRXXXX12V	C, B
FANASHIRXXXXG9X	D
Explo	
SPEXPL10XXXXR7S	D
SPEXPL15XXXXR7S	D
SPEXPLO5XXXXR7S	D
SPEXPLOXXXXXR7S	D
SPEXPQ10XXXXR7S	D
Euler	
PLEULEGMFLE	A
PLEULEGPFLE	A
PLEULEMPFLE	A
PLEULERGFLE	A
PLEULERMFLE	A
PLEULERPFLE	A
PLEULGMPFLE	A
Fedora	
FAFEDORAXXXG1	A, A+, A++
SPFED012XXXXG1	A, A+, A++
SPFED0R1XXXXG1	A, A+, A++
SPFED0R3XXXXG1	A, A+, A++
SPFED0R6XXXXG1	A, A+, A++
SPFED0R7XXXXG1	A, A+, A++
Layer	
SPLAYAXXE27	D, C, B, A, A+, A++
SPLAYBXXE27	D, C, B, A, A+, A++
SPLAYCXXE27	D, C, B, A, A+, A++
SPLAYDXXE27	D, C, B, A, A+, A++
SPLAYEXXE27	D, C, B, A, A+, A++
SPLAYFXXE27	D, C, B, A, A+, A++
Melting Pot	
APMELTINXXXXE27	D, C, B, A, A+, A++
PTMELT55XXXXE27	D, C, B, A, A+, A++
PTMELT805NAXXE27	D, C, B, A, A+, A++
SPMEL115XXXXE27	D, C, B, A, A+, A++
SPMEL120XXXXE27	D, C, B, A, A+, A++
SPMELT55XXXXE27	D, C, B, A, A+, A++
SPMELT60XXXXE27	D, C, B, A, A+, A++
SPMELT80XXXXE27	D, C, B, A, A+, A++
Muse	
LTMUSEGXXXXXE27	E, D, C, B, A
LTMUSEPXXXXXE14	D, C, B, A, A+, A++
PLMU120QXXXXE27 +KPLMUSE	A, A+, A++
PLMUS120XXXXE27 +KPLMUSE	A, A+, A++
PLMU120QXXXXXE27	D, C, B, A, A+, A++
PLMUS120XXXXXE27	D, C, B, A, A+, A++
PLMUS60QXXXXE27	D, C, B, A, A+, A++
PLMUSE40XXXXE27	D, C, B, A, A+, A++


CODICE / CODE	EELc
Muse	
PLMUSE60XXXXE27	D, C, B, A, A+, A++
PLMUSE80XXXXE27 +KPLMUSE	A, A+, A++
PLMUSE80XXXXE27	D, C, B, A, A+, A++
SPMUSEXXXXXE27	D, C, B, A, A+, A++
Nafir	
PLNAFII3XXXX12V	A, A+, A++
PLNAFIR3XXXXG1	A, A+, A++
SPNAFIR1XXXXG1	A, A+, A++
SPNAFIR3XXXXG1	A, A+, A++
Necky	
PLNEC100XXXXE27	D, C, B, A, A+, A++
PLNEL140XXXXE27	D, C, B, A, A+, A++
PLNELL60XXXXE27	D, C, B, A, A+, A++
Nelly Straight	
PLNELS60XXXXE27	D, C, B, A, A+, A++
PLNES100XXXXE27	D, C, B, A, A+, A++
PLNES140XXXXE27	D, C, B, A, A+, A++
Plumage	
SPPLU080E27	D, C, B, A, A+, A++
SPPLU120E27	D, C, B, A, A+, A++
SPPLU180E27	D, C, B, A, A+, A++
PTPLU180E27	D, C, B, A, A+, A++
Skin	
SPSKI070E27	A, A+, A++
SPSKI100E27	A, A+, A++
SPSKI160E27	A, A+, A++
PLSKI070E27	A, A+, A++
PLSKI100E27	A, A+, A++
PLSKI160E27	A, A+, A++
Skirt	
PLSKR070E27	D, C, B, A, A+, A++
SPSK100E27	D, C, B, A, A+, A++
SPSK150E27	D, C, B, A, A+, A++
PLSK100E27	D, C, B, A, A+, A++
PLSK150E27	D, C, B, A, A+, A++
PLSKR100E27	D, C, B, A, A+, A++
PLSKR150E27	D, C, B, A, A+, A++
APSKR028FLE	A
SPSKR050E27	D, C, B, A, A+, A++
SPSKR070E27	D, C, B, A, A+, A++
SPSKR100E27	D, C, B, A, A+, A++
SPSKR140E27	D, C, B, A, A+, A++
SPSKR150E27	D, C, B, A, A+, A++
LTSKR050E27	D, C, B, A, A+, A++
Spillray	
PLSPILGIXXXX12V	C, B
PLSPILGIXXXG4L	A, A+, A++
PLSPILMIXXXX12V	C, B
PLSPILMIXXXG4L	A, A+, A++
PLSPILPIXXXX12V	C, B
PLSPILPIXXXG4L	A, A+, A++

CODICE / CODE	EELc
Spillray	
APSPILLRXXXX12V	C, B
APSPILLRXXXXG4L	A, A+, A++
SPSPIL10XXXX12V	C, B
SPSPIL10XXXXG4L	A, A+, A++
SPSPIL12XXXX12V	C, B
SPSPIL12XXXXG4L	A, A+, A++
SPSPIL20XXXX12V	C, B
SPSPIL26XXXX12V	C, B
SPSPIL30XXXX12V	C, B
SPSPILGIXXXX12V	C, B
SPSPILGIXXXG4L	A, A+, A++
SPSPILL3XXXX12V	C, B
SPSPILL3XXXXG4L	A, A+, A++
SPSPILL6XXXX12V	C, B
SPSPILL6XXXXG4L	A, A+, A++
SPSPILLGXXXX12V	C, B
SPSPILLGXXXXG4L	A, A+, A++
SPSPILLMXXXX12V	C, B
SPSPILLMXXXXG4L	A, A+, A++
SPSPILLPXXX12V	C, B
SPSPILLPXXXXG4L	A, A+, A++
SPSPILMIXXXX12V	C, B
SPSPILMIXXXG4L	A, A+, A++
SPSPILPIXXXX12V	C, B
SPSPILPIXXXG4L	A, A+, A++
Spiry	
SPSPIRYXXXXXE27	D, C, B, A, A+, A++
Stormy	
PLSTO100XXXXE27	D, C, B, A, A+, A++
PLSTOR60XXXXE27	D, C, B, A, A+, A++
Ukiyo	
PLUKI110XXXXE27	D, C, B, A, A+, A++
PLUKIYOGXXXXE27	D, C, B, A, A+, A++
PLUKIYOPXXXXE27	D, C, B, A, A+, A++
Uriel	
APURIELGXXXXR7S	D, C
APURIELPXXXXR7S	D, C
Vasily	
APVASILYXXXXG9X	D
Velvet	
PLVEL070E27	D, C, B, A, A+, A++
PLVEL100E27	D, C, B, A, A+, A++
PLVEL160E27	D, C, B, A, A+, A++
SPVEL050E27	D, C, B, A, A+, A++
SPVEL070E27	D, C, B, A, A+, A++
SPVEL100E27	D, C, B, A, A+, A++
SPVEL160E27	D, C, B, A, A+, A++
SPVEL160FLE	A
SPVEL100E27	D, C, B, A, A+, A++
SPVEL160E27	D, C, B, A, A+, A++
SPVEL160FLE	A

CONDIZIONI DI VENDITA

SALES CONDITIONS

Estratto delle condizioni generali di vendita	Abstract of the general conditions of sale
1. Il prezzo comprende l'imballo in scatole di cartone.	1. Prices include carton packing.
2. Lampadine incluse solo dove indicato. Ballast incluso.	2. Bulbs are included only if indicated. Ballast included.
3. Il peso indicato si riferisce al peso netto degli articoli.	3. The weight indications refer to the net weight of the items.
4. Il volume indicato si riferisce al volume degli imballi degli articoli.	4. The volume indications refer to the volume of the packing boxes of the items.
5. Axo Light declina ogni responsabilità per danni causati dal trasporto, essendo le merci accuratamente controllate e imballate prima della spedizione.	5. Axo Light s.r.l declines any liability for transport damage as goods are carefully inspected and packed before shipment.
6. Eventuali reclami per difetti o danni causati dal trasporto devono essere comunicati per iscritto entro 8 giorni dal ricevimento della merce.	6. Any claims have to be notified by fax or by e-mail, within 8 days from receipt of goods.
7. I prodotti hanno una consegna minima di quattro settimane, salvo i prodotti evidenziati in celeste che sono invece disponibili in pronta consegna. Vi preghiamo di contattare il nostro Customer Service per maggiori informazioni. Tel +39.041.5845193, axolight@axolight.it	7. Minimum delivery time for the products is four weeks, excluding the highlighted products that are available on stock. Please contact our Customer Service for further information. Tel +39.041.5845193, axolight@axolight.it
8. Gli articoli segnalati in rosso sono in vendita solo fino ad esaurimento scorte. Prima di fare un ordine, contattare il nostro Customer Service per verificare la disponibilità degli articoli. Tel +39.041.5845193, axolight@axolight.it	8. The items shown in red are available until they are sold out. Before ordering, please contact our Customer Services to check if the items are available. Tel +39.041.5845193, axolight@axolight.it
9. Axo Light declina qualsiasi responsabilità per l'inosservanza anche parziale delle istruzioni d'installazione e montaggio in dotazione o richieste, o per l'uso non adeguato degli apparecchi d'illuminazione di sua produzione. Axo Light non risponde per eventuali danni a persone o cose causati da una non corretta installazione dei propri apparecchi d'illuminazione.	9. Axo Light declines any liability for the non-observance – even partial – of the installation and assembly instructions provided or requested, or for the inappropriate use of the light fittings it manufactures. Axo Light will not be held liable for any property damage or personal injury caused by the incorrect installation of its light fittings.
10. Sono possibili variazioni di colore e dimensioni tra un lotto produttivo e l'altro.	10. Dimensions and colours may vary from one production batch to the other.
11. I dati riportati sono puramente indicativi; è possibile che siano riportati degli errori di stampa. Axo Light può apporre modifiche di qualsivoglia tipo agli apparecchi e alle relative istruzioni senza preavviso alcuno. Axo Light non presta garanzia legale relativamente all'accuratezza dei dati riportati nel presente listino.	11. The details given here are intended purely as guidance as errors may have occurred during the printing process. Axo Light may make alterations of any type to the light fittings and relevant instructions without notice. Axo Light does not provide legal guarantee regarding the accuracy of the data provided in this price list.
12. Resta inteso che qualsiasi utilizzo dei materiali promozionali messi a disposizione da Axo Light comporta l'integrale accettazione delle "Condizioni di utilizzo dei materiali promozionali Axo Light".	12. It is understood that any use of promotional material made available by Axo Light implies the full acceptance of the "Conditions for use of promotional material of Axo Light".
13. Per ogni controversia, l'unico e insindacabile Foro competente è quello di Treviso.	13. Any dispute that may arise shall submit to the sole jurisdiction of the Courts of Treviso.



AXO LIGHT srl
via Moglianese, 44
30037 Scorzè (Venezia) Italy
t +39 041 5845193
f +39 041 5845060
axolight@axolight.it
axolight.it

Axolight bespoke
design

Italy
United States
China

axolight.it